

NEW CLOUD TECHNOLOGIES LTD.

MYOFFICE TEXT DESKTOP APPLICATION

3.2

USER GUIDE

Version 1

On 419 sheets

Date of publication: December 17, 2024

Moscow

2024

MyOffice

All product names, logos, and trademarks referred to in this document shall belong to their owners.

The trademarks «МойОфис» and "MyOffice" belong to New Cloud Technologies Ltd.

Nothing in these terms shall be construed under any circumstances as direct or indirect provision of a license or right to use the trademarks, logos or service marks used herein. Any unauthorized use of these trademarks, logos, or service marks without the written permission of their owner is strictly prohibited.

TABLE OF CONTENTS

1 About	14
1.1 General information	14
1.2 System requirements	14
1.3 Limitations	15
1.3.1 Supported file formats	15
1.3.2 Supported interface languages	15
2 Before you begin	16
2.1 Install the application	16
2.2 Launch the application	18
2.3 License agreement	19
2.4 Update MyOffice Education software	20
3 Interface overview	21
3.1 MyOffice Text window	21
3.2 Command menu	22
3.3 Toolbar	23
3.3.1 Change the Toolbar display mode	23
3.3.2 Hide or display section titles	25
3.3.3 Hide or display sections content	26
3.3.4 Customize the Favorites section	27
3.3.4.1 Add a button from the Toolbar	27
3.3.4.2 Add a button to run a command menu option	27
3.3.4.3 Add a button to run a macro command	29
3.3.4.4 Change the button to run a macro	30
3.3.4.5 Move an element	31
3.3.4.6 Delete an element	31
3.3.4.7 Clear the section	33
3.3.5 Hide or display the Favorites section	33
3.4 Workspace	35
3.5 Sidebar	36
3.6 Status bar	38
3.7 Quick Actions box	39
3.8 Application language	41
4 Work with MyOffice Text	43
4.1 Actions with files	43
4.1.1 Create a new file	43
4.1.1.1 Create a file using File Explorer	43

MyOffice

4.1.1.2 Create a file when opening the application.....	43
4.1.1.3 Create a file while working in the application	43
4.1.2 Save as Template	44
4.1.3 New from template.....	45
4.1.4 Open a file.....	47
4.1.4.1 File in .doc format.....	47
4.1.4.2 View-only file	48
4.1.4.3 File being used by another application.....	49
4.1.4.4 File opened by another user	51
4.1.5 Recent files.....	51
4.1.6 Open with.....	53
4.1.7 Send a file via email.....	54
4.1.8 Print a document	55
4.1.8.1 Print a document without entering MyOffice Text.....	55
4.1.8.2 Print a document from MyOffice Text	55
4.1.8.2.1 Select the print area.....	55
4.1.8.2.2 Customize print settings.....	57
4.1.8.2.3 Quick print	60
4.1.9 Save a file.....	61
4.1.9.1 Save as.....	61
4.1.9.2 Save.....	62
4.1.10 Autorecovery of documents	63
4.1.10.1 Configure autorecovery of documents.....	63
4.1.10.2 Document recovery	64
4.1.10.3 Recovered Files pane	66
4.1.11 Close a file	68
4.2 Text	69
4.2.1 Enter text.....	69
4.2.1.1 Automatically replace hyphen with an en dash	69
4.2.1.2 Automatically replace quotation marks	69
4.2.2 Footnote	70
4.2.2.1 Insert a footnote	71
4.2.2.2 Go to a footnote.....	74
4.2.2.3 Copy, cut, and insert a footnote	74
4.2.2.4 Edit and format the footnote	75
4.2.2.5 Remove the footnote	75
4.2.3 Links.....	76
4.2.3.1 Insert a link to a web page or email address	76

4.2.3.2 Insert a link to a file	80
4.2.3.3 Quick link insertion.....	82
4.2.3.4 Follow a link	83
4.2.3.5 Copy a link	83
4.2.3.6 Edit a link	83
4.2.3.7 Delete a link	85
4.2.3.8 Keyboard shortcuts for moving between window elements	86
4.2.4 Cross-reference	86
4.2.4.1 Insert a cross-reference	86
4.2.4.2 Go to a cross-reference	90
4.2.4.3 Update a cross-reference	90
4.2.4.4 Modify a cross-reference	90
4.2.4.5 Delete a cross-reference	90
4.2.5 Fields.....	91
4.2.5.1 Insert a field	92
4.2.5.2 Update a field	99
4.2.5.3 Edit a field.....	100
4.2.5.4 Convert a field to text.....	101
4.2.5.5 Delete a field	101
4.2.6 Controls.....	102
4.2.6.1 Checkbox	103
4.2.6.2 Plain text	103
4.2.6.3 Date Picker.....	105
4.2.6.4 Drop-Down List	106
4.2.6.5 Cut, copy, and paste content controls	107
4.2.6.6 Delete a control	107
4.2.7 Bookmarks	108
4.2.7.1 Insert a bookmark.....	108
4.2.7.2 Display bookmarks	112
4.2.7.3 Show system bookmarks.....	112
4.2.7.4 Go to a bookmark.....	114
4.2.7.5 Rename a bookmark.....	115
4.2.7.6 Delete a bookmark	116
4.2.8 Special characters.....	117
4.2.8.1 Special characters quick insert pane	117
4.2.8.2 Special Characters window	119
4.2.9 Current date or time	123
4.2.10 Check grammar and spelling.....	126

4.2.10.1 Check spelling.....	126
4.2.10.1.1 Correcting spelling errors.....	127
4.2.10.1.2 Turn off the underline for spelling errors.....	128
4.2.10.2 Custom Dictionary	129
4.2.10.2.1 Adding words to the Custom Dictionary	129
4.2.10.2.2 Using third-party dictionaries	131
4.2.10.2.3 Delete words from the Custom Dictionary	131
4.2.10.3 Check Grammar	133
4.2.11 Find and replace	134
4.2.12 Delete text	139
4.2.12.1 Delete text using the command.....	139
4.2.12.2 Delete text using the keyboard keys	140
4.3 Text formatting	141
4.3.1 Non-printable characters	141
4.3.2 Styles.....	142
4.3.2.1 Style selection	142
4.3.2.2 Create a new style	146
4.3.2.3 Edit a style.....	148
4.3.2.4 Delete a style.....	149
4.3.3 Fonts.....	150
4.3.4 Font size	152
4.3.5 Text formatting	154
4.3.6 Font color	155
4.3.6.1 Choose a color from the color sets provided.....	156
4.3.6.2 Specify the color code manually	156
4.3.6.3 Copy the color with an eyedropper	157
4.3.7 Highlight color	158
4.3.8 Alignment and spacing.....	159
4.3.8.1 Horizontal alignment.....	160
4.3.8.2 Vertical alignment.....	161
4.3.8.3 Line spacing	162
4.3.8.4 Character spacing.....	164
4.3.8.5 Paragraph spacing and indents.....	166
4.3.9 Rotate text	168
4.3.10 Lists.....	170
4.3.10.1 Create a list.....	170
4.3.10.2 Copy and paste a list	172
4.3.10.3 Continue a list	172

4.3.10.4 Change the nesting level	173
4.3.10.5 Convert a list to text	174
4.3.11 Copy and insert formatting	175
4.3.11.1 Formatting basics	176
4.3.11.2 Copy and insert formatting	178
4.3.11.3 Formatting history	180
4.3.12 Clear custom formatting.....	181
4.4 Tables	182
4.4.1 Insert a table	182
4.4.2 Insert rows.....	185
4.4.3 Insert columns	187
4.4.4 Edit table contents.....	188
4.4.5 Select cells.....	189
4.4.5.1 Select a cell	189
4.4.5.2 Select cell range	189
4.4.6 Select a row or column.....	190
4.4.7 Select a table	191
4.4.8 Cell background color.....	192
4.4.8.1 Add the fill color to table cells.....	192
4.4.8.1.1 Choose a color from the color sets provided.....	193
4.4.8.1.2 Specify the color code manually	193
4.4.8.1.3 Copy the color with an eyedropper	194
4.4.8.2 Remove the fill color.....	194
4.4.9 Cell borders	195
4.4.9.1 Change border parameters	195
4.4.9.1.1 Choose a color from the color sets provided.....	196
4.4.9.1.2 Specify the color code manually	196
4.4.9.1.3 Copy the color with an eyedropper	197
4.4.9.2 Apply the border style of the previous table	198
4.4.9.3 Delete borders	198
4.4.10 Alignment and text wrapping.....	199
4.4.10.1 Align a table	199
4.4.10.2 Wrap text.....	202
4.4.11 Resize a row or column.....	203
4.4.11.1 Resize a row or column manually	203
4.4.11.2 Specify the exact size.....	204
4.4.12 Specify the exact size of the cells	206
4.4.13 Merge cells.....	207

4.4.14 Split cell	209
4.4.15 Repeat headers on subsequent pages	211
4.4.16 Convert text into a table	212
4.4.17 Transform a table into text	214
4.4.18 Delete rows or columns.....	215
4.4.19 Delete a table.....	217
4.5 Images	218
4.5.1 Insert an image	218
4.5.1.1 Insert an image from the computer	218
4.5.1.2 Insert an image from the browser or another application	220
4.5.2 Resize an image	222
4.5.2.1 Resize an image proportionally.....	222
4.5.2.2 Resize an image without keeping its proportions	225
4.5.3 Change image position in text.....	228
4.5.4 Move an image.....	230
4.5.4.1 Move with the mouse.....	230
4.5.4.2 Move with the keyboard keys	230
4.5.4.3 Specify the left and top page indents	231
4.5.5 Save an image	233
4.5.6 Delete an image.....	234
4.6 Shapes	235
4.6.1 Insert a line.....	235
4.6.2 Insert a shape.....	237
4.6.3 Insert a text box.....	238
4.6.4 Edit a shape	239
4.6.5 Fill a shape	240
4.6.5.1 Fill a shape with color	240
4.6.5.1.1 Choose a color from the color sets provided.....	241
4.6.5.1.2 Specify the color code manually	241
4.6.5.1.3 Copy the color with an eyedropper	242
4.6.5.2 Fill a shape with image	243
4.6.5.3 Remove the fill.....	244
4.6.6 Shape outline.....	245
4.6.6.1 Select the color of the shape outline	245
4.6.6.1.1 Choose a color from the color sets provided.....	246
4.6.6.1.2 Specify the color code manually	246
4.6.6.1.3 Copy the color with an eyedropper	247
4.6.6.2 Select the thickness and line type of the shape outline	247

4.6.6.3 Apply outline settings of the previous shape	248
4.6.6.4 Delete shape outline	248
4.6.7 Line style.....	249
4.6.7.1 Select a line color	249
4.6.7.1.1 Choose a color from the color sets provided.....	250
4.6.7.1.2 Specify the color code manually	250
4.6.7.1.3 Copy the color with an eyedropper	251
4.6.7.2 Select the thickness and line type	251
4.6.7.3 Apply the style of the previous line	252
4.6.7.4 Delete the line style.....	252
4.6.8 Resize a shape	253
4.6.9 Fit shape size to text.....	254
4.6.10 Change line length and angle	254
4.6.11 Change arrow type	254
4.6.12 Change shape position in text	256
4.6.13 Move a shape	258
4.6.14 Delete a shape	259
4.7 Chart.....	260
4.8 Equations.....	261
4.8.1 Insert an equation	261
4.8.2 Edit an equation	263
4.8.3 Resize an equation	264
4.8.4 Delete an equation.....	265
4.9 Edit content	266
4.9.1 Undo and redo	266
4.9.1.1 Undo the last action.....	266
4.9.1.2 Redo the result of the undone action.....	267
4.9.2 Clipboard.....	267
4.9.2.1 Copy or cut data	267
4.9.2.2 Paste the last copied or cut data	269
4.9.2.3 Clipboard history.....	271
4.9.2.3.1 Paste data.....	271
4.9.2.3.2 Clear the clipboard history	273
4.10 Page layout.....	274
4.10.1 Page setup	274
4.10.2 Headers and footers.....	277
4.10.2.1 Configure headers and footers	277
4.10.2.2 Delete header and footer content	282

4.10.3 Page numbers	285
4.10.3.1 Insert page number.....	286
4.10.3.2 Delete page numbers.....	291
4.10.4 Page break	293
4.10.5 Section break.....	295
4.10.6 Table of contents.....	296
4.10.6.1 Apply heading styles.....	297
4.10.6.2 Insert a table of contents	299
4.10.6.3 Edit a table of contents.....	301
4.10.6.3.1 Add a new level of table of contents.....	303
4.10.6.3.2 Change the headings style for the table of contents level	306
4.10.6.3.3 Remove a level of table of contents	307
4.10.6.3.4 Hide or display the page numbers.....	308
4.10.6.4 Format the table of content	308
4.10.6.5 Delete a table of contents	309
4.11 View feature.....	310
4.11.1 Ruler.....	310
4.11.1.1 Set document margins.....	311
4.11.1.2 Set paragraph indents	312
4.11.1.3 Set first-line indent.....	313
4.11.2 Zoom	314
4.11.3 Presentation view	315
4.12 Review feature	316
4.12.1 Changes.....	316
4.12.1.1 Track changes	316
4.12.1.2 Track and view changes.....	317
4.12.1.3 Navigate between changes	319
4.12.1.4 Accept and reject changes.....	320
4.12.1.4.1 Accept changes	320
4.12.1.4.2 Reject changes.....	322
4.12.1.5 Markup changes	323
4.12.2 Comments	325
4.12.2.1 Comment display mode	326
4.12.2.2 Add a comment	327
4.12.2.3 Reply to a comment	331
4.12.2.4 Move between comments or threads.....	333
4.12.2.5 Edit a comment or thread	333
4.12.2.6 Copy, cut, and insert comments or threads	334

4.12.2.7 Delete a comment or reply	335
4.12.3 Filter changes and comments	338
4.12.3.1 Filter changes and comments	338
4.12.3.2 Keyboard shortcuts for working in the filter window	341
4.12.3.3 Change filtering parameters	341
4.12.3.4 Cancel filtering.....	342
4.12.4 Audio comments	343
4.12.5 Compare documents.....	344
4.13 The Cloud.....	346
4.13.1 Enter the Cloud	349
4.13.2 Open a file.....	351
4.13.3 Create a local copy.....	355
4.13.4 Create a file or folder	356
4.13.5 Upload a file.....	358
4.13.6 Download a file or folder	360
4.13.7 Delete a file	361
4.13.8 Restore a file or folder	363
4.13.9 Shared access to files	364
4.13.9.1 Provide shared access to files.....	364
4.13.9.2 Change the access permission level	368
4.13.9.3 Revoke file access permission	369
4.13.10 Revoke access to files	370
4.13.11 Log out from the Cloud.....	372
4.14 Automation tools.....	373
4.14.1 Macros.....	373
4.14.1.1 Create a macro	374
4.14.1.2 Find a macro.....	377
4.14.1.3 Run a macro	378
4.14.1.4 Edit a macro	380
4.14.1.5 Debug a macro	381
4.14.1.6 Delete a macro	384
4.14.1.7 View VBA macro code	385
4.14.2 Extensions	388
4.14.2.1 Install an extension.....	388
4.14.2.2 Run an extension.....	392
4.14.2.3 Automatic disabling of extensions.....	393
4.14.2.4 Enable or disable the extension.....	393
4.14.2.5 Update the extension version	396

4.14.2.6 Remove an extension	396
4.15 Document protection.....	399
4.15.1 Password protection	399
4.15.1.1 Set a password.....	400
4.15.1.2 Change the password	402
4.15.1.3 Remove the password	405
4.15.1.4 Open a password-protected document	406
4.15.2 Protect content from changes	407
4.15.2.1 To lock the content:.....	408
4.15.2.2 Unlock content	410
4.16 Links to educational resources	411
Appendix 1. Keyboard shortcuts	412

LIST OF ABBREVIATIONS

The abbreviations used in this User guide are specified in Table 1.

Table 1. Abbreviations and definitions

Abbreviation	Definition
OS	Operating system

1 ABOUT

1.1 General information

MyOffice Text is an editor for quick and easy creation and formatting of text documents of any complexity on Linux, Windows and macOS operating systems.

MyOffice Text is included in the following suites:

- MyOffice Professional 2
- MyOffice Professional 3
- MyOffice Standard 3
- MyOffice Education

For a detailed description of the application features, please refer to your product-specific Feature list.



The application functionality may vary depending on the product and operating system.

1.2 System requirements

For a list of software and hardware requirements, please refer to your product's Installation Guide.

1.3 Limitations

1.3.1 Supported file formats

The list of formats supported by MyOffice Text is given in Table 2 and Table 3.

Table 2. Supported file formats in Windows/Linux

Action	Supported formats
Open/import files	.doc, .docx, .rtf, .odt, .xodt, .txt, .docm, .mht, .mhtml, .html, .htm, .xhtml
Save/export files	.docx, .odt, .xodt, .rtf, .txt, .pdf, .pdf/a-1
Create file templates	.xott
Using templates to create files	.dotx, .ott, .xott

Table 3. Supported file formats in macOS

Action	Supported formats
Open/import files	.docx, .odt, .xodt, .txt, .docm
Save/export files	.docx, .odt, .xodt, .pdf, .pdf/a-1
Create file templates	.xott
Using templates to create files	.dotx, .xott

1.3.2 Supported interface languages

- English
- French
- Russian

MyOffice

2 BEFORE YOU BEGIN

2.1 Install the application

The installation of MyOffice software should be performed in accordance with the installation process described in the *Installation Guide*. *MyOffice Text*, *MyOffice Spreadsheet*, *MyOffice Presentation Desktop Editors*.

MyOffice software for Windows is considered installed if, as a result of the action described in Section 2.2 of this document, the shortcuts shown in Figure 1 and Figure 2 are displayed on the user's desktop and in the OS main menu.




Figure 1. MyOffice desktop shortcuts for Windows OS




Figure 2. MyOffice Start menu shortcuts for Windows OS

MyOffice

MyOffice software for Linux is considered installed if, as a result of the actions described in Section 2.3 of this document, the OS applications menu displays the shortcuts shown in Figure 3.




Figure 3. MyOffice desktop shortcuts for Linux OS

MyOffice

MyOffice for macOS is considered installed if the Launchpad displays the icons shown in Figure 4 as a result of the steps in Section 2.4 of the document.




Figure 4. Applications icons in Launchpad

2.2 Launch the application

Launch MyOffice Text application with one/two mouse clicks on its icon/shortcut.

2.3 License agreement

When you run MyOffice software for the first time, carefully read the terms of the License Agreement and Privacy Policy (see Figure 5).

If you agree with the terms and conditions specified, follow these steps:

1. Select the **I accept the Terms of Use and Privacy Policy** checkbox.
2. Click **Get started**.




Figure 5. Terms of Use and Privacy Policy window

2.4 Update MyOffice Education software

To ensure a timely update of MyOffice Education software on Windows, it is recommended to enable automatic checking for new versions.

To automatically check for new versions, do the following:

1. After the first launch of MyOffice Text, MyOffice Spreadsheet and/or MyOffice Presentation applications, close them and open any of these applications again.
2. In the **Application Update** window (see Figure 6), click **Check automatically**.




Figure 6. Application Update

If you want to disable the automatic search for new versions, click **Don't check**.

You can also check for new versions manually. To do this, select the **Help** menu and click **Check for Updates** (see Figure 7).




Figure 7. Check for Updates command menu option

For detailed steps to update the product, please refer to *MyOffice Text*, *MyOffice Spreadsheet*, *MyOffice Presentation desktop applications. Installation Guide*.

3 INTERFACE OVERVIEW

3.1 MyOffice Text window

MyOffice Text window has the following elements (see Figure 8):

1. Command menu
2. Toolbar
3. Workspace
4. Sidebar
5. Status bar




Figure 8. Main window of MyOffice Text

3.2 Command menu

The Command menu (see Figure 9) contains the main commands for working with the application.



Figure 9. Command menu

To quickly run these commands, you can use:

- Keyboard shortcuts (see Table 15 and Table 16) which are specified next to the commands in the Command menu.
- Quick Actions box (see Section 3.7).

3.3 Toolbar

The Toolbar (see Figure 10) contains tools for working with the document content.




Figure 10. Toolbar

MyOffice Text allows you to change the way the Toolbar looks:

- Select the Toolbar display mode or hide the Toolbar.
- Hide or display the Toolbar section titles.
- Customize the **Favorites** section.
- Hide and display the **Favorites** section.

3.3.1 Change the Toolbar display mode

To change the Toolbar display mode:

1. In the Command menu, select **View > Toolbar** (see Figure 11).




Figure 11. View menu

2. In the sub-menu that opens, select the desired display mode:
 - **Regular:** Tools are arranged in two lines; the section titles are displayed. If necessary, the Toolbar section titles can be hidden (see Section 3.3.2).
 - **Compact:** Tools are arranged in one line; section titles are not displayed.
 - **Hide Toolbar:** The Toolbar is not displayed.

MyOffice

To quickly switch between the **Regular** and the **Compact** mode, use the **^ Compact Toolbar** (see Figure 12) and **∨ Regular Toolbar** buttons located in the right part of the Toolbar.




Figure 12. Compact Toolbar button



Figure 13. Regular Toolbar button

3.3.2 Hide or display section titles

The Toolbar of MyOffice Text (see Figure 10) consists of sections. Each section (except for the **Favorites** section) contains a group of tools designed to perform a specific task. For example, the **Styles** section contains tools for working with text styles.

The title of each section is displayed if the Toolbar display type is **Regular** (see Section 3.3.1). To optimize the workspace, the section names on the Toolbar can be hidden.

To hide the Toolbar sections, follow these steps:

1. In the **View** menu, click **Toolbar** (see Figure 11).
2. In the sub-menu that opens, uncheck the **Section Titles** menu.

To display the section titles, check the menu again.



If the Toolbar is hidden or displayed in the compact form, the **Section Titles** menu is disabled.

3.3.3 Hide or display sections content

Toolbar sections can be collapsed automatically when reducing or increasing the size of the main application window, or manually. To collapse a Toolbar section manually, hover the cursor over its right border and click **Collapse** (see Figure 14).




Figure 14. Collapse button

To display the tools in the hidden section, click it with the mouse (see Figure 15):




Figure 15. Section tools

To expand the section, click **Expand** (see Figure 16).




Figure 16. Expand button

3.3.4 Customize the Favorites section

You can add to the **Favorites** section of the Toolbar:

- Frequently used toolbar buttons.
- Buttons to run frequently used command menu options.
- Buttons to run frequently used macros (see Section 4.14.1).

You can add from 1 to 14 items to the **Favorites**.



The content of the **Favorites** section is stored in the application settings on the current computer and is not transferred in the documents created on it.

3.3.4.1 Add a button from the Toolbar

To add a button from the Toolbar to **Favorites**, right-click on it and run the **Add to Favorites** command (see Figure 17).




Figure 17. Add to Favorites command



Currently, it is not possible to add Toolbar buttons that are displayed after clicking the ... button.

When added to **Favorites**, the button is not removed from the Toolbar section in which it is located.

3.3.4.2 Add a button to run a command menu option

To add a button to the **Favorites** for a command menu option, follow the steps below:

1. Run the add command in one of the following ways:
 - If the **Favorites** section is empty, click the **+Add** button in it (see Figure 18).




Figure 18. Add Button

- If the **Favorites** section contains the added items, right-click anywhere in the section and execute the **Add Action** context menu command (see Figure 19).




Figure 19. Add Action command

2. In the window that opens (see Figure 20), select the desired command menu option.






Figure 20. Window for adding Command menu items

3.3.4.3 Add a button to run a macro command

To add a button to the **Favorites** to run a macro, follow the steps below:

1. On the Sidebar, click  **Macros** (see Figure 21).
2. Hover the mouse cursor over the name of the desired macro and click  **More**.




Figure 21. Insert pane

3. In the drop-down list, hover your mouse over the **Add to Favorites** option (see Figure 22).
4. In the pane that appears, choose the icon for the button to run the macro.




Figure 22. Add to Favorites command



The chosen button will be added to the **Favorites** section.

When you hover the mouse cursor over the button, a tooltip will be displayed in the following format: **Macro: <macro name>**. When you click the button, the corresponding macro command will be run.

The button to run the macro is displayed in all text documents on the current computer. If there is no corresponding macro in the document, the button is inactive and when you hover the mouse cursor over it, a tooltip will be displayed in the following format: **Macro from another document: <macro name>**.

3.3.4.4 Change the button to run a macro

To change the button to run a macro, follow the steps below:

1. On the Sidebar, click  **Macros** (see Figure 21).
2. Hover the mouse cursor over the name of the desired macro and click  **More**.
3. In the drop-down list, hover your mouse over the **Change Icon** option (see Figure 23).
4. In the pane that appears, choose the new icon for the button to run the macro.




Figure 23. Change Icon option

3.3.4.5 Move an element

To change the position of an item in the **Favorites** section, follow these steps:

1. Right-click the item to open the context menu (see Figure 24).
2. In the context menu, select the desired command:
 - **Move to Beginning:** Make the selected item first in the section.
 - **Move Left:** Swap the selected and previous element.
 - **Move Right:** Swap the selected and subsequent element.
 - **Move to End:** Make the selected item the last in the section.




Figure 24. Favorites context menu

3.3.4.6 Delete an element

To remove a Toolbar button from the **Favorites** section, follow these steps:

1. Right-click it in the **Favorites** section or in the section from which it was added (see Figure 25).
2. Run the **Remove from Favorites** context menu command.






Figure 25. Delete from Favorites command

To remove a button for a command menu option from the **Favorites** section, right-click it and run the **Remove from Favorites** option (see Figure 24).

A button to run a macro can be removed from the **Favorites** section whether or not the macro is contained in the current document. Removal is carried out in the same way as removing a button to run a command menu option.

If the macro is contained in the current document, the button can also be removed using the macro pane:

1. On the Sidebar, click  **Macros** (see Figure 26).
2. Hover the mouse cursor over the name of the desired macro and click  **More**.




Figure 26. Insert pane

3. In the drop-down list, select the **Remove from Favorites** option (see Figure 27).




Figure 27. Delete from Favorites option

In addition, the button is removed from the **Favorites** section if the macro command corresponding to it is deleted from the document.

3.3.4.7 Clear the section

To remove all items from the **Favorites** section, right-click anywhere in the section and execute the **Clear** context menu command (see Figure 28).




Figure 28. Clear command

3.3.5 Hide or display the Favorites section

By default, the Toolbar displays the **Favorites** section.

To hide the section, do one of the following:

- In the **View** menu, select **Toolbar** and in the sub-menu that opens clear the **Favorites** checkbox (see Figure 29).




Figure 29. View menu

MyOffice

- If the **Favorites** section is empty, hover your mouse over the **+ Add** button and click in its upper-right corner (see Figure 30).




Figure 30. Favorites section

To display the section, re-select the **Favorites** check box in the Command menu.



If the Toolbar is hidden, the **Favorites** check box is disabled.

3.4 Workspace

The Workspace displays the current sheet of the document (see Figure 31).




Figure 31. Workspace

3.5 Sidebar

The Sidebar displays the following buttons (see Figure 32):










Figure 32. Sidebar

-  **Education:** Open the educational resource links pane (see Section 4.16). The button is displayed when working with MyOffice Text application as part of the MyOffice Education suite.
-  **Find and Replace:** Open the Find and Replace pane (see Section 4.2.10)
-  **Macros:** Open the Macros pane (see Section 4.14). This button is displayed if a document contains at least one macro.

MyOffice

-  **Recovered Files:** Open the document backups pane (see Section 4.1.10). The button is displayed if there is at least one unsaved copy.
-  **Header** or  **Footer:** Open the header and footer settings (see Section 4.10.2). The button is displayed when a header or a footer is selected.

If a document is opened from the Cloud storage (see Section 4.13), the Sidebar also displays the avatars of reviewers who are working on the document at the same time as the current user.



The Cloud and collaborative editing functions are available with the MyOffice Professional / MyOffice Private Cloud server part.

3.6 Status bar

The Status bar displays the following information (see Figure 33, from left to right):

- The current page number and the total number of pages in the document.
- Server connection status indicator: Displayed if a document located in the Cloud is opened in the application (see Section 4.13).
- Document access permission level: Displayed if a document located in the Cloud is opened in the application and the user is not the author of this document (see Section 4.13.2).
- Tools to zoom in or out the document (see Section 4.11.2).




Figure 33. Status bar



The Cloud and collaborative editing functions are available with the MyOffice Professional / MyOffice Private Cloud server part.

3.7 Quick Actions box

MyOffice Text displays the Quick Actions box (see Figure 34). This box allows for fast execution of commands and application of text formatting styles.

To open the box, do one of the following:

- Select **Quick Actions** in the **Help** menu.
- Press the **Ctrl+I** keyboard shortcut (Windows OS/Linux OS) or **⌘+I** (macOS).

The Quick Actions box contains:

- The list of commands available in the Command menu (see Section 3.2).
- The list of standard and customized text formatting styles (see Section 4.3.2).




Figure 34. Quick Actions box

MyOffice

Use one of the following methods to select a command/style from the list:

- Scroll the list to the desired command/style using the mouse scroll wheel or the right vertical scroll bar. Confirm the command/style by clicking it or pressing **Enter**.
- Start typing the command/style name in the search bar. When the desired command/style appears in the search results, select it using the mouse or keyboard keys:
 - Click the command/style line with the left mouse button.
 - Select the command/style line with the ↓ and ↑ keyboard keys and press **Enter**.

Once the selection is made, the action is done, or the style is applied, and the box closes automatically. To close the box without selecting an action or style, click anywhere outside this window or press **Esc**.

3.8 Application language

The default language of the MyOffice Text application is determined by the language of your operating system. You can change it manually if necessary.



When you change the language of MyOffice Text, the corresponding language is automatically selected for MyOffice Spreadsheet and MyOffice Presentation.

To change the application language, follow these steps:

1. In the Command menu, select **Tools** > **Change Language** (see Figure 35).




Figure 35. Change Language command menu option

2. In the window shown in Figure 36, select the desired application language from the drop-down list and click **OK**.




Figure 36. Language Change window

3. In the dialog box shown in Figure 37, click **OK**.




Figure 37. Notification that the application must be restarted

4. Restart the application. To do this, close all the documents currently open in MyOffice Text open them again.


4 WORK WITH MYOFFICE TEXT

4.1 Actions with files

4.1.1 Create a new file

4.1.1.1 Create a file using File Explorer

To quickly create a file in Windows Explorer, follow the steps below:

1. Right-click an empty area to open the context menu, select **New >  MyOffice Document**.
2. Specify a name for the file. By default, the file is named **New MyOffice Document**.
3. To save the name, click outside the name or press **Enter**.

4.1.1.2 Create a file when opening the application

A new file is created automatically when you open MyOffice Text.

4.1.1.3 Create a file while working in the application

To create a new file while working in the application, do one of the following:

1. In the **File** menu, select **New** (see Figure 38).
2. Press **Ctrl+N** / **⌘Cmd+N**.




Figure 38. File menu

4.1.2 Save as Template

MyOffice allows you to create templates in .xott formats. These templates are convenient to use when preparing documents with the same content or formatting settings.

To create a template, follow the steps below:

1. Open the document you want to create a template based on (see Section 4.1.4).
2. In this document, in the **File** menu, click **Save as Template** (see Figure 39).




Figure 39. File menu

3. In the file manager window that appears, select the template name and location. Click **Save**.

4.1.3 New from template

MyOffice Text allows you to work with templates in .ott (Windows and Linux only), .xott and .dotx formats.

Templates can be used in the following ways:

- In Windows and Linux, you can configure automatic selection of a single template for all documents created in MyOffice Text. To do this, the template needs to be placed in the MyOffice Standard installation folder.
- You can select templates when creating documents manually in all supported operating systems. In this case, you can use an unlimited number of templates located in any folders on the current computer.

Configuring automatic template selection in Windows and Linux does not preclude you from manually selecting a template.

Templates in .ott format are only supported in automatic mode.



To configure automatic template selection, please contact your system administrator for assistance.

To manually create a template-based file in .xott format, use one of the following methods:

- In the file manager, double-click the template with the left mouse button. Some Linux operating systems require a single left-click.
- Open MyOffice Text and, in the **File** menu, select **New from Template** (see Figure 40). In the file manager window that opens, select the template on the basis of which you want to create a file and click **Open**.




Figure 40. New from Template command menu option

- Open MyOffice Text and drag the template or its shortcut from the operating system file manager window to the open application window.

MyOffice

To manually create a template-based file in .dotx format, use one of the following methods:

- If MyOffice Text is selected as the default application to open .dotx files, double left-click the template in the file manager. Some Linux operating systems require a single left-click.
- In the file manager, right-click the template. When working in Linux, run **Open in MyOffice Text / Open with MyOffice Text** context menu option. When working in Windows or macOS, run **Open with** context menu option. Select MyOffice Text from the displayed list of applications.
- Open MyOffice Text and, in the **File** menu, select **New from Template** (see Figure 40). In the file manager window that opens, select the template on the basis of which you want to create a file and click **Open**.
- Open MyOffice Text and drag the template or its shortcut from the operating system file manager window to the open application window.

The document created on the basis of the selected template will open.

4.1.4 Open a file

To open a file, do one of the following:

- If MyOffice is selected as the default application to open files of the appropriate format, double-click the file with the left mouse button. Some Linux operating systems require a single left-click to open a file.
- Right-click the file. When working in Linux, run **Open in MyOffice Text / Open with MyOffice Text** from the context menu. When working in Windows, run **Open with** from the context menu. When working in macOS, run **Open with** command from the context menu. In the displayed list of applications, select the MyOffice Text application.
- Open MyOffice Text. Proceed as follows:
 1. In the **File** menu, click **Open** (see Figure 41) or press **Ctrl+O / ⌘ Cmd+O**.
 2. In the file manager, select the file you want to open and click **Open**.




Figure 41. Open context menu option

- Open MyOffice Text and drag the document or its shortcut from the operating system file manager window to the open application window. You can open up to 32 files at a time by dragging and dropping them into the application window.

4.1.4.1 File in .doc format



Files in .doc format are not supported on macOS.

When you open a file in .doc format, it is automatically converted to .docx format. An information bar will be displayed below the Toolbar with an appropriate notification: “Document was automatically converted to a newer format”. Click **OK** in this line (see Figure 42).




Figure 42. OK button

To save a file in .docx format, follow the steps described in Section 4.1.7.

4.1.4.2 View-only file

If the Read only property is set for a file by the OS tools, then:

- This file is opened in the **View** mode.
- A notification “**You can only view this document**” is displayed on the Toolbar (see Figure 43).



The file is opened in the **Edit** mode if you work with it using the WebDAV protocol or if it has the *.docm, *.doc extension.

In the **View** mode, you cannot make changes to the document or change its formatting. If necessary, you can create a copy of this document that can be edited. To do this, click **Edit a Copy** on the Toolbar.




Figure 43. Edit Copy button

A copy of the document will open in a new application window. To save the file copy, follow the steps described in Section 4.1.7.

4.1.4.3 File being used by another application

If the file is opened for editing in another application, then:

- This file is opened in **View** mode.
- The Toolbar displays a notification that the document is open in another application (see Figure 44).




Figure 44. File is in use by another application



The file is opened in the **Edit** mode if it is opened in another application, but no lock file has been created by that application.

In the **View** mode, you cannot make changes to the document or change its formatting.

To edit a document, do one of the following:

- Finish working with the document in another application. Then, in MyOffice Text, click **Check Availability** on the Toolbar (see Figure 45). If working with a document in another application is not completed, the pop-up message “Document still in use” will be displayed. If the work is completed, the document will switch to the Edit mode.




Figure 45. Pop-up message

MyOffice

- Create an editable copy of the document. To do this, in MyOffice Text, on the Toolbar, click **Edit a Copy**. A copy of the document will open in a new application window. To save the file copy, follow the steps described in Section 4.1.7.

4.1.4.4 File opened by another user

When you try to open a local document opened by another user on the same computer, a dialog box is displayed (see Figure 46) that contains:

- Information about the user who is currently working with this document.
- **Open a Copy** button to create an editable copy of the document.
- **Close** button to finish working with the document.




Figure 46. Dialog box

4.1.5 Recent files

MyOffice Text automatically keeps the list of the last files opened in the application. The list of recent documents contains both local files and files that were opened from the Cloud storage (see Section 4.13). The latter are marked in the list by the Cloud.



The Cloud and collaborative editing functions are available with MyOffice Professional / MyOffice Private Cloud server part.

MyOffice

To open a recent file from the list, proceed as follows:

1. In the **File** menu, select **Recent Files** (see Figure 47).




Figure 47. Recent Files command menu option

2. In the drop-down list of recent files that opens, select the file you want to open.

To clear the **Recent Files** list, in the **File** menu, select **Recent Files** and click **Clear**.

4.1.6 Open with



Open With command menu option is not available on macOS.

In Windows and Linux, you can open the edited file in another text editor directly from MyOffice Text. To do this, follow these steps:

1. In the **File** menu, click **Open With** (see Figure 48).




Figure 48. List of available applications

2. In the list that opens, select the required application.



If the **Open With** command menu option is not displayed, please contact your system administrator for its configuration.

The file will close in the MyOffice Text application and open in the selected application.

If there are unsaved changes left in the file when you close it, MyOffice Text prompts you to save them.

4.1.7 Send a file via email



The **Send File** command is not available on macOS.

In MyOffice Text, you can email the file you are working on using the default desktop email client.

To send a file via email, follow the steps below:

1. In the **Share** menu, click **Send File** (see Figure 49).




Figure 49. Share menu

2. In the new message window that appears, do the following:
 - In the **To** field, enter the recipient's email address.
 - In the **Subject** field, edit the subject (if required).
 - In the body of the message, type the text.
3. Send the email.

Once the message is sent, you will be redirected to MyOffice Text application where you can continue working on your file.

4.1.8 Print a document

4.1.8.1 Print a document without entering MyOffice Text

When working in Windows, you can print a document/group of documents without having to open them first in MyOffice Text.

To do this, proceed as follows:

1. Select the document or group of documents in Windows Explorer.
2. Open the context menu by right-clicking and run the **Print** command.

The document is printed on the last printer used by MyOffice Text and MyOffice Spreadsheet applications. If a printer is not previously selected in these applications, it is printed on the printer set in Windows OS by default.

The following dialog boxes may be displayed while printing:

- For big files or a group of documents, the window for preparing documents for printing will be displayed.
- For a document protected by a password, the password input window will be displayed (see Section 4.15).
- Notifications of damaged files and files with unsupported formats will be displayed.

4.1.8.2 Print a document from MyOffice Text

4.1.8.2.1 Select the print area

You can print:

- The selected part of a document.
- The entire document or its individual pages.

To print the selection, do the following:

1. Select the text that you want to print.
2. Right-click the selection with the right mouse button and then click **Print Selection**.

MyOffice

To print a document / pages of a document, do one of the following:

- In the **File** menu, select **Print** (see Figure 50).





Figure 50. Print command menu option

- On the Toolbar, select **File**, click the arrow to the right of the  **Quick Print** button and select the **Print** command from the drop-down list (see Figure 51).




Figure 51. Print command

- Press **Ctrl+P** / **⌘Cmd+P**.

The **Print Settings** window opens, where you can see how the document will look on paper and specify print settings.

4.1.8.2.2 Customize print settings

The **Print Settings** window (see Figure 52) contains:

- Print Settings pane
- Preview pane




Figure 52. Print Settings window

The Preview pane contains the following functions:

1. **[-]** and **[+]**: Zoom in or out the preview section.
2. **Fit**: Set the default page zoom (100%).
3. **[>]** and **[<]**: Move to the next or previous document page.



Zoom settings in the Preview pane do not affect the print area. The tool is intended for a detailed preview of a document content before printing.

In the print settings pane, you can specify the parameters listed in Table 4.

Table 4. Print Settings

Option	Action
Printer	Select a printer from the drop-down list.
Printer properties (Windows OS only)	<p>Open the printer settings window. The type and composition of the window parameters depend on the printer model selected in the field above.</p> <p>The settings specified in the printer settings window are automatically transferred to the corresponding fields of the Print Settings window. Settings that are not supported by the printer are not available in the Print Settings window.</p>
Print in Grayscale	Print the color text and images contained in the document in grayscale.
Copies	Set the number of copies you want to print.
Collated / Uncollated	<p>The option is available when the number of copies is more than one. Set the order in which pages are grouped during printing:</p> <ul style="list-style-type: none"> – Collated: Print all pages grouped by copies (1,2,3 1,2,3 1,2,3). – Uncollated: Print pages grouped by page numbers (1,1,1 2,2,2 3,3,3).
Print Area	<p>Select the print area.</p> <ul style="list-style-type: none"> – Entire Document: Print all the pages of the document. – Current Page: Print the page displayed on the screen. – Selection: This option is only available when you select some text in your document. – Page Range: Print the selected pages. The required page numbers or/and page ranges are listed in the field below. They can be specified as: <ul style="list-style-type: none"> • Individual page numbers. For example: 5,10,12. • The print range separated by a dash (-). For example: For 1–8, 10-11. • Pages from the beginning of the document to the specific page specified as - <No.>. For example, if you type -3, then pages 1-3 will be printed. • Pages from the specific page to the end of the document specified as <No.>-. For example, if you type 3- and the document consists of 6 pages, then pages 3-6 will be printed.
Page Range	<p>Print the selected pages. The Range check box is enabled when the Entire Document option is selected in the Print Area box. Select one of the following ranges:</p> <ul style="list-style-type: none"> – All Pages: Print all the pages of the current document. – Odd Pages Only, Even Pages Only: Print the document on a printer that doesn't support automatic double-sided printing. You can print the front sides of all the pages, turn the printed pages over, put them back into the printer, and print on the back sides.

Option	Action
Duplex Printing	<ul style="list-style-type: none"><li data-bbox="531 226 1050 259">– None: Print on only one side of the page.<li data-bbox="531 271 1358 338">– Long-Edge Binding: Print two sides of the page and flip the paper along the long edge.<li data-bbox="531 349 1362 416">– Short-Edge Binding: Print two sides of the page and flip the paper along the short edge.

To print the document with the set parameters, click **Print**.

Or click **Cancel** to cancel printing and close the window.



4.1.8.2.3 Quick print

MyOffice Text allows you to quickly print a document without using the **Print Settings** dialog box.

The Quick Print feature:

- Creates an instant printout and uses the default printing settings.
- Selects the last printer used. The document will be printed using the printer you last used (if any) or the default printer.

To quick print the document, do one of the following:

- On the Toolbar, select the **File** section and click  **Quick Print** (see Figure 53).
- On the Toolbar, select the **File** section and click the arrow to the right of the  **Quick Print** button. In the drop-down list, select **Quick Print**.




Figure 53. Quick Print command

4.1.9 Save a file

4.1.9.1 Save as

To save a new file or create a copy of the file you are working on, follow the steps below:

1. Run the Save command in one of the following ways:
 - In the **File** menu, click **Save as** (see Figure 54).





Figure 54. Save and Save As command menu options

- On the Toolbar, select the **File** section and click the arrow to the right of the  **Save** button. In the drop-down list, select **Save as** (see Figure 55).





Figure 55. Save button

- If your OS is Windows, press **F12**. If you use Linux OS, press **Ctrl+Shift+S**. If you use macOS, press **⇧ Shift+⌘ Cmd+S**. In the file manager window, select the folder where you want to save the file, specify the file name format of the file/copy of the file and click **Save**.

To save a file in .pdf or .pdf/a-1 format, you can also follow these steps:

1. On the Toolbar, select the **File** section and click the arrow to the right of the  **Quick Print** button. In the drop-down list, select **Export to PDF** (see Figure 56).
2. In the file manager window, select the folder where you want to save the file, specify the file name format of the file/copy of the file and click **Save**.




Figure 56. Export to PDF command

When saving in .pdf and .pdf/a-1 formats:






- Links to websites remain functional.
- Table of contents, links to files and email addresses, cross-references to bookmarks, headings and numbered lists, and footnotes are not exported.

When you create a copy, the copy of the file becomes the document that you will be working on.

4.1.9.2 Save

To avoid data loss due to technical failures, it is recommended to save files regularly.

To save changes in the current file, do one of the following:

- In the **File** menu, click  **Save** (see Figure 54).
- On the Toolbar, select the **File** section and click  **Save** (see Figure 55).
- On the Toolbar, select the **File** section and click the arrow to the right of the  **Save** button (see Figure 55). In the drop-down list, select **Save**.
- Press **Ctrl+S** / **⌘ Cmd+S**.

4.1.10 Autorecovery of documents

Autorecovery is a feature that allows the user to recover documents working with which was completed incorrectly (for example, in case of power failure).

To enable recovery, MyOffice Text periodically saves *backups* of the documents being edited, including those that have never been saved by the user. If the application crashes, when the application is reopened, the user can save copies of documents as separate files or replace the original documents with copies.

Backup copies of documents are saved for one month and then automatically deleted.



Documents are not backed up when you work in the Cloud (see Section 4.13).

4.1.10.1 Configure autorecovery of documents

By default, MyOffice Text backs up all documents you edit every 5 minutes.

To change the settings, follow these steps:

1. In the **File** menu, select **Autorecovery** > **Autorecovery Settings** (see Figure 57).





Figure 57. Autorecovery Settings command menu option

2. In the **Autorecovery Settings** window (see Figure 58):
 - To disable or enable saving document backups, clear or select the **Save backup copies every** checkbox.
 - To change the interval for saving document backups, specify it manually, using the switch, the ↓ and ↑ keyboard keys or the mouse wheel. The switching step is 1 minute.

- If you want to disable saving backups for one or more documents currently open, check the boxes in the **Don't save for following files** list. This list does not show documents that have never been manually saved.
- If you want to copy the path to the folder where the backed up copies of documents are stored, click the  button.

3. Click **Apply**.




Figure 58. Autorecovery Settings dialog box

4.1.10.2 Document recovery

If the work with documents was finished incorrectly, then when you re-enter the application, the dialog box shown in Figure 59 appears. Click **Open** in this dialog box.




Figure 59. Dialog box

Backed up copies of documents will open in new application windows.

To save copies, follow the steps below for each copy:

1. Run the **Save As** command in one of the following ways:
 - In the notification bar that appears below the Toolbar, click **Save As** (see Figure 60).




Figure 60. Save As button

- In the **File** menu, click **Save As** (see Figure 61).




Figure 61. Save As command menu option

2. In the **Save As** window:
 - If you want to save the copy as a separate file, select the folder where you want to save it, specify the file type and name, and click **Save**.
 - If you want to replace the original file with a copy, select the file and click **Save**.

If you want to delete a copy, click **Delete** in the notification bar below the Toolbar (see Figure 60).

4.1.10.3 Recovered Files pane

If any backed up documents were not saved or deleted as described above, open the **Recovered Files** pane.

To do this, proceed with one of the following:

- In the **File** menu, select **Autorecovery** > **Recovered Files** (see Figure 62).




Figure 62. Recovered Files command menu option

- On the Sidebar, click  **Recovered Files** (see Figure 63).





Figure 63. Recovered Files button

To open, save, or delete a document backup copy, follow the steps below:

1. Hover the cursor over the name of the copy (see Figure 64) and click the  button.
2. In the drop-down list, select the desired command.




Figure 64. Copy Management Commands

You can also open a document backup copy by double-clicking its name in the list. If you want to delete all copies of the documents, click **Delete All** (see Figure 65).




Figure 65. Delete All button

4.1.11 Close a file

Once you've finished working with a file, save it (see Section 4.1.7) and close the application window using one of the following tips:

- In the **File** menu, click **Close** (see Figure 66).




Figure 66. Close command menu option

- Click **Close** in the application window heading.
- Press **Alt+F4** / **⌘ Cmd+Q**.

4.2 Text

4.2.1 Enter text

Use a keyboard to enter a text to the document workspace. The entered text can be edited, deleted, formatted, or saved at any time.

The **Normal** style (see Section 4.3.2) is applied to the text in all new documents and has the following settings:

- Font: XO Thames
- Font size: 14
- Alignment: Justify Text
- Line spacing: Single
- First line indent: 0
- Spacing before a paragraph: 0
- Spacing after a paragraph: 0
- Left indent: 0
- Right indent: 0

4.2.1.1 Automatically replace hyphen with an en dash

When typing text, a hyphen sign is usually used in those places where the rules of the English language require a dash, the dash sign being absent on the keyboard. Therefore, the application automatically replaces the hyphen (-) with an en dash (–) if you enter **text_Space_hyphen_Space_text_Space/Enter/Tab**.

If you want to cancel automatic replacement, run the **Cancel** command (see Section 4.9.1.1).

4.2.1.2 Automatically replace quotation marks

If the text is entered in Russian or French, straight quotation marks (""") are automatically replaced by chevrons («»).

If you want to cancel automatic replacement of the left or right quotations mark, run the **Undo** command after entering them (see Section 4.9.1.1).

4.2.2 Footnote

A footnote is a reference or explanatory information for a word or paragraph of a text.

A distinction is made between footnotes and endnotes. Regular footnotes are placed at the bottom of the page, and endnotes are placed at the end of the section or the document.

A footnote consists of the following elements (see Figure 67):

- A footnote mark placed immediately after the word or paragraph to which it refers.
- The footnote number and text placed at the bottom of the page, section or the document, below the separator bar following the main text.

The following actions are not available for footnotes:



- Find and replace data
- Check spelling
- Add comments




Figure 67. Regular footnote example

4.2.2.1 Insert a footnote

The following rules apply in the current version of MyOffice Text:

- For regular footnotes, end-to-end numbering is supported throughout the document. For endnotes, either end-to-end numbering or section numbering is supported, if it is configured in a third-party text editor.
- Arabic numerals are used for regular footnotes. Endnotes are numbered using the format **i, ii, iii, ...** or the format selected when working with the document in a third-party text editor, if this format is supported in MyOffice Text.
- By default, endnotes are displayed at the end of the document. End-of-section display is supported if it is configured in a third-party text editor.



Footnotes may not be added to any objects other than tables, comments, and footers.

To insert a footnote, perform the following actions:

1. Specify the place to insert a footnote in one of the following ways:
 - Place the cursor where you want to insert a footnote.
 - Select the text where you want a footnote to appear.
 - Place the cursor in the cell of the table where you want to insert a footnote.
 - Select a range of cells for which you want to add a note. The footnote appears after the last character of the lower right cell.
2. Insert a footnote in one of the following ways:
 - In the **Insert** menu, click **Footnote** (see Figure 68).




Figure 68. Insert menu

- On the Toolbar, select the **Insert** section and click the *** button. In the insert pane that opens, place the cursor in the ^{AB}**Footnote** menu. In the sub-menu that opens, select the desired type of footnote (see Figure 69).




Figure 69. Insert pane

- Press **Ctrl+Alt+F** / **⌘Option+⌘Cmd+F** to insert a regular footnote or **Ctrl+Alt+E** / **⌘Option+⌘Cmd+E** to insert an endnote.
- 3. A footnote symbol will appear at the specified location in the document and a footnote number will appear at the bottom of the page, section, or document. Enter the footnote text after the footnote number.

If the document contains no other footnotes, the normal footnote is assigned the number **1** and the endnote is assigned the letter **i** when inserted.

If the document contains regular footnotes, the regular footnote is assigned a sequential number corresponding to its position relative to other regular footnotes.

If the document contains endnotes, the following applies:

- The footnote format of the current document is applied.
- Endnotes are assigned a serial number corresponding to its position in relation to other endnotes.

4.2.2.2 Go to a footnote

When you hover over a footnote symbol in the main text of the document, a pop-up window with the footnote text is displayed (see Figure 70).




Figure 70. Insert pane

Press **Ctrl** / **⌘Cmd** and click the footnote mark to go to a footnote. The cursor automatically moves to the footnote text at the end of the page, section, or document.

4.2.2.3 Copy, cut, and insert a footnote

Footnotes can be copied, cut and pasted (see Section 4.9.2) within a single document or between MyOffice Text documents.



Footnotes may not be inserted in any objects other than tables, comments, headers and footers.

It is possible to cut, copy, and insert:

- Text with a note
- A note without text. To do this, cut or copy the footnote character.

The same numbering rules apply when inserting cut or copied footnotes as when inserting new footnotes.

4.2.2.4 Edit and format the footnote

You can edit and format the footnote text the same way as you edit or format the main text of a document.

4.2.2.5 Remove the footnote

To remove a footnote, do one of the following:

1. Remove the footnote mark in the main body of the text. The number and text of the footnote at the end of the page, section or document will be deleted automatically.
2. Select the text in the footnote or place the cursor anywhere on footnote at the end of the page, section or document. Right-click the selected text, and then click **Delete Footnote** in the shortcut menu. The footnote mark in the body of the text will be deleted automatically.

When you remove a footnote, the numbering of the remaining footnotes is automatically updated.

4.2.3 Links

You can add a link to a web page, email address, or file in the text of a document.

4.2.3.1 Insert a link to a web page or email address

MyOffice Text recognizes and makes active links that start with `www`, `http`, `https`, and email addresses.

Here are the examples of the links:

- `www.website.ru`
- `https://website.com`
- `http://website.ru`
- `mailto:user@domain.ru`
- `user.name@domain.com`

A link such as `mailto:user@domain.ru` may also contain a subject line, the text of the email, and email addresses for sending copy and blind copy. For example, `mailto:user@domain.ru?subject=This%20is%20the%20subject&cc=user2@domain.ru&body=This%20is%20the%20body`.



To avoid errors when you click and follow a link, it is recommended to specify the protocol in the URL. For example, <http://website.com>.

In MyOffice Text, links can be displayed as follows:

- URL: <http://www.website.com>
- Text: [Link](#)

To add a link to your document as a URL, do one of the following:

- Type the link using the keyboard and press **Space** or **Enter**.
- Copy the link from the source, paste it into the desired location in the document and press **Space** or **Enter**.
- Copy the link from the source, place the cursor at the desired location in the document and press **Ctrl+Shift+V** / **⌘+Shift+V**.

To insert a link as text, follow the steps below:

1. Copy the link from the source.
2. Specify where you want to insert a link in one of the following ways:
 - To format a word as a link, place the cursor in the word or select the entire word. To link a typed text piece, select the entire text piece.
 - To add a word or text fragment with a link to a document that has not yet been typed, place the cursor at the desired location in the document. If you want to insert a word or text piece with a link into an empty table cell, select the cell or place the cursor in it.
3. Perform the insert link command in one of the following ways:
 - In the **Insert** menu, click **Link** (see Figure 71).





Figure 71. Link command menu option

- On the Toolbar, select the **Insert** section and click the *** button (see Figure 72). In the insert pane that appears, click  **Link**.




Figure 72. Insert pane

- Right-click to open the context menu and run the **Insert Link** command.
 - Press **Ctrl+K** / **⌘Cmd+K**.
4. In the **Insert Link** window (see Figure 103):
- If the **URL** field is blank, paste the link into it. By default, the link copied from the source in the first step is automatically substituted in the **URL** field.

MyOffice

- If the **Text** field is not filled in, enter the text that will be displayed instead of the link. By default, the **Text** field is automatically filled with the word on which the cursor is positioned, the selected word, or the selected text fragment.
- Click **OK**.




Figure 73. Insert Link

4.2.3.2 Insert a link to a file

You can insert a link to a file that is located on the current computer or in a network folder into your document. The link can reference a file of any format.

The link can be displayed in the document as follows:

- Paths to the file. For example, <C:\Users\User\Documents\File.docx> (Windows) or </Users/User/Downloads/File.docx> (Linux and macOS).
- Text: For example, [link to the file](#). You can specify the link text either in the document text or in the link insertion window.

To add a link to a file in your document, follow these steps:

1. Specify the place to insert the link in one of the following ways:
 - To format a typed word as a link, place the cursor in the word or select the entire word. To format a typed text fragment as a link, select the whole text fragment.
 - To add a word or text fragment with a link to a document that has not yet been typed, place the cursor at the desired location in the document. If you want to insert a word or a text fragment with a link into an empty table cell, select the cell or place the cursor in it.
2. Insert the link in one of the following ways:
 - In the Command menu, select **Insert > Link** (see Figure 74).




Figure 74. Link command menu option

- On the Toolbar, in the **Insert** section, click **...** (see Figure 75). In the insert pane that appears, click  **Link**.




Figure 75. Insert pane

- Right-click to open the context menu and run the **Insert Link** command.
 - Press **Ctrl+K** / **⌘Cmd+K**.
3. In the **Insert Link** window (see Figure 76), select the file you want to insert a link to in one of the following ways:
- Select a file from the **Recent Files** list. This list displays the 50 most recent files that were opened in the MyOffice Text, MyOffice Spreadsheet, and MyOffice Presentation applications.



The **Recent Files** list does not include files that have been opened from the Cloud (see Section 4.13). To insert a link to a file from the Cloud, copy the link address of the file in your browser and paste it into your document as a link to a web page (see Section 4.2.3.1).

- Select the file using the File manager. To do this, click **Choose File**.




Figure 76. Insert Link window

4. If you want the link to be displayed as text and the **Text** field is not filled in, enter the required text. By default, the **Text** field is automatically filled with the word on which the cursor is placed, the selected word, or the selected text fragment.
5. Click **OK**.

4.2.3.3 Quick link insertion

You can quickly add a link to a web page, email address, or file to the typed text.

For quick insertion, the following types of links to local and network files are supported:

- file:///C:/Users/User/Documents/File.docx
- smb://192.168.1.1/Files/File.docx
- ftp://Guest@127.0.0.1/share/FTP/File.docx
- sftp://Guest@127.0.0.1/share/FTP/File.docx

The supported types of web page links and email addresses are described in Section 4.2.3.1.

To quickly add a link to typed text, follow these steps:

1. Copy the link.
2. To format a typed word as a link, place the cursor in the word or select the entire word.
To format a typed text fragment as a link, select the whole text fragment.
3. Press **Ctrl+Shift+V** / **⇧ Shift+⌘ Cmd+V**.

4.2.3.4 Follow a link

To follow the link, do one of the following:

- Click it while holding down **Ctrl** / **⌘ Cmd** pressed.
- Place the cursor on the link and press **Enter**.

Web links are opened in the default browser used in the OS.

Files are opened in MyOffice Text, MyOffice Spreadsheet and MyOffice Presentation applications. If the file format is not supported, the file is opened in the application that is used by default in the OS to work with files of the corresponding format.


When you click the link to an email address, it opens the default email client in your OS. This software automatically creates a new email, into which the data specified in the link is copied.

4.2.3.5 Copy a link

To copy a link, click it with the right mouse button and select the **Copy Link URL** context menu command.

4.2.3.6 Edit a link

To edit a link, follow the steps below:

1. Place the cursor on the link or select part of the link/the entire link.
2. Open the link editing window in one of the following ways:
 - In the Command menu, select **Insert** and click **Link** (see Figure 74).
 - On the Toolbar, select the **Insert** section and click the **...** button (see Figure 75).
In the insert pane that appears, click  **Link**.
 - Right-click to open the context menu and run the **Edit Link** command.
 - Press **Ctrl+K** / **⌘ Cmd+K**.

MyOffice

3. In the **Edit Link** window (see Figure 77), make the required changes to the link text and address.
4. Click **OK**.





Figure 77. Edit Link window

4.2.3.7 Delete a link

You can delete a link using the editing window or the context menu. The link is deleted without the text that contains it.

To delete a link using the edit window, follow the steps below:

1. Place the pointer on the link or select the link partially or entirely.
2. Open the link editing window in one of the following ways:
 - In the Command menu, select **Insert > Link** (see Figure 74).
 - On the Toolbar, in the **Insert** section, click the **...** button (see Figure 75). In the displayed insert pane, click  **Link**.
 - Right-click to open the context menu and run the **Edit Link** command.
 - Press **Ctrl+K** / **⌘Cmd+K**.
3. In the Edit Link window (see Figure 77), click **Remove Link**.

To delete a link using the context menu, follow the steps below:

1. Place the cursor on the link or select part of the link/the entire link.
2. Right-click to open the context menu and run the **Delete Link** command.

To delete multiple links at the same time, follow the steps below:

1. Select the text fragment that contains the given links.
2. Right-click to open the context menu and run the **Delete Links** command.

If you want to delete a link along with the text that contains it, delete it as plain text (see Section 4.2.12).

4.2.3.8 Keyboard shortcuts for moving between window elements

The Table 5 below shows the keyboard shortcuts you can use to quickly move between elements in the Insert/Edit Link window.

Table 5. Keyboard shortcuts

Action	Windows / Linux keyboard shortcuts	macOS keyboard shortcuts
Open the window	Ctrl+K	⌘ Cmd+K
Go to the next window element	Tab	
Go to the previous window element	Shift+Tab	
Click Select File or OK	Space	
Click OK regardless of which window element is currently selected	Enter	
Go to the next/previous file in the Recent Files list	↓ and ↑	
Go to the first file in the Recent files list	Home	Fn + ←
Go to the last file in the Recent files list	End	Fn + →
Select a file in the Recent files list	Space	
Close the window	Esc	

4.2.4 Cross-reference

A cross-reference is a reference to an element in another part of the document. In MyOffice Text you can create a cross-reference to the following items: heading (see Section 4.10.6.1), numbered list item (see Section 4.3.9) or bookmark (see Section 4.2.5).

The current version of the application does not allow for working with cross-references to the unsupported items (footnotes, endnotes, images, tables, or formulas) created using third-party editors.

4.2.4.1 Insert a cross-reference

To insert a cross-reference, do the following:

1. Place the cursor where you want to insert a cross-reference.
2. Open the cross-reference window in one of the following ways:
 - In the Command menu, select **Insert > Cross-reference** (see Figure 78).




Figure 78. Insert menu

- On the Toolbar, select the **Insert** section and click the **...** button (see Figure 79).
- In the displayed insert pane, click **Cross-reference**.




Figure 79. Insert pane

3. In the **Cross-reference** window (see Figure 80), select the **Reference Type** drop-down list and select the elements to which the reference will lead: **Heading**, **Numbered List** or **Bookmark**. If you want to add a cross-reference to a system bookmark (see Section 4.2.7.3), in the lower part of the window, check the **Show system bookmark** box.




Figure 80. Cross-reference window

4. In the **Refer to** box, select the specific element you want the reference to refer to. This box will contain the list of all elements of the reference type selected during the previous step. The list will be generated automatically.

- In the **Insert reference to** drop-down list, specify the numeric or text value of the cross-reference. The list of values depends on the previously selected element type.

Table 6. Cross-reference meaning

Element	Meaning
Heading	<ul style="list-style-type: none"> – Heading Text: Heading text. – Page Number: The number of the page where the selected heading is located. – Heading Number (no context): A short number of the heading which is an item of a multilevel list. Example: The reference to heading 1.c.ii will look like ii. – Heading Number (full context): A full number of the heading which is an item of a multilevel list. Example: 1.c.ii. – Above/Below: The word “above” if the heading is above the cross-reference, or “below” if the heading is located below the cross-reference. The position of the heading is identified automatically.
Numbered List	<ul style="list-style-type: none"> – Page Number: The number of the page where the selected list item is located. – Item Number (no context): A short number of the multilevel list item. Example: 1.c.ii item will be presented as ii. – Item Number (full context): A full number of the multilevel list item. Example: 1.c.ii. – Item Text: The text of the list item. – Above/Below: The word “above” if the item list is above the cross-reference, or “below” if the item list is located below the cross-reference. The position of the item list is identified automatically.
Bookmark	<ul style="list-style-type: none"> – Bookmark Text: The text fragment where the bookmark has been set. This value can only be selected for the bookmarks in the selected text but not where the cursor is positioned. – Page Number: The number of the page where the selected bookmark is located. – Item Number (no context): A short number of the multilevel list item where the bookmark is positioned. Example: 1.c.ii item will be presented as ii. – Item Number (full context): A full number of the multilevel list item where the bookmark is positioned. Example: 1.c.ii. – Above/Below: The word “above” if the bookmark is above the cross-reference, or “below” if the bookmark is located below the cross-reference. The position of the bookmark is identified automatically.

- Click **Insert**.



If a cross-reference is incorrect, the # symbol will be displayed instead.

To insert other cross-references, repeat the procedure.

You can continue to work with the main application window while you enter the cross-reference parameters. To close the **Cross-reference** window, click the **×** button in the window title.

4.2.4.2 Go to a cross-reference

To go to a cross-reference, click it by holding the **Ctrl / ⌘Cmd**.

4.2.4.3 Update a cross-reference


Cross-references are updated automatically.

4.2.4.4 Modify a cross-reference

To modify the existing cross-reference, deleted it as described in the **Delete a cross-reference** section and add a new cross-reference as described in the **Insert a cross-reference** section.

4.2.4.5 Delete a cross-reference

To delete a cross-reference, follow these steps:

1. Select the cross-reference with a mouse click.
2. Delete it in one of the following ways:
 - On the Toolbar, in the **Edit** section, click  **Delete** (see Figure 81).




Figure 81. Delete button

- Right-click the selected cross-reference and select **Delete** from the context menu.
- Press **Delete** on the keyboard.

4.2.5 Fields

Fields are objects that act as placeholders for dynamic (changing) information in a document.

In the current version of the application, you can create fields of the following type:

- CreateDate (Document creation date)
- Date (Current date)
- FileName (Document name and path)
- SaveDate (Last save date)
- Time (Current time)



To insert a non-updated current date or time into your document, follow the steps in Section 4.2.9.

You can work with fields in .doc, .docx, .odt and .xodt documents. Interoperability of the fields listed in the list above between MyOffice Text and Word, LibreOffice Writer applications is supported.

The following features are not currently supported:

- Working with fields that are not included in the list above. If a document contains unsupported fields created in a third-party editor, a dialog box with a list of unsupported fields that will be converted to text or deleted is displayed when you open the document.
- Inserting fields from third-party editors. A copied field or text with a field is pasted without field properties.
- View the field code in the document text (available only in the Field customization window).
- Selecting a part of the field.
- Changing the content of a field manually.
- Different formatting of text within one field. If such a field is created in a third-party editor, the formatting of its first character is applied to all text in the field.
- Support for fields in macros and comments. If a field in a comment is created in a third-party editor, it will be converted to text.

4.2.5.1 Insert a field

You cannot insert a field into:

- Another field.
- An image, a chart.
- A shape or table cell if it is not in edit mode.
- A comment.

When inserting fields, please note the following specifics:

- The set of available date formats is determined by: the regional format in Windows, and in Linux, by the main interface language of the operating system. In macOS, by the preferred interface language of the operating system.
- If the document has never been saved, the **SaveDate (Last save date)** displays **No Date** and the **FileName (Document name and path)** remains blank.
- The **CreateDate (Document creation date)** and **SaveDate (Last save date)** fields, when working in the Cloud (see Section 4.13), display a value of **No Date**.
- The **FileName (Document name and path)** displays only the file name when working in the Cloud (see Section 4.13), even if the **Add a file path to the name** checkbox is selected.

To run the field insertion command, follow these steps:

1. Place the cursor in the place of the document where you want to insert the field.

2. Do one of the following:
 - In the **Insert** menu, select **Fields** (see Figure 82).





Figure 82. Fields command menu option

- On the Toolbar, in the **Insert** section, click **...**. In the insert pane that appears, hover the mouse cursor over the  **Field** button (see Figure 83).




Figure 83. Insert pane

The **Field** (see Figure 84) window opens, which is intended for configuring field parameters.

If you know the field code, enter it in the **Code** box. The parameters that match the code will be automatically selected. Click **OK**.




Figure 84. Field window

If you want to customize the field settings manually, use the simple tools of the **Field** window or open the **Field Options** window, where the field switches are displayed.

To configure the field parameters using the simple tools of the **Field** window (see Figure 84), follow these steps:

1. In the **Field** window, in the **Field Type** area, select the type of field to insert.
2. If the **CreateDate (Document creation date)**, **SaveDate (Last save date)**, or **Time (Current time)** field type is selected, select the date/time display format in the **Date Format** area.
3. If the **Date (Current date)** field type is selected (see Figure 85), then:
 - If you want to insert a date in the non-updated current date format (dd.MM.yyyy) (see Section 4.2.9), select the **Use last selected format** checkbox.
 - If you want to insert the date in a different format, in the **Date Format** area, select the date display format.




Figure 85. Date field parameters

4. If the **FileName (Document name and path)** field type is selected (see Figure 86), then:
 - In the **Name Format** area, select the format for displaying the file path/file name.
 - If you want to display **<file path><file name><extension>** in the field, select the **Add a file path to the document** to the name checkbox. By default, the field displays only **<file name><extension>**.




Figure 86. FileName field parameters

5. The **Code** box will automatically generate a field code with the specified parameters. Click **OK**.



The **Preserve formatting during field updates** checkbox in the current version of the application does not affect field settings.

To configure field settings using the **Field Options** window, follow the steps below:

1. In the **Field** window, in the **Field Type** area, select the type of field to insert (see Figure 86).
2. Click **Field options** (see Figure 87).




Figure 87. Switch to the Field Options window

3. In the **Field Options** window that opens (see Figure 88), in the **Format** area, select the data display format.




Figure 88. Field Options window

4. In the **Switches** area, select the checkboxes next to the switches you want to add to the field code. The code of the field with the specified parameters will be automatically generated in the **Code** box. The value of the field will be displayed in the **Result** area.
5. To save the specified parameters and close the **Field Options** window, click **OK**.
6. In the **Field** window (see Figure 86), click **OK**.

The field will be added to the specified place in the document.

You can select a field only as a whole. You cannot select, edit, or format individual characters.

The formatting of the fields is similar to the formatting of the text.

4.2.5.2 Update a field

The content of fields is updated automatically when you open a document, send it to print and save it as a PDF.

To update one or more fields manually, follow these steps:

1. Specify the fields to be updated:
 - To update one field, select that field or the text that contains that field.
 - To update multiple fields, select the text that contains these fields.
 - To update all fields in the document, in the **Edit** menu, choose **Select All** (see Figure 89).

Or press **Ctrl+A** / **⌘Cmd+A**.




Figure 89. Select All command menu option

2. Refresh the table in one of the following ways:
 - Right-click the selected field or text to open the context menu and run the **Update Field** / **Update Fields** command.
 - Press **F9**.

4.2.5.3 Edit a field

To edit a field, follow the steps below:

1. Select the field by left-clicking.
2. Right-click the field to open the context menu and run the **Edit Field** command.
3. In the **Field** window (see Figure 90), edit the required parameters and click **OK**.




Figure 90. Field window

4.2.5.4 Convert a field to text

Converting a field to text involves removing the Field object and placing the content in its place as plain text.

To convert one or more fields to text, follow these steps:

1. Specify the fields to be converted:
 - To convert a single field, select that field or the text that contains that field.
 - To convert multiple fields, select the text that contains these fields.
 - To convert all fields in the document, in the **Edit** menu, choose **Select All** (see Figure 89). Or press **Ctrl+A** / **⌘ Cmd+A**.
2. Run the conversion command in one of the following ways:
 - Right-click the selected field or text to open the context menu and run the **Convert into Text** command.
 - Press **Ctrl+Shift+F9** / **⇧ Shift +⌘ Cmd +F9**.

4.2.5.5 Delete a field

To delete a field, use one of the following methods:


- Select the field by clicking the mouse and press **Delete** or **Backspace**.
- When working in Windows / Linux, place the cursor after the field and press **Backspace** twice.
- Place the cursor before the field / after the field and select it by pressing **Shift+→** / **Shift+←**. Press **Delete** or **Backspace** to delete the field.

4.2.6 Controls

Content controls are elements that are used in forms such as checklists, questionnaires, tests, etc.

MyOffice Text supports working with the following controls created using Word (see example in Figure 91):

- Checkbox
- Plain Text
- Date Picker
- Drop-Down List



The image shows a screenshot of a questionnaire form titled "Questionnaire". It contains four numbered items:

1. Indicate your social status: Pupil or Student.
2. Enter the name of your educational institution: Click or tap here to enter text.
3. Enter your date of birth: Click or tap to enter a date.
4. Specify what sport you play: Choose an item.

Figure 91. Example of controls in text

The Checkbox, Drop-Down List and Plain Text controls have support for the current and previous versions of Word.

Working with other types of controls: basics

- The Formatted Text control is converted into text with the corresponding formatting.
- The Combo Box control is converted to Drop-down list.

The following actions are not supported in the current version of MyOffice Text:

- Creating controls.
- Setting the properties of controls: editing and hiding/displaying the name, changing the way the element is displayed, changing the color of the element, etc.
- Displaying the names of controls as opening and closing tags.
- Working with controls in headers and footers (see Section 4.10.2), footnotes and endnotes (see Section 4.2.2).
- Working with ActiveX controls.
- Compatibility with controls created in LibreOffice version 7.4 and newer.

When you save a document in .odt or .xodt format, the following properties of controls set in third-party editors are reset:

- Name
- Color
- “Delete the content control when editing the content” delete setting
- "The content control cannot be deleted", "The content cannot be edited" lock settings
- Input field tooltips
- Non-standard symbols of the Check box control.

The size of the displayed name of the control is limited to 60 characters. Hyphenation in names is not supported.

4.2.6.1 Checkbox

Checkbox is a control that a user can select or clear (see Figure 92). The user can choose the appropriate options from the listed ones or agreeing to the indicated conditions.

You can apply formatting settings to the checkbox. For example, change the size or color, make it bold.




Figure 92. Checkbox control

4.2.6.2 Plain text

Plain Text is a control that contains a field for entering plain (unformatted) text (see Figure 93).




Figure 93. Plain Text control element

Regardless of the settings in a third-party editor, you can enter any amount of text into the field manually or from the clipboard without breaking it into paragraphs (see Figure 94).



2. Enter the name of your educational institution: School No. 10

Figure 94. Entering text

When pasting formatted text into the input field, all formatting settings are cleared.

You can format pasted or manually entered text directly in the input field (see Figure 95). For example, you can change the font size and color, make the text bold or underlined, or apply a preset style to the text. Formatting settings are applied to the entire text in the input field, formatting of individual text pieces is not allowed. As the font size increases, the size of the input field changes proportionally.



2. Enter the name of your educational institution: *School No. 10*

Figure 95. Formatted text

To switch to the edit mode of the field content, click it with the mouse.

If you want to select the text in the input field, do the following:

- To select one word, double-click that word.
- To select the entire text, click any word three times.

The selected text can be cut or copied and pasted elsewhere in the document as text. Cutting, copying, and pasting are carried out in standard ways (see Section 4.9.2).

4.2.6.3 Date Picker

Date Picker is a control that contains a date input field (see Figure 96).

3. Enter your date of birth: Click or tap to enter a date.

Figure 96. Date Picker control

The date is selected by the user from the drop-down calendar and inserted into the field in the specified format (see Figure 97). Entering the date manually is not allowed.




Figure 97. Date Picker



The current version does not support the value specified in Word, in the properties window of the content control, in the **Store XML contents in the following format when mapped field**.

The date in the input field can be formatted (see Figure 98). For example, change the size and color, make it underlined, apply a preset style to the date. As the font size increases, the size of the date input field changes proportionally.

3. Enter your date of birth: 02.02.2011

Figure 98. Formatted date

4.2.6.4 Drop-Down List

Drop-Down List is a control that contains a drop-down list of set values (see Figure 99 and Figure 100). The user can only select one value. Editing of the selected value is not allowed.




Figure 99. Drop-Down List control




Figure 100. Selecting a value

The text that appears in the drop-down list input field can be formatted (see Figure 101). For example, you can change the font size and color, make the text bold or underlined, or apply a preset style to the text. As the font size increases, the size of the input field changes proportionally. Note that formatting is not applied to the items in the list.



Figure 101. Formatted text

4.2.6.5 Cut, copy, and paste content controls

A control can be copied or cut and pasted in standard ways (see Section 4.9.2).

To select a control to cut or copy it, do one of the following:

- Select the control by holding down the left mouse button.
- Place the cursor in before or after the control and select it by pressing **Shift**+→ / **Shift**+←.

4.2.6.6 Delete a control

The control can be deleted if it is not prohibited by the settings of a third-party editor.

To delete a control, use one of the following methods:

- Select the control by holding down the left mouse button and press **Delete** or **Backspace**.
- Place the cursor in before or after the control and select it by pressing **Shift**+→ / **Shift**+←.
Press **Delete** or **Backspace** to delete the control.

To delete any supported control other than Plain Text, you can also do the following:

- When working in Windows / Linux, place the cursor in front of the control / after the control and press **Delete** / **Backspace** twice.
- When working in macOS, place the cursor in front of the control and press **Delete** twice.

4.2.7 Bookmarks

In MyOffice Text, you can use the bookmarks the same way you use them when reading a paper book. Bookmarks allow you to quickly get back to specific parts of your document.

Bookmarks can be added to text, tables, and their elements (rows, columns, cells), images, headers, and footers.

4.2.7.1 Insert a bookmark

To insert a bookmark into the document, do the following:

1. Place the cursor where you want to insert the bookmark or select the element where you want to add it.
2. Insert the bookmark in one of the following ways:
 - In the **Insert** menu, select **Bookmark** (see Figure 102).





Figure 102. Insert menu

- On the Toolbar, select the **Insert** section and click the *** button (see Figure 103). In the insert pane that opens, click  **Bookmark**.




Figure 103. Insert pane

3. In the **Bookmarks** window (see Figure 104), specify the bookmark title. Don't use the existing bookmark titles.





Figure 104. Bookmarks window

4. Click the  button or press **Enter** (see Figure 105). The bookmark will be added to the list (see Figure 106).




Figure 105. Bookmark is added

5. Close the **Bookmarks** window. To do this, click **Cancel** or the **×** button in the window heading.

Follow the same procedure to add new bookmarks into the text.

4.2.7.2 Display bookmarks

To display bookmarks in a document (see Figure 106), display non-printable characters (see Section 4.3.1).








Figure 106. Bookmarks window

4.2.7.3 Show system bookmarks

When a cross-reference (see Section 4.2.4) is created to a heading or numbered list in a document, a system bookmark is automatically created. For example, if a cross-reference is created to **Heading 1**, **Heading 1** becomes a system bookmark. System bookmarks are marked in the document with non-printable symbols similar to regular bookmarks  .

To see the entire list of system bookmarks, do the following:

1. Open the **Bookmarks** window in one of the following ways:
 - In the Command menu, select **Insert > Bookmark** (see Figure 102).
 - On the Toolbar, in the **Insert** section, click  (see Figure 108). In the displayed insert pane, click  **Bookmark**.
2. In the **Bookmarks** window (see Figure 103), check the **Show system bookmarks box**.




Figure 107. Bookmarks window

System bookmarks are displayed in the same list as manually set bookmarks. Work with system bookmarks is performed in the same way as with regular bookmarks.

4.2.7.4 Go to a bookmark

To go to a bookmark in the document, do one of the following:

1. In the **Insert** menu, select **Bookmark** (see Figure 102).
2. On the Toolbar, select the **Insert** section and click the ******* button (see Figure 103).

In the insert pane that opens, click **Bookmark**.

The **Bookmarks** window will open containing the list of bookmarks (see Figure 108).

Bookmarks in the list can be sorted in the following ways:

- **Name:** Sorting bookmarks alphabetically (from A to Z). This option is selected by default.
- **Location:** Sorting bookmarks depending on their location in the document (from top to bottom).

Select the bookmark title in the list. The cursor will move where the bookmark is set.




Figure 108. Bookmarks window

4.2.7.5 Rename a bookmark

To rename a bookmark:

1. Open the **Bookmarks** window in one of the following ways:
 - In the **Insert** menu, select **Bookmark** (see Figure 102).
 - On the Toolbar, select the Insert section and click the ******* button (see Figure 103).
In the insert pane that opens, click **Bookmark**.
2. In the **Bookmarks** dialog box (see Figure 109), place the cursor on the bookmark that you want to rename and click **Edit bookmark**.



The name of the system bookmark (see Section 4.2.7.3) must begin with the underscore character “_”.





Figure 109. Rename a bookmark



3. Edit the bookmark name and press the **Enter** key.
4. Close the **Bookmarks** window. To do this, click **Cancel** or the **X** button in the window title.

4.2.7.6 Delete a bookmark

To delete a bookmark, in the **Insert** menu, click **Bookmark** (see Figure 102).

In the **Bookmarks** dialog box (see Figure 110), place the cursor on the bookmark you want to delete and click .

To delete a bookmark, do the following:

1. Open the **Bookmarks** window in one of the following ways:
 - In the **Insert** menu, select **Bookmark** (see Figure 102).
 - On the Toolbar, select the Insert section and click the ******* button (see Figure 103).
In the insert pane that opens, click  **Bookmark**.
2. In the **Bookmarks** dialog box (see Figure 110), place the cursor on the bookmark you want to delete and click  **Delete bookmark**.




Figure 110. Delete a bookmark

3. Close the **Bookmarks** window. To do this, click **Cancel** or the **×** button in the window title.

4.2.8 Special characters

Special characters are characters that cannot be found on the keyboard. For example, math operators, dingbats, and currency signs. Such symbols can be inserted using the special characters quick insert pane or the **Special Characters** window.

4.2.8.1 Special characters quick insert pane

To open the special characters quick insert pane, do one of the following:

- On the Toolbar, in the **Insert** section, click  **Special Characters** (see Figure 111).




Figure 111. Special characters quick insert pane

- On the Toolbar, in the **Insert** section, click **...**. In the pane that appears, hover the mouse cursor over the arrow to the right of the  **Special Characters** button (see Figure 112).





Figure 112. Special characters quick insert pane

To insert a special character, do one of the following:

- Select a character from the set of preset characters. As you work with the application, the preset characters change to characters added by the user to the document using the **Special Characters** window (see Section 4.2.8.2). When the mouse cursor hovers over a character, the name of the font selected for it is displayed.

 When inserting, the font of the document text is applied to the character. However, if the font of the text does not support this character, then the font selected by the user is used.

- Select **Non-breaking Space**, **Non-Breaking Hyphen**, or **En Dash** if you want to insert the appropriate character.

4.2.8.2 Special Characters window

To open the **Special Characters** window, do one of the following:

- In the Command menu, select **Insert > Special Characters** (see Figure 113).




Figure 113. Special Characters menu

- On the Toolbar, in the **Insert** section, click  **Special Characters** (see Figure 114). In the special characters quick insert pane, select **More Characters**.






Figure 114. More Characters menu

- On the Toolbar, in the **Insert** section, click  (see Figure 115). In the pane that appears, click  **Special Characters**.




Figure 115. Special Characters button

- On the Toolbar, in the **Insert** section, click **...** (see Figure 119). In the pane that appears, hover the mouse cursor over the arrow to the right of the **Special Characters** button. In the special characters quick insert pane, click **More Characters**.




Figure 116. More Characters menu

The **Special Characters** window (see Figure 119) contains the following tools:




Figure 117. Special Characters window

- Drop-down list for selecting the font of the special character.
- Drop-down list for selecting the group and category of the character. If the font does not support the characters of a category group or category, it is not displayed in the list.
- Characters. By default, the first character of the selected category is highlighted. Categories are separated from each other by a line.
- The name of the highlighted character.
- The code of the selected character in the Unicode system.
- The typeface of the selected character.
- The font of the selected character.
- Other typefaces of the selected character.

To insert a character from the **Special Characters** window, follow these steps:

1. Select the font of the special character. The selection is similar to the font selection in the main application window (see Section 4.3.3).
2. Select a character category. You can select it in the same way as selecting a special character font.
3. Place the cursor in the position of the document where you want to insert the character.
4. Insert the character in one of the following ways:
 - Select the character by double-clicking.
 - Select the character with one click and click **Insert**.
 - Select a character with one mouse click and press **Enter** or **Space**.

If you want the window to close automatically, check the **Close window after inserting a character** box.

To close the **Special Characters** window manually, click **Cancel** or the **×** button in the window header.

4.2.9 Current date or time

You can quickly insert the current date or time anywhere in a document, except for headers and footers. Follow these steps:



The inserted data is static, which means that it is not updated when the actual date or time changes. To insert an updated date or time into the document, use the fields (see Section 4.2.5).

To insert the current date:

1. Place the cursor in the place of the document where you want to insert the current date.
2. Insert the date in one of the following ways:
 - In the **Insert** menu, select **Current Date** (see Figure 118).




Figure 118. Current Date and Time command menu options

MyOffice

- On the Toolbar, select the **Insert** section and click the **...** button (see Figure 119). In the displayed insert pane, click **Current Date**.





Figure 119. Insert pane

MyOffice

To insert the current time:

1. Place the cursor in the place of the document where you want to insert the current time.
2. Insert the time in one of the following ways:
 - In the **Insert** menu, select **Current Time** (see Figure 118)
 - On the Toolbar, select the **Insert** section and click the **⋮** button (see Figure 119).
In the displayed insert pane, click  **Current Time**.

4.2.10 Check grammar and spelling

MyOffice Text can automatically check texts in English and Russian for grammar and spelling mistakes.

4.2.10.1 Check spelling

To enable and disable **Check Spelling** option, in the **Tools** menu, select **Spelling & Grammar** and then check or uncheck the **Check Spelling** box (see Figure 120).

Enabling or disabling **Check Spelling** option is only applied to the current document and does not affect other opened documents.




Figure 120. Tools menu

Check spelling basics:

- The spell-checking dictionary is automatically selected based on the language of the first word in the paragraph.
- Words missing in the selected dictionary or misspelled words are underlined with a red wavy line.
- Changing the content of a document restarts spell-checking.

4.2.10.1.1 Correcting spelling errors

To correct a misspelled word, follow these steps:

1. Move the cursor over the misspelled word underlined with a red wavy line or select it by right-clicking it.
2. Right-click to open the context menu.
3. In the context menu, select the correct spelling (see Figure 121).




Figure 121. Check Spelling

If no correct spelling can be suggested for the word, you'll see the **No suggestions** notification in the context menu.

4.2.10.1.2 Turn off the underline for spelling errors

A word recognized as misspelled by the application is underlined with a red wavy line. To turn this option off for a particular word, add it in the **Custom dictionary** (see Section 4.2.10.2) or in the ignore list.

To add a word in the ignore list, follow the steps below:

1. Move the cursor over the misspelled word underlined with a red wavy line or select it.
2. Right-click the word and select **Ignore** from the context menu.

Once finished, the red wavy underline disappears. If a word appears several times in the document, the changes are applied to all repetitions considering the case. Such changes are saved within one session. When the document is opened again, the **Check Spelling** is launched again.

If you've added a word into the ignore list by mistake, you can get back to the previous step by selecting the **Check Spelling** option. Follow these steps:

1. Move the cursor over the word or select the entire word.
2. Right-click the word and select **Check Spelling** from the context menu.

4.2.10.2 Custom Dictionary

To exclude words such as proper names, abbreviations, or technical terms in a text from being considered misspelled, you can add them to the **Custom Dictionary**.

Before you start, make sure that the **Check Spelling** is on (see Section 4.2.10.1).

4.2.10.2.1 Adding words to the Custom Dictionary

The **Custom Dictionary** allows you to add only individual words but no word combinations. Adding words is case-sensitive. If a word can start with a capital letter and with a lowercase letter, add the two spellings into the dictionary.

To add a word to the **Custom Dictionary** directly from the text, right-click the selected text, and then click **Add to Dictionary** in the shortcut menu.

To add a new word directly to the **Custom Dictionary**, follow the steps below:

1. In the **Tools** menu, select **Custom Dictionary** (see Figure 122).





Figure 122. Custom Dictionary command menu option

2. In the **Custom Dictionary** dialog box (see Figure 123), enter the word you want to add.
3. Press  or **Enter**.
4. Click **Done** to finish and close the window.




Figure 123. Custom Dictionary window

4.2.10.2.2 Using third-party dictionaries

To extend the vocabulary available in MyOffice Text, you can use third-party dictionaries in .dic format. In the **Custom Dictionary** dialog box, click **Import** (see Figure 123). In the opened file manager window, select a .dic file and click **Open**.

When finished, the content of the dictionary will appear in your dictionary.

4.2.10.2.3 Delete words from the Custom Dictionary

If necessary, you can remove words previously added in the **Custom Dictionary**.

To remove a word using the **Custom Dictionary** menu, follow the steps below:

1. In the **Tools** menu, select Custom Dictionary (see Figure 122).
2. In the **Custom Dictionary** dialog box, place the cursor on the word you want to remove from the dictionary and click **Remove** (see Figure 124).
3. Click **Done** to finish.




Figure 124. Remove a word from the dictionary

To delete a word directly from the text, right-click on it and click **Remove from Dictionary** in the shortcut menu.

4.2.10.3 Check Grammar

To enable or disable **Check Grammar** option, in the **Tools** menu, select **Spelling & Grammar** and then check or uncheck the **Check Grammar** box (see Figure 125).

Enabling or disabling grammar checking applies to the current document and doesn't affect other opened documents.




Figure 125. Tools menu

Grammar checking basics:

- The grammar checking language is selected automatically depending on the first letter of the paragraph.
- The grammar checking is launched once you press **Space** or **Enter**, provided that the sentence is complete.
- A sentence with a grammatical error is underlined with a blue wavy line.

4.2.11 Find and replace



You can search and replace data throughout the entire content of the document, except for footnotes (see Section 4.2.2).

If the document is opened in the **View** mode, only data search (without replacement) is available.

To open the pane to find and replace data in a document, do one of the following:

- In the Command menu, select **Edit > Find** (see Figure 126).




Figure 126. Find command menu option

- In the Sidebar, click  **Find and Replace** (see Figure 127).




Figure 127. Find and Replace button

- Press **Ctrl+F** or **Ctrl+H** / **⌘Cmd+F**.

In the **Find and Replace** pane (see Figure 128) specify data search and replacement parameters, if necessary:

1. Open the **Parameters** section by clicking \vee .
2. Specify the **Search area**:
 - **Entire document**: Search the entire document, including footers (see Section 4.10.2).
 - **Without header and footer**: Search the entire document except for headers or footers.




Figure 128. Search parameters

3. Check the required **Filters**:
 - **Match whole words only**: Find only whole words, not text that is part of another word.
 - **Match case when searching**: Perform the search based on uppercase and lowercase letters in the text you are looking for.
 - **Match case when replacing**: Perform the replacement taking into account the uppercase and lowercase letters in the found text. Example: You need to replace the word *agreement* with the word *contract* in the text of the document. In this case, the word *agreement* can be written with both lowercase and uppercase letters (for


example, at the beginning of a sentence). Check the box **Match case** when replacing so that the word agreement with a lowercase letter is replaced by the word *contract* with a lowercase letter, and the word *Agreement* with a capital letter is replaced by the word *Contract* with a capital letter.



Case is taken into account only for the first character in the found word.

4. Collapse the **Parameters** section by clicking **^**.

To find data in a document, do the following:

1. In the **Find** field, enter the data to search for (see Figure 129).
2. Click  or press **Enter**.




Figure 129. Data for search

Matches will be highlighted in the text of the document and displayed as a list in the **Find and Replace** pane (see Figure 130).

You can navigate through the matches in the list in the following ways:

- By left-clicking.
- Using the **^** **Next Match** and **^** **Previous Match** buttons above the list.
- Using the **↓** and **↑** keys. To do this, pre-select any match by left-clicking.

The selected match is highlighted in contrasting yellow in the list line and in the text of the document. The total number of matches and the sequence number of the selected match is shown by the match counter above the list.




Figure 130. Found matches

The search parameters can be changed in while you work with matches. The list of matches is updated automatically.

To replace the matches found in the document, follow these steps:

1. In the Replace with line (see Figure 129), enter the data to replace or leave the field empty if you want to delete the found match.
2. Replace the matches with one of the following methods:
 - Click **Replace** to replace the highlighted match.
 - Click **Replace All** to replace all matches found at the same time. In the window with the message “Replace all matches?”, click **Replace**.

To close the find and replace pane, do one of the following:


- At the top of the pane, click →.
- On the Sidebar, click  **Find and Replace**.
- Press **Esc**.

Table 7 below shows the keyboard shortcuts you can use to quickly move between elements in the **Find and Replace** pane.

Table 7. Keyboard shortcuts

Action	Windows / Linux keyboard shortcuts	macOS keyboard shortcuts
Open the Find and Replace pane	Ctrl+F or Ctrl+H	⌘ Cmd+F
Search by specified value	Enter	
Go to the next pane element	Tab	
Go to the previous pane element	Shift+Tab	
Expand or collapse Parameters	Space	
Select a search area or filter	Space	
Click a button	Space	
Go to the next/previous match	↓ and ↑	
Go to the first match in the list	Home	Fn + ←
Go to the last match in the list	End	Fn + →
Close the Find and Replace pane	Esc	

4.2.12 Delete text

4.2.12.1 Delete text using the command

To delete text, follow the steps below:

1. Select the desired part of the text to delete: one or more characters, part of a word, one or more words, sentences or paragraphs. If you want to delete all text from a document and that document contains nothing but text, in the **Edit** menu, choose **Select All** (see Figure 131) or press **Ctrl+A** / **⌘ Cmd+A**.





Figure 131. Select All command menu option

On the Toolbar, in the **Edit** section, click  **Delete** (see Figure 132).




Figure 132. Delete button

4.2.12.2 Delete text using the keyboard keys

To remove one or more characters from the text, use one of the following methods:

- Place the cursor after the characters you want to delete. If you are working in Windows / Linux, delete characters by pressing **Backspace** as many time as needed, if you are working in macOS, delete them by pressing **Delete**.
- Place the cursor before the characters you want to delete. If you are working in Windows / Linux, delete characters by pressing **Delete** as many time as needed, if you are working in macOS, delete them by successively pressing **Fn+Delete** keys.

To delete a part of a word or a word, use one of the following methods:

- Place the cursor after a word or word part that you want to delete. When working in Windows / Linux, press **Ctrl+Backspace**, when working in macOS, use ⌘ **Cmd+Delete** or ⌥ **Option+Delete**.
- Place the cursor before a word or word part that you want to delete. When working in Windows / Linux, press **Ctrl+Delete**, when working in macOS, use ⌘ **Cmd+Fn+Delete** or ⌥ **Option+Fn+Delete**.

To delete a text fragment, follow these steps:

1. Select the required fragment.
2. When working in Windows / Linux OS, press **Delete** or **Backspace**. When working in macOS, press **Delete** or use **Fn+Delete** shortcut.

4.3 Text formatting

4.3.1 Non-printable characters

Non-printable characters are the formatting marks that are used to organize the content of a document but are not displayed when printing. They are useful when editing a document to remove mistakenly added formatting marks, for example, double spaces in the text.

To enable the display of non-printable characters, follow these steps:

1. In the Command menu, click **View** and select **Non-Printable Characters** (see Figure 133).




Figure 133. Non-Printable Characters command menu option

2. On the Toolbar, select the **Paragraph** section and click ¶ **Non-Printable Characters** (see Figure 134).








Figure 134. Non-Printable Characters button

Non-printable characters used in MyOffice Text are specified in Table 8.

Table 8. Non-printable characters

Example of character in text	Meaning
Lorem ipsum dolor sit amet, consectetur adipiscing elit, se labore et dolore magna aliqua. Ut enim ad minim veniam,	Space
Lorem ipsum ¶ dolor sit amet, ¶ consectetur ¶	Paragraph mark
Lorem → ipsum → dolor → sit → amet, → consectetur → → eiusmod → tempor incididunt → ut → labore	Tab
Lorem ipsum ↵ dolor sit amet, ↵ consectetur ↵	Line break
	Page break
	Section break
	Anchor: <ul style="list-style-type: none"> • The table for which you have configured text wrapping • Image • Shape
	Bookmark

4.3.2 Styles

Styles allow you to quickly apply the same formatting to different parts of the text throughout the document, for example, use styles for headings of different levels, links, etc. MyOffice Text allows you to use the preset styles, as well as the custom styles for text styling.

4.3.2.1 Style selection

The **Normal** style is used by default whenever you create a new document. You can change the text style using the Quick Actions box or the Toolbar.

To change the style using the Toolbar, follow these steps:

1. Select the part of the text you want to change a style for:

- To change the style for a single paragraph, place the cursor in it or select the whole paragraph.
 - To change the style of multiple paragraphs, select all the paragraphs.
2. On the Toolbar, select the **Styles** section and select the desired style from the drop-down list. Or click the *** button and select the desired style from the drop-down list (see Figure 135).




Figure 135. List of styles

To change the style using the Quick Actions box, do the following steps:

1. Select the part of the text you want to change a style for:
 - To change the style for a single paragraph, place the cursor in it or select the whole paragraph.
 - To change the style of multiple paragraphs, select all the paragraphs.
2. Open the Quick Actions box in one of the following ways:
 - In the **Help** menu, click **Quick Actions** (see Figure 136) or press **Ctrl+/****.




Figure 136. Quick Actions command menu option

- Press **Ctrl+/**** (Windows OS/ Linux OS) or **⌘ Cmd+/**** (macOS).
3. In the Quick Actions box (see Figure 137), select the style you want to apply using one of the following steps:




Figure 137. Quick Actions box

- Start typing style name in the search field. When the desired style is displayed in the search results, left-click the style line or select the style line using the ↓ and ↑ keyboard keys and press **Enter**.
- Scroll down the list of commands till the end. In the style section, select your preferred style.

4.3.2.2 Create a new style

MyOffice Text allows you to create a style based on the formatting of the text. You can select the text with desired formatting or just place the cursor on it to create a style. The new style is created with the preset name "Style 1", "Style 2", and so on.

To create a style, do the following steps:

1. Apply the formatting to a word or text (see Figure 138).
2. Select a word or fragment or place the cursor on it.
3. On the Toolbar, select the **Style** section and click the ******* button.
4. In the lower part of the drop-down list, click the **Create New Style** button.




Figure 138. Create a new style

MyOffice

The newly created style will appear in the drop-down list (see Figure 139).

You can create styles based on numbered headings (1., 2., 3. ...). When you create such a style, the numbering will also be included in the style.




Figure 139. Custom style

4.3.2.3 Edit a style

You can change the formatting options for any style manually. Follow these steps:

1. Select the text where the style is applied.
2. Change the style as needed (see Figure 140).
3. On the Toolbar, select the **Style** section and click the ******* button.
4. In the drop-down list, place the cursor on the current style name and click **Update Style to Match Selection** (see Figure 140).

The changes you make to a style are automatically applied to all text fragments where this style is applied.





Figure 140. Edit and delete style buttons

4.3.2.4 Delete a style

You can only delete the custom styles. Follow these steps:

1. Select the text where the style is applied.
2. On the Toolbar, select the **Style** section and click the ******* button.
3. In the drop-down list, place the cursor on the current style name and click  **Delete Style** (see Figure 140).

Once the style is deleted, the **Normal** style settings are applied to all text fragments formatted in the custom style.

4.3.3 Fonts

By default, the XO Thames font is used when creating a document in MyOffice Text application.

To quickly change the font, do the following:

1. Select the desired text.
2. On the Toolbar, in the **Font** section (see Figure 141), click the field with the name of the current font.
3. Start typing the name of the desired font. The drop-down list will display a list of fonts matching the search conditions.
4. Select the desired font using the mouse or the keyboard keys:
 - Click the font name with the left mouse button.
 - Select the font name using the keyboard keys ↓ and ↑ and press **Enter**.




Figure 141. Find a font

To select a font from the full list of fonts, follow the steps below:

1. Select the desired text.
2. On the Toolbar, select the Font section and click ▼ to the right of the current font name (see Figure 142).
3. In the drop-down list, select the desired font using the mouse or keyboard keys:
 - Left-click the font name.
 - Select the font name using the keyboard keys ↓ and ↑ and press **Enter**.




Figure 142. Full list of fonts



It is recommended to use XO family fonts to preserve the formatting of the document when opening it in other operating systems.

4.3.4 Font size

To change the font size, do as follows:

1. Select the text you want to change the size of.
2. On the Toolbar, click the arrow ▼ to the right of the current font size (see Figure 143).
3. In the opened list, select the desired font size.

You can also type in any size you want. Simply follow these steps:

1. On the Toolbar, select the current font size.
2. Enter the desired size. Use a dot (.) as the delimiter for fractional value. For example: 21.5.
3. Press **Enter**.




Figure 143. Selecting the font

To increase the font size by one point, follow the steps below:

1. In the **Format** menu, select **Font** > **Increase Font Size** (see Figure 144).




Figure 144. Commands to increase and decrease font size

2. On the Toolbar, select the **Font** section and click **A⁺ Increase Font Size** (see Figure 145).




Figure 145. Increase and Decrease Font Size buttons

To decrease the font size by one point, follow the steps below:

1. In the **Format** menu, select **Font** > **Decrease Font Size** (see Figure 144).
2. On the Toolbar, select the **Font** section and click **A⁻ Decrease Font Size** (see Figure 145).

4.3.5 Text formatting

MyOffice Text allows you to format text differently to emphasize and distinguish it from the rest of the document content.


Table 9 shows the text formatting options with the corresponding commands and Toolbar buttons:

Table 9. Text formatting

Text formatting	Command menu	Button of Font section, Toolbar	Keyboard shortcut (Windows/Linux)	Keyboard shortcut (macOS)
Bold	Format > Font > Bold	B	Ctrl+B	⌘ Cmd+B
<i>Italic</i>	Format > Font > Italic	<i>I</i>	Ctrl+I	⌘ Cmd+I
<u>Underline</u>	Format > Font > Underline	<u>U</u>	Ctrl+U	⌘ Cmd+U
ALL CAPS	Format > Font > All Caps	AB	Ctrl+Shift+A	⇧ Shift+⌘Cmd+A
Strikethrough	Format > Font > Strikethrough	T	-	-
Subscript	Format > Font > Subscript	...> X ₂	Ctrl+=	⌘ Cmd+=
Superscript	Format > Font > Superscript	...> X ²	Ctrl+Shift+=	⇧ Shift+⌘Cmd+=

4.3.6 Font color

To change the font color of text, follow these steps:

1. Select the text for which you want to change the font color:
 - To change the font color in a single word, place the cursor in the word or select the entire word.
 - To change the font color in a piece of text, select it in its entirety.
 - To change the font color for text located in one cell of a table, select that cell or select all text in that cell.
 - To change the font color for text located in multiple cells, columns, or rows, select those table elements.
 - To change the font color for all text in a table, select the entire table.
2. To select the last color that was applied to the font, on the Toolbar, select the **Font** section and click  **Text Color** (see Figure 146).





Figure 146. Text Color button and color selection pane

1. To select a different font color, click the arrow to the right of the  **Text Color** button.
2. In the color selection pane that opens, specify the font color in one of the following ways:
 - Choose a color from one of the color sets provided.
 - Specify the color code manually.
 - Copy the color with an eyedropper.

4.3.6.1 Choose a color from the color sets provided

The following colors sets are available in the color selection pane (see Figure 146):

- **Theme Colors:** This block contains the color palette of the current document's theme.
- **Standard Colors:** This block contains the colors that users most often choose when formatting a document.
- **Recent Colors:** This block contains up to the last ten colors that you selected when formatting the document earlier. The **Recent Colors** set is displayed if you have selected at least one color.

Hovering the mouse cursor over any color displays the value of that color in the RGB color model. For example, **RGB 192,80,77**.

Left-click a color to select it.

The color will be added to the **Recent Colors** set and checked. The color selection pane will close. The font of the text will be colored in the selected color.

4.3.6.2 Specify the color code manually

If you do not find the appropriate color in the listed color sets, specify the color code manually:

1. Click **More Colors** (see Figure 146).
2. In the **Select Color** window (see Figure 147) that appears, specify the desired color as a HEX code or in RGB format.
3. Click **OK**.




Figure 147. Select Color window

The manually specified color will be added to the **Recent Colors** set (see Figure 146) and checked. The color selection pane will close. The font of the text will be colored in the selected color.


4.3.6.3 Copy the color with an eyedropper

You can use the eyedropper to simultaneously copy a color from a text or object located in the main window's workspace (see Section 3.3.5) and apply that color to the font of the selected text.



The eyedropper is disabled in header and footer editing mode (see Section 4.10.2).

To copy a color using the eyedropper, follow these steps:

1. Click  **Eyedropper** (see Figure 146). The color selection pane will close, and the cursor will look like a crosshair for color selection.
2. Hover the cursor over the color you want to apply to the selected text. For more accurate color selection, refer to the area to the right of the cursor. It displays the color of the pixel that the cursor is currently hovering over.
3. Left-click the color.



The font of the selected text is colored in the specified color, and the cursor returns to its standard appearance. The specified color is added to the **Recent Colors** set (see Figure 146) and checked in the color selection pane.

If you want to disable the eyedropper without selecting a color, press **Esc**.

4.3.7 Highlight color

When working on a document, you can highlight certain text fragments in different colors (like when you use a highlighter) to make them more visible compared to the rest of the document.

To highlight text, perform the following actions:

1. Select the text you want to highlight.
2. To select the last color you used to highlight text earlier, on the Toolbar, in the **Font** section, click  **Highlight Color** (see Figure 148).
3. To select a different color for text highlighting, on the Toolbar, in the **Font** section, click the arrow to the right of  **Highlight Color**.





Figure 148. Highlight color button

4. Select the desired color in the provided palette or in the **Recent Colors** block. This color block is displayed if at least one color from the palette was previously used to highlight text. The **Recent Colors** block can display a total of one to eight of the most recently used colors.

The selected color will be checked, and the text will be highlighted in this color.

To remove the highlighting of the text, perform the following actions:

1. Select the text that you want to remove highlighting from.
2. On the Toolbar, select the **Font** section and click the arrow to the right of the  **Highlight Color** button.
3. In the window that opens, select **No color**.

4.3.8 Alignment and spacing

You can use adjustable alignments, spacings, and indents to organize the text and separate its elements according to your preferences.

To change these settings when you create a file, select the respective commands, and run them. If you want to modify the existing file, select the text you want to change the settings of.





4.3.8.1 Horizontal alignment

To align the content of the document horizontally, do the following:

1. Select the text fragment that you want to align.
2. Use one of the commands described in Table 10.

Horizontal alignment is applied within the indents specified for the paragraph being edited.

Table 10. Horizontal alignment

Text alignment	Command menu	Toolbar button, Paragraph section	Keyboard shortcut (Windows/ Linux)	Keyboard shortcut (macOS)
Align text left	Format > Alignment > Left		Ctrl+L	⌘Cmd+L
Center text	Format > Alignment > Center		Ctrl+E	⌘Cmd+E
Align text right	Format > Alignment > Right		Ctrl+R	⌘Cmd+R
Justify text	Format > Alignment > Justify		Ctrl+J	⌘Cmd+J





Horizontal alignment is performed within the margins specified for the paragraph being edited (see Section 4.3.8.5).

If the text in the cell is expanded (see Section 4.3.9), the horizontal alignment is performed according to its position: the text is moved relative to the upper and lower borders of the cell.

4.3.8.2 Vertical alignment

Vertical alignment is only applied to the table contents. The alignment tools are displayed on the Toolbar (see Figure 149) when the cursor is positioned in the table or the entire table or a table element is selected.

To align text in a table vertically, follow these steps:

1. Select the element you want to align.
 - To align the contents of one cell, select the cell or place the cursor in this cell.
 - To align the contents of multiple cells, columns, or rows, select these elements.
 - To align all the contents of a table, select the table entirely.
2. On the Toolbar, select the **Paragraph** section and click the  button.
3. Click one of the following buttons:
 -  **Align to Top:** Aligns the contents along the top edge of the cell.
 -  **Align to Middle:** Centers the contents in the cell.
 -  **Align to Bottom:** Aligns the contents along the bottom edge of the cell.




Figure 149. Vertical alignment tools

If the text in the cell is expanded (see Section 4.3.9), the vertical alignment is performed according to its position: the text is moved relative to the left and right borders of the cell.


4.3.8.3 Line spacing

Line spacing is the space between each line in a paragraph. The default spacing for all text is **1**.

MyOffice Text allows you to change the line spacing for all text, as well as for individual paragraphs. You can use predefined line spacing options or set your own.

If you select a predefined value, the line spacing is equal to the product between the font size and the specified value. For example, if you use 12 pt font and double line spacing for the paragraph, the line spacing in the paragraph is 24 pt (12 pt x 2).

To set a predefined line spacing:

1. Select the text fragment you want to format.
2. On the Toolbar, select the **Paragraph** section and click the button which displays the current line spacing. For example:  (see Figure 150).
3. In the list that expands, select a preset value.





Figure 150. Line spacing

To set a custom line spacing:

1. Select the text fragment you want to format.
2. On the Toolbar, select the **Paragraph** section and click the button which displays the current line spacing. For example:  (see Figure 150).
3. In the list that expands, click **Custom Line Spacing**.
4. In the **Custom Line Spacing** window that appears (see Figure 151), set the method for calculating the spacing manually, using one of the following parameters:
 - **Multiply:** Sets the line spacing, which increases or reduces according to the specified multiplier. The multiplier 1.00 corresponds to a single line spacing. Select the multiplier greater than 1.00 to increase the spacing. For example, setting a multiplier to 1.2 will increase the spacing by 20%. Select the multiplier of less than 1.00 to reduce the spacing. For example, setting a multiplier to 0.7 will reduce the spacing by 30%.
 - **Exact:** Sets a fixed spacing equal to the value specified in the field to the right. The value is expressed in points (pt). Unlike the predefined spacing, the fixed spacing is not changed when the font is reduced or increased.
 - **At Least:** Sets the minimum allowed spacing equal to the value specified in the field to the right. The value is expressed in points (pt). If the lines contain characters of different height (for example, superscript and subscript characters) or different font sizes, the value of the spacing between the lines is calculated automatically to fit the larger text.




Figure 151. Custom Line Spacing window

5. In the field to the right, set the numeric value for the selected parameter.
6. Click **OK**.

4.3.8.4 Character spacing

The character spacing allows you to set the space between the characters being entered into the text. You can choose between **Condensed**, **Normal** or **Expanded** character spacing. By default, the **Normal** character spacing style is applied.

The type of character spacing can be selected using the Command menu or the Toolbar.

To select the character spacing using the Command menu:

1. Select the text fragment where you want to change the character spacing.
2. In the **Format** menu, select **Font** and then **Character Spacing** (see Figure 152).
3. In the opened menu, select the desired character spacing type.







Figure 152. Format menu

MyOffice

To change the character spacing using the Toolbar:

1. Select the text fragment where you want to adjust the character spacing.
2. In the Toolbar, select **Font** and click the **...** button (see Figure 153).
3. Select the desired character spacing:
 - : Condensed
 - : Normal
 - : Expanded





Figure 153. Selecting the character spacing

4.3.8.5 Paragraph spacing and indents

To change the settings of one paragraph, place the cursor anywhere in that paragraph or select the entire paragraph. To change the settings of several paragraphs, select all the paragraphs you want to adjust.

To adjust the spacings and indents for the selected paragraphs, follow these steps:

1. On the Toolbar, select the **Paragraph** section and click  **Paragraph Settings** (see Figure 154).
2. In the window that appears, enter the required numerical values for the following parameters:
 - **First Line:** The distance from the left margin of the document to the first line of the paragraph.
 - **Left Indent:** The distance from the left margin to the paragraph.
 - **Right Indent:** The distance from the right margin to the paragraph.
 - **Before:** The distance between the current and previous paragraph.
 - **After:** The distance between the current and next paragraph.

You can use the rulers or the **Paragraph Settings** window (see Section 4.11.1) to specify the margins in the document (see Section 4.10.1).




Figure 154. Paragraph settings

To quickly increase the paragraph indent by 1.25 inches, use one of the following steps:

- In the Command menu, click **Format**, point to **Alignment**, and then click **Increase Indent** (see Figure 155).





Figure 155. Format menu

- On the Toolbar, select the **Paragraph** section and click  **Increase Indent** (see Figure 156).





Figure 156. Increase and Decrease Indent buttons

To quickly decrease the paragraph indent by 1.25 inches, use one of the following steps:

- In the Command menu, click **Format**, point to **Alignment**, and then click **Decrease Indent** (see Figure 155).
- On the Toolbar, select **Paragraph** and click  **Decrease Indent** (see Figure 156).

You can also increase the paragraph indent by 1.25 inches using **Tab**. To decrease the paragraph indent, use **Backspace** (Windows and Linux) or **Delete** (macOS) keys. If you want to change the indent for a single paragraph, select the entire paragraph or place the cursor strictly at the beginning of the paragraph.

4.3.9 Rotate text

The text in the table cells can be rotated 90 degrees to the left or right.

To rotate text, do the following:

1. Specify where you want to rotate the text:
 - To rotate text in a cell, select the cell, the text fragment in the cell, the whole text in the cell, or place the cursor in it.
 - To rotate text in multiple cells, columns or rows, select these table elements (see Section 4.4.5).
 - To rotate the text in the whole table, select the whole table (see Section 4.4.6).
2. Open the text rotation sub-menu in one of the following ways:
 - In the Command menu, select **Format > Rotate Text** (see Figure 152).





Figure 157. Rotate Text command menu option

- On the Toolbar, select the **Paragraph** section and click  **Rotate Text** (see Figure 158).





Figure 158. Rotate Text button

3. Select the direction to rotate the text: **Rotate Left 90°**, **Rotate right 90°**.



The command is run for all the text located in a cell. There cannot be several fragments with different text rotation direction in one cell.

To return to the standard cell text display (0° rotation angle), follow these steps:



1. Specify these cells as described above.
2. Run the command in one of the following ways:
 - In the Command menu, select **Format > Rotate Text > None (0°)** (see Figure 158).
 - On the Toolbar, in the **Paragraph** section, click  **Rotate Text**. In the sub-menu that opens, select **None (0°)** (see Figure 158).

4.3.10 Lists

MyOffice Text allows you to create bulleted and numbered lists. Each new item in bulleted lists is marked with a bullet. In numbered lists, it is marked with a number or letter.

4.3.10.1 Create a list

To create a list, follow the steps below:

1. Select a part of the text you want to convert to a list. Or place the cursor on an empty line where you want to start the list.
2. On the Toolbar, select the **Paragraph** section and click the arrow to the right of  **Bulleted List** (see Figure 159) to create a bulleted list. Or click the arrow to the right of the  **Numbered List** (see Figure 160) to create a numbered list.
3. In the list that expands, select a style of the list.




Figure 159. Adding a bulleted list




Figure 160. Adding a numbered list

To quickly create a list on an empty line, use the following methods:

- To create a numbered list, type the first level symbol of the list. For example, **1.** or **a)**. Press **Space**. To create a numbered list where the items on the first level are expressed in Roman numerals, type the capital letter **I** and press **Space**.
- To quickly start the bulleted list shown on the left side of Figure 161, type *****. Press **Space**.





Figure 161. Bulleted list

- To quickly start the bulleted list shown on the right side of Figure 161, use one of the following methods:
 - Type **(-)_Space**.
 - Type **Space_(-)_Space**.

MyOffice Text remembers the last selected style for the bulleted and numbered list.

To quickly create a new list in the same style as the previous one, follow the instructions below:

1. Select a part of the text you want to convert into a list or place the cursor on an empty line where you want to start the list.
2. On the Toolbar, select the **Paragraph** section and click  **Bulleted List** (see Figure 159) to create a bulleted list. Or click  **Numbered List** (see Figure 160) to create a numbered list.

4.3.10.2 Copy and paste a list

You can copy and paste lists from the clipboard within one document or between MyOffice Text documents.

To copy and paste a list correctly, follow the steps below:

1. Enable the display of non-printable characters (see Section 4.3.1).
2. Select the list from the beginning rather than from the end, including the last paragraph character.

4.3.10.3 Continue a list

You can easily continue the numbering of the previous list in the document.

Use the following steps to proceed:



1. Right-click on any element of the current list.
2. Click **Continue numbering** in the shortcut menu.

Once the **Continue numbering** command is applied, all levels of the current list inherit the style of the previous list.

4.3.10.4 Change the nesting level

You can change the list nesting level using the Command menu, Toolbar buttons or keyboard shortcuts.

To change the nesting level of a list item using the Command menu or Toolbar:

1. Place the cursor anywhere in the paragraph to be changed or select the whole paragraph.
2. Change the nesting level as follows:
 - To increase the nesting level: In the Command menu, click **Format**, point to **Alignment**, and then click **Increase Indent** (see Figure 162). Or, on the Toolbar, select the **Paragraph** section and click  **Increase Indent** (see Figure 163).
 - To decrease the nesting level: In the Command menu, click **Format**, point to **Alignment**, and then click **Decrease Indent** (see Figure 162). Or, on the Toolbar, select the **Paragraph** section and click  **Decrease Indent** (see Figure 163).




Figure 162. Increase and Decrease Indent commands




Figure 163. Increase and Decrease Indent buttons

To modify the nesting level using the keyboard, proceed as follows:



1. Place the cursor before the first word in the current paragraph or select the entire paragraph.
2. Change the nesting level:
 - To increase the nesting level, press **Tab**.
 - To reduce the nesting level, press **Backspace** (Windows and Linux) or **Delete** (macOS).



To change the nesting level of the list, located in the table, use the Command menu or the corresponding buttons on the Toolbar. Using the **Tab** key in a table does not change a nesting level but move to the next table cell.

4.3.10.5 Convert a list to text

To remove list formatting, follow the steps below:

1. Select the list items you want to remove from the list.
2. On the Toolbar, select the **Paragraph** section and click the button which corresponds to the current list type:  **Bulleted List** or  **Numbered List** (see Figure 159 and Figure 160).
3. In the list that expands, select **None**.

4.3.11 Copy and insert formatting

In MyOffice Text, you can copy the formatting from one part of a document to another:

- The formatting copied can be applied to one or multiple elements of a document.
- The formatting copied to the clipboard can also be used in MyOffice Spreadsheet.

Formatting copied to the clipboard can be used for pasting in the MyOffice Spreadsheet application.

4.3.11.1 Formatting basics

Depending on the selected item, you can format:

- Paragraph
- Text
- Paragraph and text
- Cell


Table 11 specifies how the formatting is copied and applied.

Table 11. Formatting basics

When you copy	When you insert	Result
The cursor is positioned, or the entire paragraph (paragraphs) is selected	The cursor is positioned	Formats the paragraph or the first selected paragraph
	A paragraph is partially selected	Text formatting
	The entire paragraph (paragraphs) is selected	Formats the paragraph and text
	Several paragraphs are partially selected	Paragraph formatting
A paragraph is partially selected	The cursor is positioned	No formatting
	A paragraph is partially selected	Formats the text from the first selected character
	The entire paragraph (paragraphs) is selected	
	Several paragraphs are partially selected	
The cursor is positioned	A spreadsheet cell is selected	Formats the paragraph and text in the selected cell
A paragraph is partially selected		Formats the text in the selected cell
The entire paragraph (paragraphs) is selected (up to the paragraph sign)		Formats the paragraph and text
A spreadsheet cell is selected	A spreadsheet cell is selected	Formats the cell, paragraph, and text
	The cursor is positioned	Paragraph formatting
	A paragraph is partially selected	Text formatting
	The entire paragraph (paragraphs) is selected	Formats the paragraph and text
	Several paragraphs are partially selected	Paragraph formatting
	A row or column is selected	Formats the cell, paragraph, and text
A row or column is selected	A row or column is selected	Formats the cell, paragraph, and text from the upper left cell in the copied row or column. Formats the row or column

4.3.11.2 Copy and insert formatting

You can copy the formatting using:

1. Command menu
2. Keyboard shortcuts
3.  **Copy Formatting** button on the Toolbar

To copy the formatting using the Command menu or a keyboard shortcut, perform the following actions:

1. Select the part of the document you want to copy the formatting from (see the Table above).
2. Copy the formatting using one of the following methods:
 - In the **Edit** menu, select **Copy Formatting** (see Figure 164).






Figure 164. Edit menu

- Press **Ctrl+Shift+C**/ **⇧Shift+⌘Cmd+C**.
3. To apply the formatting to one part of the document, do the following:
 - Select the part of the document you want to copy the formatting to (see the table above).
 - In the **Edit** menu, select **Paste Formatting** (see Figure 164) or press **Ctrl+Shift+V**/ **⇧Shift+⌘Cmd+V**.
4. To apply the formatting to multiple elements in the document, select these elements one by one and apply the formatting as described above.

To format one element of a document using the  **Copy Formatting** button, follow these steps:

1. Select the part of the document you want to copy the formatting from (see the Table above).
2. On the Toolbar, select the **Edit** section and click  **Copy Formatting**.
3. Select the part of the document you want to copy the formatting to (see the Table above).









Figure 165. Recent formatting

To format multiple elements of a document using the  **Copy Formatting** button, follow these steps:

1. Select the part of the document you want to copy the formatting from (see the Table above).
2. On the Toolbar, select the **Edit** section and double-click  **Copy Formatting**. The button will change to .
3. Select the parts of the document you want to copy the formatting to (see the Table above) and apply the formatting one by one.


To exit the multiple elements formatting mode, do one of the following:

- On the Toolbar, select the **Edit** section and click the  button. The button will change to .
- Press **Esc**.

4.3.11.3 Formatting history

Formatting copied to the clipboard history is saved and can be applied later.

To open the formatting history, follow these steps:

1. On the Toolbar, select the **Edit** section and press the arrow to the right of the  **Copy formatting** button (see Figure 166).
2. In the opened drop-down list, select the format you want. The most recent formatting is on the top of the list.
3. Select the part of the document you want to copy the formatting to as described in Section 4.3.11.1.




Figure 166. Recent formatting

4.3.12 Clear custom formatting

You can apply styles or custom formatting to the text.

Style formatting is the design of text elements of the same type (titles, main text, examples, etc.) using styles. A style is a set of formatting parameters, including font type and size, text alignment, paragraph indents, character spacing, etc. For example, the Normal style is used as the main text style. When you create a new document, this style is applied by default to the entire text.

Custom formatting involves the use of various formatting parameters in text fragments and paragraphs. Custom formatting is used along with style formatting.

To clear custom formatting and keep text style formatting only, do the following:

1. Select the text you want to delete the formatting of.
2. Clear the formatting using one of the following methods:
 - In the **Format** menu, select **Clear Formatting** (see Figure 167).





Figure 167. Clear Formatting command menu option

- On the Toolbar, select the **Edit** section and click  **Clear Formatting** (see Figure 168).




Figure 168. Clear formatting button

- Press **Ctrl+Space** in Windows / Linux or **^Ctrl+** in macOS.

4.4 Tables

4.4.1 Insert a table

You can insert a table using the Command menu or the Toolbar.

To insert a table using the Command menu:

1. Place the cursor where you want to insert a table.
2. In the **Insert** menu, select **Table** (see Figure 169).




Figure 169. Table command menu option

3. In the **Insert Table** window (see Figure 170), specify the number of columns and rows in the future table and click **OK**.





Figure 170. Insert Table window

To insert a table using the Toolbar:

1. Place the cursor where you want to insert a table.
2. Insert the table in one of the following ways:
 - On the Toolbar, select the **Insert** section and click the  **Table** button (see Figure 171). Select the number of rows and columns you want your future table to contain and click with the left mouse button.




Figure 171. Table button

- On the Toolbar, select the **Insert** section and click the **...** button (see Figure 172). In the displayed pane, place the cursor on the **Table** button. Select the number of rows and columns you want your future table to contain and left-click.




Figure 172. Insert a table

4.4.2 Insert rows

New rows are inserted above or below the specified row.

To add new rows, follow these steps:

1. Select the row above or below which you want to insert a new row. If you want to insert more than one row, select as many rows as you want to insert in the table. For example, if you want to insert two rows, select the two rows. To run a command, you can select rows entirely as well as individual cells or cell ranges.
2. Insert rows in one of the following ways:
 - In the **Format** menu, select **Table** > **Insert Row Above** or **Insert Row Below** command menu options (see Figure 173).







Figure 173. Insert Columns and Rows command menu options

- On the Toolbar, in the **Table** section, click the  **Insert cell, column or row** drop-down menu button and select  **Insert Row Above** or  **Insert Row Below** (see Figure 174).




Figure 174. Commands to insert columns and rows

- Right-click anywhere on the selected range and run the **Insert Row Above** or **Insert Row Below** command from the context menu.
- Press **Alt+A** / \sphericalangle **Option+A** to insert a row above or **Alt+B** / \sphericalangle **Option+B** to insert a row below.




To quickly insert a row below the desired row, do the following:

1. Select any cell in this row.
2. Press **Enter**.

4.4.3 Insert columns

New columns are inserted to the left or to the right of the specified column.

To quickly add new columns, perform the following actions:

1. Select the column to the right or left of which you want to insert a new column. If you want to insert multiple columns into your table, select the same number of columns. For example, if you want to insert two columns into your table, select two existing columns. You can select entire columns, a cell or cell ranges.
2. Insert the columns in one of the following ways:
 - In the **Format** menu, select **Table > Insert Column to the Left** or **Insert Column to the Right** (see Figure 172).
 - On the Toolbar, in the **Table** section, click the  **Insert cell, column or row** drop-down menu button and select  **Insert Column to the Left** or  **Insert Column to the Right** (see Figure 173).
 - Right-click anywhere on the selected range and select the **Insert Column to the Left** or **Insert Column to the Right** command from the context menu.
 - Press **Alt+L** / **⌘ Option+L** to insert a column to the left or **Alt+R** / **⌘ Option+R** to insert a column to the right.

4.4.4 Edit table contents

To enter or change data in a table cell, perform the following steps:

1. Switch to cell editing mode using one of the following methods:
 - To enter data in an empty cell, select it with one or two mouse clicks.
 - To edit data in a cell, select it with a double-click.
 - To overwrite data in a cell, select it with a single click.
2. Enter/edit data in a cell.
3. To exit cell editing mode, click anywhere in the document outside of the table.

When typing text and numbers into a cell, its width remains the same, data are transferred to the next line inside the current cell, and the cell height may automatically increase.

When you insert an image into a table, the image is automatically scaled to the column width, and the cell height may be increased to contain the image.

You can move between the cells of the table by pressing the ←, ↑, ↓, → keys on the keyboard.

4.4.5 Select cells

4.4.5.1 Select a cell

To select a cell, click on it with the left mouse button. The selected cell will be colored blue.

To select a cell in the table where the cursor is positioned, do the following:

1. Click anywhere in the document outside of the table.
2. Click the cell you want to select.

4.4.5.2 Select cell range

To select a random range of cells, use one of the following methods:

- Move the cursor to the first cell in the desired range. Hold down the left mouse button and drag the cursor to the last cell of the range. Release the left mouse button.
- Select the first cell in the desired range. Hold down the **Shift** key and select the last cell in the range.

You can select a range in any direction of rows or columns,

Some cell range selection examples are shown on Figure 175–Figure 177.




Figure 175. Select a horizontal cell range




Figure 176. Select a vertical cell range




Figure 177. Select a diagonal cell range

4.4.6 Select a row or column

To select a single column or row, follow the steps below:


1. Move the mouse cursor over the upper border of a column or the left border of a row so that the cursor takes the following form: ↓ or →.
2. Left-click.

To select multiple columns or rows, use one of the following methods:


- Move the cursor to the first column or row of the desired range as described above. Hold down the left mouse button and drag the cursor to the last column or row of the range. Release the left mouse button.
- Select the first column or row of the desired range as described above. Then, while holding down the **Shift** key, select the last column or row of the range.

4.4.7 Select a table

To select the entire table, do the following:

1. Move the mouse cursor over the upper left corner of the table so that the cursor takes the following form .
2. Left-click.

If text is wrapped around the table (see Section 4.4.10.2), do the following:



1. Place the cursor on the table.
2. Click the  button displayed in the upper left corner of the table.

To deselect a table, click anywhere in the document outside of the table.

4.4.8 Cell background color

4.4.8.1 Add the fill color to table cells

To fill cells with color, follow these steps:

1. Select the table or cell/range of cells you want to change the fill color of.
2. To color cells with the last color used for the cells fill earlier, on the Toolbar, in the **Table** section, click  **Fill Color** (see Figure 178).
3. To fill the cells with a different color, click the arrow to the right of the  **Fill Color** button.
4. In the color selection pane that opens, specify the cells fill color in one of the following ways:
 - Choose a color from one of the color sets provided.
 - Specify the color code manually.
 - Copy the color with an eyedropper.




Figure 178. Fill Color button and color selection pane

4.4.8.1.1 Choose a color from the color sets provided

The following colors sets are available in the color selection pane (see Figure 178):

- **Theme Colors:** This block contains the color palette of the current document's theme.
- **Standard Colors:** This block contains the colors that users most often choose when formatting a document.
- **Recent Colors:** This block contains up to the last ten colors that you selected when formatting the document earlier. The **Recent Colors** set is displayed if you have selected at least one color.

Hovering the mouse cursor over any color displays the value of that color in the RGB color model. For example, **RGB 192,80,77**.

Left-click a color to select it.

The color will be added to the **Recent Colors** set and checked. The color selection pane will close. The cells will be colored in the selected color.

4.4.8.1.2 Specify the color code manually

If you do not find the appropriate color in the listed color sets, specify the color code manually:

1. Click **More Colors** (see Figure 178).
2. In the **Select Color** window (see Figure 179) that appears, specify the desired color as a HEX code or in RGB format.
3. Click **OK**.




Figure 179. Select Color window

The manually specified color will be added to the **Recent Colors** set (see Figure 178) and checked. The color selection pane will close. The cells will be colored in the selected color.


4.4.8.1.3 Copy the color with an eyedropper

You can use the eyedropper to simultaneously copy a color from a text or object located in the main window's workspace (see Section 3.3.5) and filling the cells with this color.



The eyedropper is disabled in header and footer editing mode (see Section 4.10.2).

To copy a color using the eyedropper, follow these steps:


1. Click  **Eyedropper** (see Figure 178). The color selection pane will close, and the cursor will look like a crosshair for color selection.
2. Hover the cursor over the color in which you want to color the cells. For more accurate color selection, refer to the area to the right of the cursor. It displays the color of the pixel that the cursor is currently hovering over.
3. Left-click the color.

The cells are colored in the selected color, and the cursor returns to its standard appearance. The specified color is added to the **Recent Colors** set (see Figure 178) and checked in the color selection pane.

If you want to disable the eyedropper without selecting a color, press **Esc**.

4.4.8.2 Remove the fill color


To remove the cell fill, follow the steps below:

1. Select the table or cell/cell range you want to cancel the fill.
2. On the Toolbar, in the **Table** section, click the arrow to the right of the  **Fill Color** button (see Figure 178).
3. In the color selection pane, click **No Fill**.

4.4.9 Cell borders

4.4.9.1 Change border parameters

To change the border parameters for a cell/range of cells/table, follow these steps:

1. Select the table or cell/cell range whose borders need to be changed.
2. On the Toolbar, select the **Table** section and click the arrow to the right of the  button (see Figure 180).




Figure 180. Border settings pane

3. In the border settings pane that opens, in the first settings block, specify the position of the borders for which you want to change the parameters.
4. In the second block of settings, select the type of line to be applied to the specified borders.
5. In the third block of settings, specify the line color using one of the following methods:

- Choose a color from one of the color sets provided.
- Specify the color code manually.
- Copy the color with an eyedropper.



If **No Borders** is selected in the first or second block of settings, cell borders are displayed as lines of light gray color. These lines conditionally divide cells and simplify work with the table. The conditional cell borders are not displayed in Presentation View mode, in documents in .pdf and .pdf/a-1 format, and in printed documents.

4.4.9.1.1 Choose a color from the color sets provided

In the border settings pane, you will find the following sets of colors in the third settings block (see Figure 180):


- **Theme Colors:** This block contains the color palette of the current document's theme.
- **Standard Colors:** This block contains the colors that users most often choose when formatting a document.
- **Recent Colors:** This block contains up to the last ten colors that you selected when formatting the document earlier. The **Recent Colors** set is displayed if you have selected at least one color.

Hovering the mouse cursor over any color displays the value of that color in the RGB color model. For example, **RGB 192,80,77**.

Left-click a color to select it.

The color will be added to the **Recent Colors** set and checked. The cell borders will be colored in the selected color.

To close the border parameters pane, do one of the following:

1. On the Toolbar, select the **Table** section and click the arrow to the right of the  button (see Figure 180).
2. Click a blank area of the document outside the border settings pane.

4.4.9.1.2 Specify the color code manually

If you do not find the appropriate color in the listed color sets, specify the color code manually:

1. Click **More Colors** (see Figure 180).

2. In the **Select Color** window (see Figure 181) that appears, specify the desired color as a HEX code or in RGB format.
3. Click **OK**.




Figure 181. Select Color window

The manually specified color will be added to the **Recent Colors** set (see Figure 180) and checked. The border settings pane will close. The cell borders will be colored in the selected color.


4.4.9.1.3 Copy the color with an eyedropper

You can use the eyedropper to simultaneously copy a color from a text or object located in the main window's workspace (see Section 3.3.5) and apply that color to the cell borders.



The eyedropper is disabled in header and footer editing mode (see Section 4.10.2).

To copy a color using the eyedropper, follow these steps:


1. Click  **Eyedropper** (see Figure 180). The color selection pane will close, and the cursor will look like a crosshair for color selection.
2. Hover the cursor over the color in which you want to color the cell borders. For more accurate color selection, refer to the area to the right of the cursor. It displays the color of the pixel that the cursor is currently hovering over.
3. Left-click the color.

The cell borders are colored in the selected color, and the cursor returns to its standard appearance. The specified color is added to the **Recent Colors** set (see Figure 180) and checked in the border settings pane.

If you want to disable the eyedropper without selecting a color, press **Esc**.

4.4.9.2 Apply the border style of the previous table

To quickly apply the border style of the previous table to a cell/range of cells/table, follow the steps below:

1. Select the desired table or cell/range of cells.
2. On the Toolbar, in the **Table** section, click  (see Figure 182).





Figure 182. Button to apply previous table border style

4.4.9.3 Delete borders

To delete the specified borders of a cell/range of cells/table, follow the steps below:

1. Select the desired table or cell/range of cells.
2. On the Toolbar, select the **Table** section and click the arrow to the right of the  button (see Figure 183).

3. In the border settings pane that opens:
 - In the first block of settings, specify where you want the borders to be deleted.
 - In the second block of settings, select **No Borders**.





Figure 183. Remove borders

4. To close the border parameters window, do one of the following:
 - On the Toolbar, select the **Table** section and click the arrow to the right of the  button (see Figure 183).
 - Click a blank area of the document outside the border settings pane.

4.4.10 Alignment and text wrapping

4.4.10.1 Align a table

By default, the table is aligned to the left edge of the document. The left margin is inherited from the paragraph after which the table is located.

To change the way the table is aligned and indented, follow these steps:

1. Place the cursor in any cell of the table or select any element of the table/table as a whole.
2. Open the table settings window in one of the following ways
 - In the Command menu, select **Format > Table > Table Settings** (see Figure 184).




Figure 184. Table Settings command menu option

- On the Toolbar, select the **Table** section and click  **Table Settings** (see Figure 185).




Figure 185. Table Settings button

- Right-click to open the context menu and run the **Table Settings** command.
3. In the **Table Settings** window (see Figure 186), select an alignment method: **Align Left**, **Align Center**, or **Align Right**.
 4. If the **Align Left** option is selected for the table, specify the distance from the left margin of the document to the table in the **Left** field.
 5. Click **OK**.





Figure 186. Table Settings window

4.4.10.2 Wrap text

The following restrictions apply in this version of the application:

- Tables in the headers and footers (see Section 4.10.2) cannot be wrapped in text. When such a table is inserted into a header or footer, the text wrapping option is automatically disabled.
- If there is a merged cell (see Section 4.4.13) in the table and a part of this cell is extended to the next page, the data that cell contains is displayed on both pages.
- If the text in a cell does not fit vertically on a page, the text that does not fit is cropped.
- If one of the users enables or disables text wrapping for a table when collaborating on a document (see Section 4.13), the changes that the other user makes to the table at that moment are not saved.


To customize the table's text wrapping, follow the steps below:

1. Place the cursor in any cell of the table or select any element of the table/table as a whole.
2. Open the table setting window in one of the following ways:
 - In the Command menu, select **Format > Table > Table Settings** (see Figure 184).
 - On the Toolbar, select the **Table** section and click  **Table Settings** (see Figure 185).
 - Right-click to open the context menu and run the **Table Settings** command.
3. In the **Table Settings** window (see Figure 186), check the **Wrap text** box.
4. Specify the table alignment method and, if necessary, **Left** indentation (see Section 4.4.10.1).
5. Specify the distance from the table borders to the surrounding text **Left, Right, Top**, and **Bottom**.
6. Click **OK**.



If the table spans several pages, text wrapping is applied only to the page with the last part of the table. All the text after the table anchor is transferred to this page (see Section 4.3.1).

You can quickly move a table for which you have configured text wrapping to another location in the document. To do this:

1. Place the cursor on the table.
2. Click the  button displayed in the top left corner of the table.
3. Hold down the left mouse button and move the table to the desired location in the document.

4.4.11 Resize a row or column

You can change the column or row size in one of the following ways:

1. Move the column/row border manually.
2. Specify the exact column/row width/height.

4.4.11.1 Resize a row or column manually

To resize one row or column manually, follow these steps:

1. Place the cursor at the border of the row or column you want to resize. The cursor turns into a double-headed arrow.
2. Click the left mouse button and drag the cursor to the desired position of the column or row border.
3. Release the left mouse button to fix the selected position.



The last vertical table border cannot be above the right margin of the page.

To make multiple columns or rows of a table the same size, follow the steps below:

1. Select the rows or columns you want to resize.
2. Set a single row or column to the size that you want to apply to selected rows or columns in the table. Simply follow these steps:
 - Place the cursor at the border of any row or column so it turns into a double-headed arrow.
 - Click the left mouse button and drag the cursor to the desired position of the column or row border.
 - Release the left mouse button to fix the selected position.

The size specified for that row or column will be automatically applied to the selected rows or columns in the table.

To make all columns or rows of a table the same size, select the table (see Section 4.4.7) and follow the procedure described above.

4.4.11.2 Specify the exact size

To specify the exact width for one/more columns or height for one/more rows, follow these steps:

1. Specify the data for columns/rows:
 - To change the width of one column or the height of one row, select this column/row or select any cell that is in this column/row.
 - To change the width of several columns or the height of several rows, select these columns/rows or select any range of cells that are in these columns/rows.
2. Open the **Cell Size** window in one of the following ways:
 - In the Command menu, select **Format > Table > Cell Size** (see Figure 187).





Figure 187. Sell Size command menu option

- On the Toolbar, in the **Table** section (see Figure 188), click  **Cell Size**.




Figure 188. Cell Size button

- Right-click the selected columns/rows and run the **Cell Size** context menu command.
3. In the **Cell Size** window (see Figure 189), specify the required **Column Width** or **Row Height**.
 4. Click **OK**.





Figure 189. Cell Size window

4.4.12 Specify the exact size of the cells

To specify the exact size of one or more cells, follow these steps:

1. Select these cells.
2. Open the **Cell Size** window in one of the following ways:
 - In the Command menu, select **Format > Table > Cell Size** (see Figure 187).
 - On the Toolbar, in the **Table** section (see Figure 188), click  **Cell Size**.
 - Right-click the selected cells and run the **Cell Size** context menu command.
3. In the **Cell Size** window (see Figure 189), specify the required **Width** and **Height** of the cells and click **OK**.

4.4.13 Merge cells

You can merge any number of cells in the table you are working on.

When merging multiple cells:

- The selected range will merge into a single cell.
- The merged cell will only display the contents of the upper-left cell of the selection.
- When you merge multiple cells, the resulting cell will be formatted like the upper-left cell of the merged range.

To merge cells, select them and do one of the following:

- In the **Format** menu, select the **Table** section and then **Merge Cells** (see Figure 190).




Figure 190. Merge cells

- On the Toolbar, select the **Table** section and click  **Merge Cells** (see Figure 191).




Figure 191. Merge Cells button

- Right-click the selected range of cells and choose **Merge Cells** context menu.
- Press **Ctrl+Alt+M** / **Option+⌘+M**.

To split the merged cell, use the **Split Cell** command (see Section 4.4.14).

4.4.14 Split cell

Splitting cells into several rows or columns is convenient to use when you want to create complex tables (for example, in design documentation).

The following limitations currently apply:

- You cannot split multiple cells at the same time.
- You cannot split a cell into columns and rows at the same time.

If a cell that consists of merged columns/rows (see Section 4.4.13) is selected for splitting, the number of columns/rows into which it is split should be the divisor of the number of merged columns/rows. For example, if a cell consists of 8 merged columns, it can be split into 1, 2, 4, or 8 columns. If a cell consists of 6 merged rows, it can be split into 1, 2, 3, or 6 rows.

To split a cell, follow these steps:

1. Select the cell.
2. Run the **Split Cell** command in one of the following ways:
 - In the **Format** menu, select **Table > Split Cell** (see Figure 192).





Figure 192. Split Cell option

- On the Toolbar, in the **Table** section, click  **Split Cell** (see Figure 193).




Figure 193. Split Cell button

- Right-click the selected cell and choose **Split Cell** command from the context menu.
 - Press **Alt+Shift+M** / **⌘ Option+⇧ Shift+M**.
3. In the Split Cell window (see Figure 194):
- Specify the number of columns or rows into which you want to split the selected cell. The number can be entered manually, selected using the counter, by pressing ↓ and ↑ keys, or by scrolling the mouse wheel.
 - Click **OK**.




Figure 194. Split Cell window


The data from the split cell is placed in the upper left cell of the resulting range. Cells in the range will retain the formatting of the split cell.

4.4.15 Repeat headers on subsequent pages

Text documents may contain tables that can span multiple pages. In this case, users need to go back to the beginning of the table to see its heading. To avoid it, display the table headings on each page where the table is displayed.

The first row of the table or several rows of the table, including the first row, can be specified as the header.

To repeat one or multiple rows as table headers:

1. Specify one or multiple rows which will become the table header:
 - If you want to use one row, place the cursor on this row, select any cell in the row, or select the row entirely.
 - If you want to use several rows as the header, select any cell range in these rows or select the rows entirely.
2. On the Toolbar, select the **Table** section and click  **Repeat Header Rows** (see Figure 195).





Figure 195. Repeat Header Rows button

If you don't want to show the headings across pages:

1. Place the cursor in any cell. Or select any cell range in the table.
2. On the Toolbar, select the **Table** section and click  **Repeat Header Rows** (see Figure 195).

4.4.16 Convert text into a table

You can convert text to a table using the Command menu or the Toolbar.

When you place text in a table, each paragraph is placed in a separate cell. The table is filled with paragraphs from left to right, from top to bottom.

If you convert using the Command menu, the default table is created with three columns. The number of table rows is determined automatically depending on the number of paragraphs in the text.

To convert text into a table using the Command menu, do the following:

1. Use the paragraph mark to separate each fragment of text that you want to place into a separate cell.
2. Select the entire text you want to insert into a table.
3. In the **Insert** menu, select **Table** (see Figure 196).





Figure 196. Insert a table

If you convert text to a table using the Toolbar, you can specify the number of table columns manually. The number of table rows is determined automatically by the number of paragraphs in the text, regardless of the number of rows the user selected.

MyOffice

To convert the text into a table using the Toolbar:

1. Use the paragraph mark to separate each fragment of text that you want to place into a separate cell.
2. Select the entire text you want to insert into a table.
3. Expand the pane which allows to create a table in one of the following ways:
 - On the Toolbar, in the **Insert** section, click  **Table** (see Figure 197). Use the cursor to select the number of rows and columns to be included in the table and left-click.




Figure 197. Table button

- On the Toolbar, in the **Insert** section, click the **...** button (see Figure 198). In the displayed pane, place the cursor on the **Table** button. Select the number of columns and rows you want your table to contain and click with the left mouse button.




Figure 198. Insert pane

4.4.17 Transform a table into text

To transform a table into text, do the following:

1. Select the table (see Section 4.4.6).
2. Cut or copy the table in one of the suggested ways (see Section 4.9.2.1).
3. Insert the data without formatting in one of the suggested ways (see Section 4.9.2.2).

The text from one row of the table is inserted in one paragraph. The tab character is used as a separator for cell data.

4.4.18 Delete rows or columns

To delete one or more rows or columns, use one of the following methods:

1. Select the rows or columns you want to delete, or cells located within them.

Do one of the following:

- In the **Format** menu, select **Table**, select **Delete Column** or **Delete Row** (see Figure 199).







Figure 199. Delete Row and Column command menu options

- On the Toolbar, select the **Table** section, click the  **Delete Cell, Column, or Row** drop-down menu button and select  **Delete Column** or  **Delete Row** (see Figure 200).




Figure 200. Delete columns and rows commands

- Right-click anywhere on the selected range and select **Delete Column** or **Delete Row** in the context menu.
 - Press **Ctrl+Alt+R** / **Option+⌘ Cmd+R** to delete one or multiple rows or **Ctrl+Alt+U** / **Option+⌘ Cmd+U** to delete one or multiple columns.
2. Select these rows or columns entirely and press **Ctrl+-** / **⌘ Cmd+-**.

4.4.19 Delete a table

To delete a table, do one of the following:

1. Select any element of the table or the table entirely. Do one of the following:
 - In the **Format** menu, select **Table** and then **Delete Table** (see Figure 201).




Figure 201. Delete Table command menu option

- On the Toolbar, select the **Edit** section and click  **Delete** (see Figure 202).




Figure 202. Delete button

- Right-click anywhere on the table and select **Delete Table** in the context menu.
 - Press **Alt+Shift+T** / **Option+⇧ Shift+T**.
2. Select the table entirely and press **Ctrl+-** / **Cmd+-**.

4.5 Images

4.5.1 Insert an image

You insert images to a text document:

- From your computer.
- From Google Chrome, Firefox, Internet Explorer, and Microsoft Edge browser.
- From the text and spreadsheet editors included in the Microsoft Office and LibreOffice suites.

The supported image formats include .png, .bmp, .jpg, .jpeg, .jpe, .gif, .tiff, and .tif.

4.5.1.1 Insert an image from the computer

To insert an image from the computer, follow the steps below:

1. Place the cursor in the place of the document where you want to insert an image.
2. Insert an image in one of the following ways:
 - In the **Insert** menu, select **Image** (see Figure 203).




Figure 203. Insert menu

- On the Toolbar, select the **Insert** section and click  **Image** (see Figure 204).




Figure 204. Image button

- On the Toolbar, select the **Insert** section and click the ******* button (see Figure 205). In the displayed insert pane, click  **Image**.




Figure 205. Insert pane

3. In the file manager window, select the image that you want to insert and click **Open**.

4.5.1.2 Insert an image from the browser or another application

To insert an image from the browser or another application, follow the steps below:

1. Copy the image from the source.
2. Place the cursor in the place of the document where you want to insert an image.
3. Insert the image in one of the following ways:
 - In the **Edit** menu, select **Paste** (see Figure 206).






Figure 206. Edit menu

- On the Toolbar, select the **Edit** section and click  **Paste**. Or click the arrow to the right of the  **Paste** button and select the **Paste** command (see Figure 207).




Figure 207. Insert button

MyOffice

- Right-click and select **Paste** from the context menu.
- Use the **Ctrl+V** / ⌘**Cmd+V** shortcut key.



If you want to insert the text and the images, copy and insert them separately.

4.5.2 Resize an image

MyOffice Text allows you to resize an image while maintaining the proportions or without maintaining the original aspect ratio.



Resizing is not available for images rotated at an arbitrary angle in any other text editor.

4.5.2.1 Resize an image proportionally

To quickly resize an image while keeping its proportions:

1. Select the image you want to resize.
2. Hold down the left mouse button and drag any corner sizing handle so that the image becomes the desired size (see Figure 208).
3. Release the left mouse button to apply changes to the image size.



Figure 208. Resize image proportionally

To resize an image and set the exact size:

1. Select the image you want to resize.
2. Open the **Size and Position** window in one of the following ways:
 - Select **Format > Image > Size and Position** (see Figure 209).





Figure 209. Image sub-menu

- On the Toolbar, select the **Image** section and click  **Size and Position** (see Figure 210).




Figure 210. Size and Position button

- Open the context menu by clicking with the right mouse button and select **Size and Position**.
3. In the **Size and Position** window (see Figure 211), specify the desired width and height of the image in the **Width** and **Height** boxes.
 4. Click **OK**.




Figure 211. Size and Position window

4.5.2.2 Resize an image without keeping its proportions

To quickly resize an image without changing its proportions:

1. Select the image you want to resize.
2. Move one of the sizing handles while keeping the left mouse button pressed (see Figure 212):
 - To change the image height, move the top or the bottom sizing handle.
 - To change the image width, move the left or the right sizing handle.
3. Release the left mouse button to fix the new image size.



Figure 212. Resize image without keeping its proportions

To resize an image and set the exact size:

1. Select the image that you want to resize.
2. Open the **Size and Position** window in one of the following ways:
 - Select **Format > Image > Size and Position** (see Figure 213).





Figure 213. Image sub-menu

3. On the Toolbar, select the **Image** section and click  **Size and Position** (see Figure 214).






Figure 214. Size and Position button

4. In the **Size and Position** window, disable the option which allows to maintain the aspect ratio automatically. Click  **Lock Aspect Ratio** so that the button changes to .
5. Specify the desired width and height of the image in the **Width** and **Height** boxes.
6. Click **OK**.





Figure 215. Size and Position window

4.5.3 Change image position in text

An image in the text can be positioned:

- **In Line with Text:** The image is placed between two paragraphs of text in the usual way.
- **Square:** The text is placed all around the image.
- **Top and Bottom:** The text is distributed below and above the image.
- **In Front of Text:** The image is placed in front of the text as the top layer.
- **Behind Text:** The image is placed behind the text as the bottom layer.

By default, the image position in the text is **In Line with Text**. To change the position, proceed as follows:

1. Select the image you want to change the position of. If you want to select an image **Behind Text**, place the cursor on the image and click the  button that appears.
2. Display the list of possible positions in one of the following ways:
 - In the **Format** menu, select **Image > Wrap Text** (see Figure 216). In the opened sub-menu, select the desired position.




Figure 216. Format menu

- On the Toolbar, select the **Image** section and click the ▼ button to the right of the current image position (see Figure 217).




Figure 217. Selecting the image wrapping style

- Right-click the image and run the **Wrap Text** command.
3. In the opened sub-menu, select the desired image position.

The image positioned **In Line with Text** can be aligned horizontally (to the left, to the right or to the center of the page) (see Section 4.3.8.1). If the image is not separated from the text with paragraph indents, the selected alignment type will also be applied to the text in the paragraph where the image is located.

4.5.4 Move an image

You can move an image in the following ways:

- Drag while keeping the left mouse button pressed.
- Move it vertically or horizontally with the ←, ↑, ↓, → keys on the keyboard.
- Specify the left and top page indents.

4.5.4.1 Move with the mouse

To move an image with the mouse, proceed as follows:

1. Select the image you want to move.
2. Hold down the left mouse button and drag the image to the desired position in the document.
3. Release the left mouse button to fix the new position of the image.

4.5.4.2 Move with the keyboard keys



You cannot move the image with the ←, ↑, ↓, → keys for the image being **In Line with Text** position (see Section 4.5.3).

To move an image using the keyboard keys, follow these steps:

1. Select the image you want to move.
2. Move the image left/right/up/down by pressing the ←, →, ↑ or ↓ key.

The step of movement depends on the scale of the document:

- If the scale is $\leq 200\%$, the step = 4 mm.
- If the scale is $> 200\%$, the step = 1 mm.

To increase a step, move the image with keys ←, ↑, ↓, →, keeping the **Shift** key pressed. In this case the movement step will be equal:

- If the scale is $\leq 200\%$, the step = 4 cm.
- If the scale is $> 200\%$, the step = 1 cm.

4.5.4.3 Specify the left and top page indents

You can also move the image by specifying its left and top indents.



You can specify the indents for all image positions, except **In Line with Text** (see Section 4.5.3).

To specify the image indents:

1. Select the image.
2. Open the **Size and Position** window in one of the following ways:
 - Select **Format > Image > Size and Position** (see Figure 218).




Figure 218. Image sub-menu

- On the Toolbar, select the **Image** section and click  **Size and Position**.




Figure 219. Size and Position button

- Open the context menu by clicking with the right mouse button and select **Size and Position**.
3. In the **Size and Position** window (see Figure 215), specify the desired left indent of the image in the **Left Offset** box. Specify the desired top indent of the image in the **Top Offset** box.

4. In the **Size and Position** window (see Figure 215), specify the desired left indent of the image in the **Left Offset** box. Specify the desired top indent of the image in the **Top Offset** box.
5. Click **OK**.




Figure 220. Size and Position window

4.5.5 Save an image

The image from the document can be saved on your computer.

Follow these steps:

1. Select an image.
2. Run the save command in one of the following ways:
 - Select **Format > Image > Save Image** (see Figure 221).




Figure 221. Image sub-menu

- Open the context menu by right-clicking and run the **Save Image** command.
3. In the file manager window, select the folder to save the file to, specify the file name and click **Save**.

The image is saved in the original size.




If an image has been cropped in a document using a third-party application, it is saved in its original (pre-crop) form.


4.5.6 Delete an image

If you want to delete an image:

1. Select the image that you want to delete.



To select an image that is in the **Behind Text** position (see Section 4.5.3), hover the mouse cursor over it and click the  button that appears.

2. Delete the image in one of the following ways:
 - On the Toolbar, in the **Edit** section, click  **Delete** (see Figure 222).




Figure 222. Delete button

- Right-click the selected image and select **Delete** from the context menu.
- Press **Delete** or **Backspace**.

If the image is in the **In line with text** position (see Section 4.5.3), it can be deleted as text (see Section 4.2.12).

4.6 Shapes

You can add the following types of shapes to your documents: line, rectangle, ellipse, triangle, diamond, folded corner, star, heart, brackets, arrows, callouts, or text field. You can add shapes anywhere in the document, except in footnotes and comments.

4.6.1 Insert a line

To insert a line into your document, follow the steps below:

1. Open the insert sub-menu in one of the following ways:
 - In the Command menu, select **Insert** > **Shape** > **Line** (see Figure 223).




Figure 223. Insert menu

- On the Toolbar, in the **Insert** section, click the **...** button. In the displayed insert pane, place the cursor on the **Shape** button (see Figure 224).




Figure 224. Insert pane


3. In the sub-menu that opens, select the type of line to insert: line, arrow, double-sided arrow. The cursor will look like a crosshair: \oplus .
4. If necessary, select the type of line tips (see Section 4.6.11).
5. Add a line in one of the following ways:
 - Click the left mouse button on the place where the line start point should be located. A line with a length of 4.24 cm and an angle of 45° will be added to the document.

- Hold down the left mouse button and draw a line in the desired location of the document. To finish drawing, release the left mouse button.
6. If necessary, edit the length and angle of the line (see Section 4.6.10).

By default, the line is inserted before the text. Line position can be changed manually (see Section 4.6.10).

4.6.2 Insert a shape

To insert a shape into a document:

1. Place the cursor where you want to insert the shape.
2. Display the list of shapes in one of the following ways:
 - In the Command menu, select the **Insert** menu and click **Shape** (see Figure 223).
 - On the Toolbar, select the **Insert** section and click the **...** button (see Figure 224).In the displayed insert pane, place the cursor on the  **Shape** button.
3. In the opened sub-menu, select the desired shape.

4.6.3 Insert a text box

A text box is a framed text which can be easily moved within the text you are working on. Text boxes can be used for different purposes, including for creating legends for image elements or callout boxes with quotes from the main text to make them more visible.

To insert a text box:

1. Place the cursor where you want to insert a text box.
2. Insert the text box in one of the following ways:
 - In the **Insert** menu, select **Text Box** (see Figure 225).




Figure 225. Insert menu

- On the Toolbar, select the **Insert** section and click the **...** button. In the opened insert pane, click **Text Box** (see Figure 226).




Figure 226. Insert pane

3. Enter the text in the text field. The text can be formatted in the same manner as you would format the main text in the document.
4. To deselect the text box, click anywhere in the document outside of the text box.

4.6.4 Edit a shape

You can add the following elements to any shape, except lines:

- Text (see Section 4.2.1)
- Image (see Section 4.5)
- Equations (see Section 4.8)
- Current date and time (see Section 4.2.8)
- Link (see Section 4.2.2)
- Cross-reference (see Section 4.2.4)
- Bookmark (see Section 4.2.5)
- Current time or date (see Section 4.2.9)

To insert a shape in one of these elements, enter the shape editing mode by double-clicking it.

To leave the shape editing mode, click anywhere in the document outside the shape.




Editing mode is not supported for shapes positioned **Behind Text** (see Section 4.6.10) and for shapes rotated at any angle using third-party text editors.

4.6.5 Fill a shape

4.6.5.1 Fill a shape with color

To fill a shape with color, follow these steps:

1. Single-click to select a shape or double-click to select a shape to enter its editing mode.
2. To fill the shape with the last color used to fill it earlier, on the Toolbar, in the **Shape** section, click  **Fill Color** (see Figure 227).





Figure 227. Fill Color button and color selection pane

3. To fill the shape with a different color, click the arrow to the right of the  **Fill Color** button.
4. In the color selection pane that opens, specify the fill color of the shape in one of the following ways:
 - Choose a color from one of the color sets provided.
 - Specify the color code manually.
 - Copy the color with an eyedropper.

4.6.5.1.1 Choose a color from the color sets provided

The following colors sets are available in the color selection pane (see Figure 227):

- **Theme Colors:** This block contains the color palette of the current document's theme.
- **Standard Colors:** This block contains the colors that users most often choose when formatting a document.
- **Recent Colors:** This block contains up to the last ten colors that you selected when formatting the document earlier. The **Recent Colors** set is displayed if you have selected at least one color.

Hovering the mouse cursor over any color displays the value of that color in the RGB color model. For example, **RGB 192,80,77**.

Left-click a color to select it.

The color will be added to the **Recent Colors** set and checked. The color selection pane will close. The shape will be filled with the selected color.

4.6.5.1.2 Specify the color code manually

If you do not find the appropriate color in the listed color sets, specify the color code manually:

1. Click **More Colors** (see Figure 227).
2. In the **Select Color** window (see Figure 228) that appears, specify the desired color as a HEX code or in RGB format.
3. Click **OK**.

The manually specified color will be added to the **Recent Colors** set (see Figure 227) and checked. The color selection pane will close. The shape will be filled with the selected color.




Figure 228. Select Color window


4.6.5.1.3 Copy the color with an eyedropper

You can use the eyedropper to simultaneously copy a color from a text or object located in the main window's workspace (see Section 3.3.5) and filling the shape with this color.



The eyedropper is disabled in header and footer editing mode (see Section 4.10.2).

To copy a color using the eyedropper, follow these steps:

1. Click  **Eyedropper** (see Figure 227). The color selection pane will close, and the cursor will look like a crosshair for color selection.
2. Hover the cursor over the color you want to fill the shape with. For more accurate color selection, refer to the area to the right of the cursor. It displays the color of the pixel that the cursor is currently hovering over.
3. Left-click the color.

The shape will be filled with the specified color, and the cursor returns to its standard appearance. The specified color is added to the **Recent Colors** set (see Figure 227) and checked in the color selection pane.

If you want to disable the eyedropper without selecting a color, press **Esc**.

4.6.5.2 Fill a shape with image

To fill a shape with image, do the following:

1. Select the shape with a single mouse click or double-click the shape to switch to edit mode.
2. On the Toolbar, select the **Shape** section, and click the arrow to the right of the **Fill Color** button (see Figure 229).
3. In the color selection pane, in the **Image** block, click **Choose**.





Figure 229. Choose button

4. Select the desired image in the file manager window and click **Open**.

4.6.5.3 Remove the fill

To remove the shape fill, do the following:

1. Single-click to select a shape or double-click to select a shape to enter its editing mode.
2. On the Toolbar, select the **Shape** section and click the arrow to the right of the  **Fill Color** button (see Figure 230).
3. In the color selection pane, click **No Fill**.





Figure 230. No Fill button

4.6.6 Shape outline

You can define the color, thickness, and outline type for the shape.

4.6.6.1 Select the color of the shape outline

To select the color of the shape outline, follow the steps below:

1. Single-click to select a shape or double-click to select a shape to enter its editing mode.
2. On the Toolbar, select the **Shape** section and click the arrow to the right of the  **Outline** button (see Figure 231).
3. In the color selection pane that opens, specify the color of the shape outline in one of the following ways:
 - Choose a color from one of the color sets provided.
 - Specify the color code manually.
 - Copy the color with an eyedropper.




Figure 231. Outline button and color selection pane

4.6.6.1.1 Choose a color from the color sets provided

The following colors sets are available in the color selection pane (see Figure 231):

- **Theme Colors:** This block contains the color palette of the current document's theme.
- **Standard Colors:** This block contains the colors that users most often choose when formatting a document.
- **Recent Colors:** This block contains up to the last ten colors that you selected when formatting the document earlier. The **Recent Colors** set is displayed if you have selected at least one color.

Hovering the mouse cursor over any color displays the value of that color in the RGB color model. For example, **RGB 192,80,77**.

Left-click a color to select it.

The color will be added to the **Recent Colors** set and checked. The color selection pane will close. The shape outline will be colored in the selected color.

4.6.6.1.2 Specify the color code manually

If you do not find the appropriate color in the listed color sets, specify the color code manually:

1. Click **More Colors** (see Figure 231).
2. In the **Select Color** window (see Figure 232) that appears, specify the desired color as a HEX code or in RGB format.
3. Click **OK**.




Figure 232. Select Color window

The manually specified color will be added to the **Recent Colors** set (see Figure 231) and checked. The color selection pane will close. The shape outline will be colored in the selected color.


4.6.6.1.3 Copy the color with an eyedropper

You can use the eyedropper to simultaneously copy a color from a text or object located in the main window's workspace (see Section 3.3.5) and apply that color to the shape outline.



The eyedropper is disabled in header and footer editing mode (see Section 4.10.2).

To copy a color using the eyedropper, follow these steps:


1. Click  **Eyedropper** (see Figure 231). The color selection pane will close, and the cursor will look like a crosshair for color selection.
2. Hover the cursor over the color you want to color the shape outline. For more accurate color selection, refer to the area to the right of the cursor. It displays the color of the pixel that the cursor is currently hovering over.
3. Left-click the color.

The shape outline is colored in the selected color, and the cursor returns to its standard appearance. The specified color is added to the **Recent Colors** (see Figure 231) set and checked in the color selection pane.

If you want to disable the eyedropper without selecting a color, press **Esc**.


4.6.6.2 Select the thickness and line type of the shape outline

To specify the thickness and type of a line for a shape outline, follow the steps below:

1. Single-click to select a shape or double-click to select a shape to enter its editing mode.
2. On the Toolbar, select the **Shape** section and click the arrow to the right of the  **Outline** button (see Figure 231).
3. In the **Line Weight** field, select the desired outline thickness manually or using the buttons.
4. Select the outline line type from the preset values.

4.6.6.3 Apply outline settings of the previous shape

To quickly apply the previous shape's outline settings to a shape, follow these steps:

1. Single-click to select a shape or double-click to select a shape to enter its editing mode.
2. On the Toolbar, in the **Shape** section, click  **Outline** (see Figure 233).





Figure 233. Outline button

4.6.6.4 Delete shape outline

To delete the outline of a shape, follow the steps below:

1. Single-click to select a shape or double-click to select a shape to enter its editing mode.
2. On the Toolbar, select the **Shape** section and click the arrow to the right of the  **Outline** button (see Figure 234).
3. In the color selection pane, click **No Outline**.




Figure 234. No Outline button

4.6.7 Line style

You can define the color, thickness, and outline type for the line.

4.6.7.1 Select a line color

To select a line color, follow these steps:

1. Select the line.
2. On the Toolbar, select the **Line** section and click the arrow to the right of the **Line Style** button (see Figure 235).
3. In the color selection pane that opens, specify the line color in one of the following ways:
 - Choose a color from one of the color sets provided.
 - Specify the color code manually.
 - Copy the color with an eyedropper.




Figure 235. Line Style button and color selection pane

4.6.7.1.1 Choose a color from the color sets provided

The following colors sets are available in the color selection pane (see Figure 235):

- **Theme Colors:** This block contains the color palette of the current document's theme.
- **Standard Colors:** This block contains the colors that users most often choose when formatting a document.
- **Recent Colors:** This block contains up to the last ten colors that you selected when formatting the document earlier. The **Recent Colors** set is displayed if you have selected at least one color.

Hovering the mouse cursor over any color displays the value of that color in the RGB color model. For example, **RGB 192,80,77**.

Left-click a color to select it.

The color will be added to the **Recent Colors** set and checked. The color selection pane will close. The line will be colored in the selected color.

4.6.7.1.2 Specify the color code manually

If you do not find the appropriate color in the listed color sets, specify the color code manually:

1. Click **More Colors** (see Figure 235).
2. In the **Select Color** window (see Figure 236) that appears, specify the desired color as a HEX code or in RGB format.
3. Click **OK**.




Figure 236. Select Color window

The manually specified color will be added to the **Recent Colors** set (see Figure 235) and checked. The color selection pane will close. The line will be colored in the selected color.


4.6.7.1.3 Copy the color with an eyedropper

You can use the eyedropper to simultaneously copy a color from a text or object located in the main window's workspace (see Section 3.3.5) and apply that color to the line outline.



The eyedropper is disabled in header and footer editing mode (see Section 4.10.2).

To copy a color using the eyedropper, follow these steps:


1. Click  **Eyedropper** (see Figure 235). The color selection pane will close, and the cursor will look like a crosshair for color selection.
2. Hover the cursor over the color you want to color the line. For more accurate color selection, refer to the area to the right of the cursor. It displays the color of the pixel that the cursor is currently hovering over.
3. Left-click the color.

The line is colored in the selected color, and the cursor returns to its standard appearance. The specified color is added to the **Recent Colors** set (see Figure 235) and checked in the color selection pane.

If you want to disable the eyedropper without selecting a color, press **Esc**.


4.6.7.2 Select the thickness and line type

To select the line thickness and type, follow these steps:

1. Select the line.
2. On the Toolbar, select the **Line** section and click the arrow to the right of the  **Line Style** button (see Figure 235).
3. In the **Line Weight** section, select the desired line thickness manually or using the buttons.
4. Select the line type from the preset values.

4.6.7.3 Apply the style of the previous line

To quickly apply a previous line style to a line, follow these steps:

1. Select the line.
2. On the Toolbar, in the **Line** section, click  **Line Style** (see Figure 237).





Figure 237. Line Style button

4.6.7.4 Delete the line style

If necessary, you can delete the line style settings. To do this, follow these steps:

1. Select the line.
2. On the Toolbar, select the **Line** section and click the arrow to the right of the  **Line Style** button (see Figure 238).
3. In the color selection pane, click **No Outline**.




Figure 238. No Outline button

4.6.8 Resize a shape

You can change the height and the width of shapes proportionally or according to your preferences.

To resize a shape proportionally, follow the steps below:

1. Select the shape you want to resize.
2. Drag a corner handle while keeping the left mouse button pressed until the shape is the size you want (see Figure 239).
3. Release the left mouse button to fix the selected size.




Figure 239. Resize a shape proportionally

To resize a shape without keeping its proportions, follow the steps below:

1. Select the shape you want to resize.
2. Drag a side handle while keeping the left mouse button (see Figure 240):
 - To change the height of the shape, move the top or bottom handle.
 - To change the width of the shape, move the left or right handle.
3. Release the left mouse button to fix the selected size.






Figure 240. Resize a shape without keeping its proportions

4.6.9 Fit shape size to text

You can adjust the shape height to fit the text located in it (see Section 4.6.4).

Do the following actions:

1. Select the shape.
2. On the Toolbar, select the **Shape** section (see Figure 241) and click  **Autofit**.

The button will change to .





Figure 241. Autofit the shape to fit text

To cancel the action of fitting the shape to text, repeat the actions.

4.6.10 Change line length and angle

To change the length or angle of a line, follow these steps:



1. Select the line.
2. Move the cursor over the line start or end marker so that the cursor appears as follows .
3. Hold down the left mouse button and drag the marker to the desired location.
4. Release the left mouse button.

If needed, you can interrupt the movement of the marker by pressing the **Esc** key. The marker will return to its original position.

4.6.11 Change arrow type

You can select the tip type for the beginning and end of the line. The selection can be made both before drawing the line (see Section 4.6.1) and when editing the drawn line.

To select the tip of the line, do the following:

1. On the Toolbar, select the **Line** section and click  **Arrow Type** (see Figure 242).
2. Select the left and/or right tip type from the drop-down list. If you want to remove previously selected tips, select the left and/or right tip type — **None** in the first line of the drop-down list.
3. Click  **Arrow Type** once again to close the drop-down list.







Figure 242. Arrow Type button

4.6.12 Change shape position in text

If needed, you can change the shape position in the text. The shape can be located in the text, in front and behind the text.

To select the shape position:

1. Select the shape whose wrapping style you want to change. To select the shape **Behind Text**, place the cursor on the shape and click the  button that appears.
2. Display the list of possible shape positions in one of the following ways:
 - If a line is selected, on the Toolbar, in the **Line** section, click the  button to the right of the current line position (see Figure 243). If any other shape is selected, on the Toolbar, in the **Shape** section, click the  button to the right of the current shape position (see Figure 244).




Figure 243. Select line position




Figure 244. Select shape position

- Right-click the shape and run the **Wrap Text** context menu command.
- 3. In the opened sub-menu, select the desired position of the shape:
 - **In Line with Text:** The shape is a part of text like a word or punctuation mark.
 - **Square:** Text wrapping around the rectangular frame in which the shape is placed.
 - **Top and Bottom:** Text is placed above and below the shape.
 - **In Front of Text:** Placing the shape in front of text as a top layer.
 - **Behind Text:** Placing the shape behind text as a bottom layer.

4.6.13 Move a shape

You can move a shape in the following ways:

- Drag while keeping the left mouse button pressed.
- Move it strictly vertically or horizontally with the ←, ↑, ↓, → keys on the keyboard. This method is available if the shape is in any position except the **In Line with Text** position (see Section 4.6.10).

When you move a shape using the ←, ↑, ↓, → keys, the step of movement depends on the scale of the document:

- If the scale is $\leq 200\%$, the step = 4 mm.
- If the scale is $> 200\%$, the step = 1 mm.

To increase a step, move the shape with keys ←, ↑, ↓, →, keeping the **Shift** key pressed.

In this case the movement step will be equal:

- If the scale is $\leq 200\%$, the step = 4 cm.
- If the scale is $> 200\%$, the step = 1 cm.


4.6.14 Delete a shape

To delete a shape, follow these steps:

1. Select the shape you want to delete.



To select the shape **Behind Text** (see Section 4.6.10), place the cursor on the shape and click the  button that displays.

2. Select the command to delete a shape in one of the following ways:
 - On the Toolbar, in the **Edit** section, click  **Delete** (see Figure 245).




Figure 245. Delete button

- Right-click the shape and select **Delete** in the context menu.
- Press **Delete** or **Backspace**.

If the shape is **In Line with Text** (see Section 4.6.13), it can be deleted as text (see Section 4.2.12).

4.7 Chart

To add a chart to your document, create it in MyOffice Spreadsheet and then copy and paste it to the desired location in the document.

The chart is inserted as an image (see Section 4.5).

4.8 Equations

4.8.1 Insert an equation

You can add equations to a text document. Equations are entered in the LaTeX markup language and are automatically converted and displayed in the text in a standard (conventional) form.

To insert an equation:

1. Place the cursor where you want to insert an equation.
2. Run the **Insert** command in one of the following ways:
 - In the Command menu, select **Insert > Equation** (see Figure 246).




Figure 246. Insert menu

- On the Toolbar, select the **Insert** section and click the **...** button (see Figure 247). In the displayed insert pane, click **Equation**.




Figure 247. Insert pane

3. In the **Equation** window, in the **LaTeX Expression** box, enter the equation written in the LaTeX markup language. You can preview the equation in the **Preview** box.
4. Click **OK**.





Figure 248. Equation window



In the current version of the application, it is impossible to display math equations created in Microsoft Word 2003 and 2007.

4.8.2 Edit an equation

1. Open the equation editing window in one of the following ways:
 - Select the equation by clicking the left mouse button. On the Toolbar, under the **Equation** section, click  **Edit Equation** (see Figure 249).




Figure 249. Edit Equation button

- Select the equation by right-clicking it. Run the **Edit Equation** context menu command.
 - Select the equation by double-clicking it.
2. In the **Equation** window (see Figure 248), in the **LaTeX Expression** box, edit the equation.
 3. Click **OK**.

4.8.3 Resize an equation

1. Select the equation.
2. Hold down the left mouse button and drag any corner sizing handle so that the equation becomes the desired size.
3. Release the left mouse button to fix the new equation size.




$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Figure 250. Resize an equation

4.8.4 Delete an equation

1. Select an equation.
2. Run the command to delete it in one of the following ways:
 - On the Toolbar, select the **Edit** section and click  **Delete** (see Figure 251).




Figure 251. Delete button

- Right-click the equation and select **Delete** from the context menu.
- Press **Delete** or **Backspace**.

You can also use keyboard shortcuts to delete text to remove an equation (see Section 4.2.12).

4.9 Edit content

4.9.1 Undo and redo

4.9.1.1 Undo the last action

You can undo the last action performed on the content of a document.

To do this, use one of the following methods:

- In the Command menu, select **Edit > Undo** (see Figure 252).





Figure 252. Edit menu

- On the Toolbar, in the **Edit** section, click  **Undo** (see Figure 253).




Figure 253. Undo and Redo buttons


- When working on Windows / Linux, press **Ctrl+Z** or **Alt+Backspace**, when working on macOS, press **⌘+Z**.

To undo several recent actions, run the undo command several times.

4.9.1.2 Redo the result of the undone action

The undone action can be redone if necessary.

To do this, use one of the following methods:

- In the Command menu, select **Edit > Redo** (see Figure 252).
- On the Toolbar, in the **Edit** section, click  **Redo** (see Figure 253).
- When working on Windows/Linux, press **Ctrl+Y** / **Ctrl+Shift+Z** / **Shift+Alt+Backspace**. When working on macOS, press **⌘+Y**.

To redo the last few undone actions, run the redo command several times.

4.9.2 Clipboard


4.9.2.1 Copy or cut data

When you use the **Cut** command, the selected data is cut from the document and placed in the clipboard. When copying, the selected data of the document does not change, and its copies are placed to the clipboard.

The data copied or cut retains its formatting.

You can insert the data copied into MyOffice Text as well as into other applications, such as MyOffice Spreadsheet.

To cut the content of the file, do the following:

1. Select the text that you want to cut.
2. Run the **Cut** command in one of the following ways:
 - In the Command menu, click **Edit** and select **Cut** (see Figure 252).
 - On the Toolbar, select the **Edit** section and click  **Cut** (see Figure 254):
 - Right-click the selected text and run the **Cut** command.
 - Press **Ctrl+X** or **Shift+Delete** (Windows OS/Linux OS) or **⌘+X** (macOS).





Figure 254. Cut and Copy buttons



To copy the content, perform the following actions:

1. Select the text you want to copy.
2. Run the **Copy** command in one of the following ways:
 - In the **Edit** menu, select **Copy** (see Figure 252).
 - On the Toolbar, select the **Edit** section and click  **Copy** (see Figure 254).
 - Right-click the selected content and select **Copy** from the context menu.
 - Press **Ctrl+C** or **Ctrl+Insert** (Windows OS/Linux OS) or **⌘+C** (macOS).

4.9.2.2 Paste the last copied or cut data

You can paste pre-copied or cut out data from the clipboard, with or without saving the original formatting.

To paste the content while keeping the original formatting:

1. Place the cursor where you want to insert data in the document. Or select the text (element) you want to replace with data from the clipboard.
2. Paste the content in one of the following ways:
 - In the **Edit** menu, select **Paste** (see Figure 252).
 - On the Toolbar, select the **Edit** section and click  **Paste** (see Figure 255).
 - On the Toolbar, select the **Edit** section and click the button to the right of the  **Paste** button. In the drop-down list, select **Paste**.
 - Right-click to open the context menu and run the **Paste** command.
 - Press **Ctrl+V** or **Shift+Insert** (Windows OS/Linux OS). When working on macOS, press **⌘+V**.




Figure 255. Paste button

When you paste data without preserving the original formatting, only the text is pasted from the clipboard. For example, when you paste a table, a shape with text, or a link, only the text that these objects contain is pasted into the document. If the copied or cut fragment contains images, they are not pasted into the document.

The style of the text to which the new text is added is applied to the text you are pasting from the clipboard (see Section 4.3.2).

To insert the content without keeping the initial formatting:

1. Place the cursor in the document where you want to insert data or select the text (element) you want to replace with data from the clipboard.
2. Run the **Paste** command in one of the following ways:
 - In the **Edit** menu, select **Paste Text Only** (see Figure 256).





Figure 256. Edit menu

- On the Toolbar, select the **Edit** section and click the button to the right of the  **Paste** button. In the drop-down list, select **Paste Text Only** (see Figure 255).
- Right-click to open the context menu and run the **Paste Text Only** command.

4.9.2.3 Clipboard history

In MyOffice Text, you can use the clipboard history. It can store up to ten copied or cut entries. Each further entry overwrites the oldest existing entry.

The clipboard history works between MyOffice Text and MyOffice Spreadsheet and vice versa.

Data from the clipboard history is pasted with the original formatting intact.

4.9.2.3.1 Paste data

To paste data from the clipboard history, do the following:

1. Place the pointer where you want to paste the data or select the text (object) you want to replace with the data from the clipboard.
2. Open the clipboard history content in one of the following ways:
 - In the **Edit** menu, select **Paste from Clipboard** (see Figure 257).




Figure 257. Data in the clipboard history

- Right-click to open the context menu and run the **Paste from Clipboard** command.
3. In the opened sub-menu, select data to be pasted.

For convenience, the content of the clipboard can be opened in a separate window. To do this, do one of the following:

- In the **Edit** menu, select **Paste from Clipboard > Clipboard History** (see Figure 258).




Figure 258. Clipboard history management commands

- Open the context menu by right-clicking anywhere in the document and select **Paste from Clipboard > Clipboard History**.
- Press **Ctrl+Alt+Shift+V** (Windows) or **Win+V** (Linux). When working in macOS, press **⌘+Option+⇧ Shift+⌘ Cmd+V**.

By default, the clipboard history window (see Figure 259) is placed next to the selected text or element of the file. To change its position, drag it by the heading to the desired part of the document while holding down the left mouse button.

To navigate through the clipboard history, the following applies:

- To move between the clipboard history elements, use the **↓** and **↑** keys.
- To insert the selected entry from the clipboard history into a specified area in a document, left-click or press **Enter**.
- To switch between the document you are working on and the clipboard history, press **Tab**. Click the **X** button at the window title to close the clipboard history.




Figure 259. Clipboard history

4.9.2.3.2 Clear the clipboard history

To clear the history of the clipboard history, follow these steps:

1. Open the clipboard history sub-menu in one of the following ways:
 - In the Command menu, select **Edit > Paste from Clipboard** (see Figure 258).
 - Open the context menu by right-clicking anywhere in the document and run the **Paste from Clipboard** command.
2. In the opened sub-menu, select **Clear**.

4.10 Page layout

4.10.1 Page setup

You can set the page parameters when preparing your file for printing (see Section 4.1.8).

The page parameters include:

- Page orientation
- Page Size
- Document Margins

You can adjust page setup for the entire document or for its parts. For example, you can choose the **Portrait** (vertical) orientation for the page with an image or table.

To adjust page setup for a part of the document, start with this:

1. Insert a section break (see Section 4.10.5) before and after the part of the document you want to adjust the parameters of.
2. Set the cursor. Select the text, partially or entirely, in the desired part of the document.

To set the page setup, do the following:

1. Open the **Page Setup** window in one of the following ways:
 - In the **File** menu, click **Page Setup** (see Figure 260). Or press **Ctrl+Shift+P**.





Figure 260. Page Setup command menu option

- On the Toolbar, select the **File** section and click the arrow to the right of the  **Quick Print** button. In the drop-down list, click **Page Setup** (see Figure 261).




Figure 261. Page Setup command

- Press **Ctrl+Shift+P** / **⇧Shift+⌘Cmd+P**.
2. In the opened **Page Setup** window (see Figure 262), select the area to apply new parameters:
 - **This Section:** Apply all the subsequent changes to the selected section of the document separated by the section breaks (see Section 4.10.5).
 - **Whole document:** Apply all the subsequent changes to the entire document.
 3. In the **Orientation** section, select the desired page orientation: **Portrait** (vertical) or **Landscape** (horizontal).
 4. In the **Page Size** drop-down list, select the size of paper to be used for printing.
 5. Adjust the document margins as follows:
 - To set the same margins for all pages of the document, specify their width in the **Top Margin**, **Bottom Margin**, **Left Margin**, and **Right Margin** input boxes.
 - To customize the margins for double-sided printing of a document whose pages will be stapled together (for example, a brochure or book), select the **Mirror margins** check box. This active setting means that the margins on the left pages of the document will "mirror" the margins on the right pages of the document.




Figure 262. Page Setup window

In the **Top Margin** and **Bottom Margin** box, specify the width of the top and lower margins of the document. In the **Inside Margin** box, specify the width of the inner margins, which are the margins next to the binding. In the **Outside Margin** box, specify the width of the outer margins, which are the margins located at the outer edge of the book or brochure.



Mirror margins can only be set for the whole document, but not for a part of it. Therefore, this setting is active if you select **Whole document** from the **Apply to** drop-down list.

6. Click **OK**.

4.10.2 Headers and footers

Headers and footers are located on each page of the document in the upper and lower margins (see Section 4.11.1.1). Headers and footers can contain information that is not related to the main text of the document but is of informational or design nature. For example, page numbers (see Section 4.10.3), title of the document or its individual sections, company logo, etc.

The information placed in the headers and footers is unique for each section of the document (see Section 4.10.5).

4.10.2.1 Configure headers and footers

To configure headers and footers, do the following:

1. Place the cursor on any page in the section (see Section 4.10.5) where you want to customize headers or footers.
2. Switch to the header or footer editing mode using one of the following methods:
 - In the **Insert** menu, select **Header and Footer** > **Header** / **Footer** (see Figure 263).




Figure 263. Insert menu

- On the Toolbar, in the **Insert** section, click the **...** button. In the insert pane that appears, select **Headers > Header / Footer** (see Figure 264).






Figure 264. Insert pane

- To customize the headers, move the mouse cursor to the top of the page. To customize the footers, move the mouse cursor to the bottom of the page. When the cursor looks like  or , double-click with the mouse.

3. Open the header and footer settings pane in one of the following ways:
 - Below or above the footer, click **Options** and select **Header Settings / Footer Settings** from the drop-down list (see Figure 265).






Figure 265. Header Settings option

- On the Sidebar, click  **Header** or  **Footer** (see Figure 266).
4. In the **Settings** pane, specify the required options (see Table 12).




Figure 266. Settings pane

5. Add data to the header/footer: enter text or insert the desired object. Format the header/footer content if necessary. If you have selected a special header/footer for the first page and/or different headers/footers for even and odd pages, add and format the content in each type of header/footer.




Table 12. Header and footer settings

Option	Action
Indent from the top Indent from the bottom	Indent from the top edge of the page to the data entry line in the header. Indent from the bottom edge of the page to the data entry line in the footer.
Different first page	Allows you to create unique content in headers and footers both on the first page of the whole document and on the first page of any of the sections. When checked, both the header and footer of the first page become the different ones. When checked, the application saves the data that is entered in the different header and footer and when checked/unchecked, it displays/hides exactly that data.
Different even and odd pages	Applies to both header and footer at the same time. Determining whether pages are even or odd always begins on the first page of a document, regardless of whether there are sections.

To quickly move from configuring the header to customizing the footer, select the footer with a single click. The header settings pane closes, and the footer settings pane opens. You can move from customizing the footer to customizing the header in the similar way.

The header or footer settings pane closes automatically when you exit the header and footer editing mode. If necessary, it can be hidden manually while working with headers and footers.

To do this, proceed with one of the following:

- At the top of the pane, click  (see Figure 267).
- On the Sidebar, click  **Header** or  **Footer**.

Click  **Header** or  **Footer** again to display the pane.





Figure 267. Pane management buttons

To exit header and footer editing mode, do one of the following:

- Double-click the document text outside of the header and footer area.
- Click  below the header or above the footer.
- Press **Esc**.

4.10.2.2 Delete header and footer content

If necessary, you can delete header or footer content in the selected section of the document (see Section 4.10.5). The following rules apply to deletion:

- If a document contains only one section, the contents of the headers and footers are deleted throughout the document.
- If you have created a different header and/or footer for the first page, the contents of the first page header and footer and the contents of the section footer need to be deleted separately.
- If the section is configured with different headers and footers for even and odd pages, the content of the headers and footers of those pages that are similar to the one selected for deletion is deleted. For example, when you select an even-numbered page, the contents of even-numbered page headers and footers are deleted.

To delete the contents of the headers and footers, follow the steps below:

1. Place the cursor on the page of the section where you want to delete header or footer content. In this case:
 - If the section has a different header and/or footer configured for the first page, place the cursor on the first page to delete the header and/or footer content on the first page, and on any other page in the section to delete the header and/or footer content on other pages.
 - If the section is configured with different headers and/or footers for even and odd pages, place the cursor on an even page to delete header and/or footer content on even pages, or place the cursor on an odd page to delete header and/or footer content on odd pages in the section.
2. Switch to the header or footer editing mode using one of the following methods:
 - In the Command menu, select **Insert > Header and Footer > Header / Footer**.




Figure 268. Insert menu

- On the Toolbar, in the **Insert** section, click **...**. In the insert pane that appears, select **Header and Footer > Header / Footer** (see Figure 281)






Figure 269. Insert pane

- To delete header contents, move the mouse cursor to the top of the page. To delete footer contents, move the mouse cursor to the bottom of the page. When the cursor changes to  or , double-click the left mouse button.
- 3. Below the header or above the footer, click **Options** and select **Remove Header** / **Remove Footer** from the drop-down list.




Figure 270. Remove Header menu item

4.10.3 Page numbers

The page numbers can be displayed in the document headers and footers (see Section 4.10.2). Page numbers can be displayed in either a single header or footer, or both at the same time.

Page numbers are added and deleted within the selected section of the document (see Section 4.10.5). In this case, the following rules apply:

- If a document contains only one section, page numbers are added and deleted throughout the document.
- If a section has a different header and/or footer for the first page, the number on the first page and the numbers on the other pages of the section need to be added and deleted separately.
- If a section is configured with different headers and/or footers for even and odd pages, the numbers on pages similar to the one selected when adding or deleting are added and deleted. For example, if you select an even page, numbers on even-numbered pages are added or deleted.

The page number is a text box (see Section 4.6.3).

4.10.3.1 Insert page number

To quickly add page numbers in **1,2,3,...** format, follow the steps below:

1. Place the cursor on the page of the section (see Section 4.10.5) where you want to add page numbers. In this case:
 - If the section has a different header and/or footer configured for the first page (see Section 4.10.2), place the cursor on the first page to add the number on the first page, and on any other page in the section to add the number on other pages.
 - If the section is configured with different headers and/or footers for even and odd pages, place the cursor on an even page to add numbers on even pages, or place the cursor on an odd page to add numbers on odd pages in the section.
2. Open the insert sub-menu in one of the following ways:
 - In the **Insert** menu, select **Page Numbers** (see Figure 271).




Figure 271. Insert menu

- On the Toolbar, in the **Insert** section, click **...**. In the displayed insert pane, place the cursor on the **# Page Numbers** button (see Figure 272).




Figure 272. Insert pane

3. In the sub-menu that opens, select a place to display page numbers.

Follow the steps below to add and/or customize page numbers:

1. Place the cursor on the page of the section (see Section 4.10.5) where you want to add and/or customize page numbers as described above.
2. Enter the edit mode for those headers and footers (see Section 4.10.2) where you want to add and/or customize page numbers. For example, if you want to add and/or customize page numbers in the headers, go to header editing mode. To do this, proceed with one of the following:

- In the Command menu, select **Insert** > **Header and Footer** > **Header / Footer** (see Figure 273).




Figure 273. Insert menu

- On the Toolbar, in the **Insert** section, click **...**. In the displayed insert pane, select **Header and Footer** > **Header / Footer** (see Figure 274).






Figure 274. Insert pane

- To enter the header editing mode, move the mouse cursor to the top of the page. To enter footer editing mode, move the mouse cursor to the bottom of the page. When the cursor changes to  or , double-click the left mouse button.
 - If you have already added page numbers to the section, press **Alt+P** / **⌘ Option+P** in the English keyboard layout. The header or footer where the page numbers are located will go into editing mode (see Figure 276). If page numbers are contained in both the header and footer, the header will go into edit mode by default. The header and footer settings pane will automatically appear on the right. Proceed to step 4.
3. Open the header and footer settings pane in one of the following ways:
- Below header or above the footer, click **Options** and select **Page Numbers** from the drop-down list (see Figure 275).




Figure 275. Page Numbers menu

- On the Sidebar, click  **Header** or  **Footer** (see Figure 276). In the header and footer settings pane that opens, select the **Page Numbers** tab.




Figure 276. Header/footer settings pane

4. In the header and footer settings pane, in the **Page Numbers** tab, specify the required settings (see Figure 277):
- **Format:** Type of numbering, such as Arabic or Roman numerals.

- **Alignment:** Location of the number along the horizontal axis.
- **Start from:** The number from which the numbering starts.
- **Continue from previous section:** Continue the numbering of the previous section.





Figure 277. Page numbering pane





5. Exit header and footer editing mode in one of the following ways:
 - Double-click the document text outside of the header and footer area.
 - Click  below the header or above the footer.
 - Press **Esc**.

In header and footer editing mode, you can apply formatting to:

- Text box in which the page number is located (see Section 4.6.3). For example, change the fill (see Section 4.6.5) or outline (see Section 4.6.6) of a text box.
- Page number. For example, change the color or typeface. The page number formatting is similar to the formatting of the main text of the document (see Section 4.3). To switch to page number formatting, double-click to select the text box.

4.10.3.2 Delete page numbers

To delete page numbers, follow the steps below:

1. Place the cursor on the page of the section where you want to delete page numbers. In this case:
 - If the section has a different header and/or footer configured for the first page, place the cursor on the first page to delete the number on the first page, and on any other page in the section to delete the number on other pages.
 - If the section is configured with different headers and/or footers for even and odd pages, place the cursor on an even page to delete numbers on even pages, or place the cursor on an odd page to delete numbers on odd pages in the section.
2. Go to the header and footer editing mode, where page numbers are displayed. For example, if page numbers are displayed in the header, go to the header editing mode. To do this, proceed with one of the following:
 - In the Command menu, select **Insert > Header and Footer > Header / Footer** (see Figure 273).
 - On the Toolbar, in the **Insert** section, click **...**. In the insert pane that appears, select  **Header and Footer > Header / Footer** (see Figure 274).
 - To enter the header editing mode, move the mouse cursor to the top of the page. To enter footer editing mode, move the mouse cursor to the bottom of the page. When the cursor changes to  or , double-click the left mouse button.
 - Press **Alt+P** /  **Option+P** in English keyboard layout. The header or footer where the page numbers are located will go into editing mode. If page numbers are contained in both the header and footer, the header will go into edit mode by default.
3. Delete page numbers in one of the following ways:
 - Below header or above the footer, click **Options** and select **Remove Page Numbers** from the drop-down list (see Figure 278).




Figure 278. Options button

- Below header or above the footer, click **Options** and select **Page Numbers** from the drop-down list (see Figure 278). In the header and footer settings pane, on the **Page Numbers** tab, in the **Format** drop-down list, select **No Page Numbers** (see Figure 279).





Figure 279. Format drop-down list

- Single-click to select the text box with the page number and delete it as it described in Section 4.6.14.
4. Exit header and footer editing mode in one of the following ways:
- Double-click the document text outside of the header and footer area.
 - Click  below the header or above the footer.
Press **Esc**.

4.10.4 Page break

MyOffice Text automatically breaks the document into pages. You also can add custom page breaks anywhere in the document.

Simply follow these steps:

1. Place the cursor in the place of the document where you want to start a new page.
2. Insert a page break in one of the following ways:
 - In the **Insert** menu, click **Page Break** (see Figure 280).
 - Press **Ctrl+Enter** / **⌘Cmd+Enter**.




Figure 280. Insert menu

To see a page break, turn on the display of non-printable characters (see Section 4.3.1).

To remove a page break, follow the steps in Section 4.2.12.

- On the Toolbar, in the **Insert** section, click **...**. In the displayed insert pane, click **Page Break** (see Figure 281).




Figure 281. Insert pane



- Press **Ctrl+Enter**.

4.10.5 Section break

Unique page settings (see Section 4.10.1) and footers (see Section 4.10.2) can be customized for each section of the document.

By default, a document consists of a single section. To divide a document into multiple sections, separate them from each other with a non-printable character called a *section break*. For example, to make each chapter in a document with three chapters a separate section, set a section break after each chapter in the document.

To insert a section break, do the following:

1. Specify where you want to insert a section break:
 - Place the cursor where you want to insert a section break.
 - If a section break must be inserted before and after the text fragment, select this fragment.
2. Insert the section break in one of the following ways:
 - In the **Insert** menu, select **Section Break** (see Figure 280).
 - On the Toolbar, in the **Insert** section, click . In the displayed insert pane, click  **Section Break** (see Figure 281).

To see a section break, turn on the display of non-printable characters (see Section 4.3.1).

To remove a section break, follow the steps in Section 4.2.12.

4.10.6 Table of contents

MyOffice Text allows you to add a table of contents that is formed from the existing headings of the document. The heading is a fragment of text where the built-in styles for **Heading 1-Heading 5** or custom styles are applied (see Section 4.3.2).

By default, a table of contents includes the headings with built-in styles applied: **Heading 1**, **Heading 2**, and **Heading 3**. You can change which headings and heading levels should be included in the table of contents at any time.

The table of contents is updated automatically and reflects both changes in the headings and their respective page numbers.

4.10.6.1 Apply heading styles

Make sure to apply the heading styles to the fragments that become titles of the table of contents before inserting the table of contents. For example, if your document includes chapters, sections, and subsections, apply the **Heading 1** style to chapter headings, the **Heading 2** style to section headings, and the **Heading 3** style to subsection headings.

To apply a heading style, follow the steps below:

1. Select the text or place the cursor in the text you want to use as a heading.
2. On the Toolbar, select the **Styles** section in one of the following ways:
 - Select a heading style from the drop-down list (see Figure 282).



Figure 282. Styles section

- Click the **...** button and select the heading style from the drop-down list (see Figure 283).




Figure 283. Apply style

Once the styles are applied, you can proceed with inserting the table of contents.

4.10.6.2 Insert a table of contents

To insert a table of contents, follow the steps below:

1. Put the cursor before the place where you want to insert the table of contents.
2. Insert the table of contents in one of the following ways:
 - In the **Insert** menu, click **Table of Contents** (see Figure 284).




Figure 284. Insert menu

- On the Toolbar, in the **Insert** section, click **...**. In the displayed insert pane, click **Table of Contents** (see Figure 285).




Figure 285. Insert pane

By default, the table of contents is always separated from the rest of the document by a page break (see Section 4.10.4). You can remove it if needed.


You need to enter the name of the table of contents manually.

4.10.6.3 Edit a table of contents

You may perform the following actions to edit a table of contents:

- Add or remove levels of the table of contents.
- Change the heading styles for the table of contents levels.
- Hide or display page numbers in the table of contents.

To edit a table of contents, follow one of the steps below:

1. Left-click with the left mouse button on the table of contents. On the Toolbar, select the **Contents** section and click  **Edit** (see Figure 286).




Figure 286. Edit button

2. Right-click the table of contents with the mouse and select **Edit Table of Contents**.

The **Edit Table of Contents** window opens (see Figure 287).




Figure 287. Edit Table of Contents window

When you have completed all necessary actions, click **X** or click outside the window to close the **Edit Table of Contents** window.

4.10.6.3.1 Add a new level of table of contents

You can add up to 9 levels of a table of contents headings. By default, it consists of three levels. The first level of the table of contents comprises the headings with the **Heading 1** style applied. **Heading 2** is the second level. **Heading 3** is the third level.

The table of contents typically includes no more than five heading levels. If you add a fourth and fifth level of the table of contents, they will automatically have predefined styles of **Heading 4** and **Heading 5**, respectively.

If you want to add more than five levels of headings to the table of contents, create custom styles (see Section 4.3.2.2) and apply them to the desired headings (see Section 4.10.6.1). Then add the table of contents levels that will be created from these headings.

To add a new level of table of contents, follow the steps below:

1. In the **Edit Table of Contents** window, click **+ New Level** (see Figure 288). A new table of contents line will appear in the level list (see Figure 288).




Figure 288. Add table of contents level

2. Select the headings style you want to apply to this level of the table of contents from the drop-down list or leave the style selected by default (see Figure 289).




Figure 289. Select style

4.10.6.3.2 Change the headings style for the table of contents level

You can create the table of contents levels from the headings with predefined styles **Heading 1 - Heading 5** applied, as well as from the headings with custom styles applied (see Section 4.3.2).

To change the style of the headings that form a table of contents level, follow the steps below:

1. In the **Edit Table of Contents** window, on the desired line, expand the styles drop-down list (see Figure 290).
2. Select the headings style you want to apply to this level of the table of contents from the drop-down list.




Figure 290. Select style

4.10.6.3.3 Remove a level of table of contents

If necessary, you can reduce the number of the table of contents levels. For example, you can convert the table of contents which consists of four levels into a table of contents of two levels. For this purpose, you should remove the fourth and third levels of the table of contents.

You can remove the levels of the table of contents from the list, starting with the last one.

To remove the last level of the table of contents, click the **×** button to the right of this level in the **Edit Table of Contents** window (see Figure 291).




Figure 291. Delete table of contents level

4.10.6.3.4 Hide or display the page numbers

By default, for each heading of the table of contents is indicated the page number where it is located. Page numbers are calculated automatically.

To hide page numbers in the table of contents, clear the **Display page numbers** check box in the **Edit table of Contents** (see Figure 291) window.

To return to displaying page numbers, select the check box.

4.10.6.4 Format the table of content

When you create a table of contents, the default formatting is applied. You can change the font and paragraph properties for the table of contents, if necessary.




Formatting applies to the entire table of contents. Changing the formatting of individual parts of the table of contents is not possible.

Formatting the table of contents is similar to formatting the main text of the document.

To format the table of contents, select it first. To do this, click the table of contents with the left mouse button.

4.10.6.5 Delete a table of contents

To delete the table of contents, do one of the following:

1. Select the table of contents.
2. Delete it in one of the following ways:
 - On the Toolbar, in the **Edit** section, click  **Delete** (see Figure 292).




Figure 292. Delete button

- Right-click the table of contents and select **Delete** from the context menu.
- Press **Delete** or **Backspace**.

4.11 View feature

4.11.1 Ruler

Rulers allow you to quickly and accurately adjust indents and margins of your document both horizontally and vertically. You can find the horizontal ruler under the Toolbar and the vertical ruler along the left edge of the document. By default, both rulers are displayed.

If you want to hide rulers or display previously hidden rulers, do one of the following:

1. In the Command menu, select **View** and uncheck or check the **Ruler** option (see Figure 293).
2. Press **Ctrl+Shift+R** / **⌘ Shift+⌘ Cmd+R**.




Figure 293. View menu

4.11.1.1 Set document margins

The gray sections of the rulers are the margins width (see Figure 294 and Figure 295).




Figure 294. Left margin border




Figure 295. Top margin border

To change the margin size, follow the steps below:

1. Put the cursor on the ruler so the cursor turns into a double-headed arrow.
2. Hold down the left mouse button and drag the cursor to move the margin to the desired mark.
3. Release the left mouse button to fix the position.

You can also adjust the margins using the **Page Setup** window (see Section 4.10.1).

4.11.1.2 Set paragraph indents

The paragraph indent marker is a blue triangle on a horizontal ruler (see Figure 296).




Figure 296. Paragraph indent marker

To change the paragraph indent, follow the steps below:

1. Hold down the left mouse button on the marker and drag it to the desired position.
2. Release the left mouse button to fix the new position.

Changing the paragraph indent also changes the first-line indent, while maintaining the distance between them.

You can also adjust the margins using the **Paragraph settings** window (see Section 4.3.8.5).

4.11.1.3 Set first-line indent

The first-line indent marker is a blue rectangle on a horizontal ruler (see Figure 297).




Figure 297. First-line indent marker

To change the first-line indent, follow the steps below:

1. Hold down the left mouse button on the marker and drag it to the desired position.
2. Release the left mouse button to fix the new position.

You can also adjust the first-line indent using the **Paragraph settings** window (see Section 4.3.8.5).

4.11.2 Zoom

By default, the scale of the document is 100%. If necessary, you can zoom it in or zoom out using the Command menu or the Status bar.

To change the scale using the Command menu, follow the steps below:

1. In the **View** menu, select **Zoom** (see Figure 298).
2. In the opened list, select the desired option:
 - **Zoom In:** Increase the current zoom by 10%.
 - **Zoom Out:** Decrease the current zoom by 10%.
 - **Actual Size:** Set the default zoom (100%).




Figure 298. View menu

To change the zoom using the Status bar (see Figure 299), do one of the following:

1. With the left mouse button pressed, move the slider to the right or left to zoom in or out, respectively.
2. Click **+** to zoom in or **-** to zoom out. In each case, the zoom increment is 10%.
3. Select the current zoom value with the cursor in the lower right corner, modify it and press **Enter** to confirm.
4. Press the arrow to the right of the current zoom value and select the zoom from the drop-down list.



Figure 299. Status bar

4.11.3 Presentation view

To switch to the Presentation View, in the Command menu, click **View** and select **Presentation View** (see Figure 300).




Figure 300. View menu

The Presentation View (see Figure 301) allows you to use the full screen to view your document.

To navigate through the pages of a document, use the following keys on the keyboard:

- **Right arrow** or **Space**: Go to the next page.
- **Left arrow**: Go to the previous page.

To exit the Presentation View, press **Esc**.



Figure 301. Presentation View

4.12 Review feature

4.12.1 Changes

4.12.1.1 Track changes

The track changes mode is used to track, process, and store changes made to a document by you or other users. To start tracking the changes, you need to enable the **Track Changes** mode first. You can view and process the changes when the mode is disabled.

The mode status is saved after you save a file. The document closed with tracking changes mode enabled will keep this property next time you open it.

To enable or disable the **Track Changes** mode, in the Command menu, click **Tools > Display Changes and Comments** and check or uncheck the **Track Changes** box (see Figure 302).




Figure 302. Tools menu

4.12.1.2 Track and view changes

You can track and view the following types of changes in the document:

- Text inserted and deleted
- Images inserted and deleted
- Links inserted, edited, and deleted
- Text formatted
- Paragraph formatted

The pane displaying changes made by all users is located to the right of the editing area. Each user is assigned a distinguishing color.

Click the change with the mouse to view its detailed description.

The documents display changes made both in MyOffice Text and in third-party editors.

The following types of changes are supported:

- Enter and delete text
- Text formatting
- Paragraph formatting
- Insert and delete images
- Insert and delete tables and rows in tables
- Insert, edit, and delete links

Changes are marked with color and displayed in the Review pane (see Figure 303). Changes made by different users are marked with different unique colors.




Figure 303. Changes

Additional color marking is applied to added and deleted rows and tables: the background of added rows and tables is colored green; the background of deleted rows and tables is colored red (see Figure 307).

Planet	Distance to Sun
Mercury	60
Venus	110
Earth	150
Mars	228

Planet	Distance to Sun
Mercury	60
Venus	110
Earth	150
Mars	228



Figure 304. Color marking in tables

The following limitations apply to the current version of the application:

- In documents saved in LibreOffice Writer and then opened in MyOffice Text, changes may not be displayed correctly.
- Changes time is incorrectly displayed in .odt documents created in MyOffice Text and then opened in LibreOffice Writer.
- If text wrapping is configured for a table (see Section 4.4.10) and the user accepts the deletion of text (see Section 4.12.1.4.1) that contains the anchor of that table (see Section 4.3.1), that table is deleted along with the text.

Changes with a large amount of text are displayed in the Review pane in abbreviated form. To view the full description of a change, click on it.

4.12.1.3 Navigate between changes

To quickly move between changes, use the  **Next Change or Comment** and  **Previous Change or Comment** buttons located on the Toolbar in the **Review** section (see Figure 305).




Figure 305. Buttons to move between changes

4.12.1.4 Accept and reject changes


You can work with changes in the **Markup Changes** mode (see Section 4.12.1.5).



You cannot accept or reject changes to a text that is locked from changes (see Section 4.15.2).

4.12.1.4.1 Accept changes

To accept one change, use one of the following methods:

1. In the Review pane, place the cursor over the desired change and click  **Accept** (see Figure 306).







Figure 306. Accept and Reject buttons

2. In the Review pane, select the desired change and perform one of the following actions (see Figure 307):
 - In the Review pane, click  **Accept**.
 - On the Toolbar, select the **Review** section and click  **Accept Change**.
 - On the Toolbar of the **Review** section, click the arrow to the right of the  **Accept Change** button and select **Accept Change**.







Figure 307. Accept change

To accept all the changes in one or multiple paragraphs, select those paragraphs, then follow one of the steps below:

1. On the Toolbar, select the **Review** section and click  **Accept Change**.
2. On the Toolbar, select the **Review** section and the arrow to the right of the  **Accept Change** button and select **Accept Change**.

To accept all the changes in a document, on the Toolbar, select the **Review** section and click the arrow to the right of the  **Accept Change** button. In the list that expands, click **Accept All Changes**.

4.12.1.4.2 Reject changes

To reject one change, use one of the following steps:

1. In the Review pane, place the cursor over the desired change and click **✖ Reject** (see Figure 306).
2. In the Review pane, select the desired change and perform one of the following actions (see Figure 308):
 - In the Review pane, click **⊗ Reject**.
 - On the Toolbar, select the **Review** section and click **⊗ Reject Change**.
 - On the Toolbar, select the **Review** section and click the arrow to the right of the **⊗ Reject Change** button and select **Reject Change**.

To reject all the changes in one or multiple paragraphs, select those paragraphs, then follow one of the steps below:

1. On the Toolbar, select the **Review** section and click **⊗ Reject Change**.
2. On the Toolbar, select the **Review** section, click the arrow to the right of the **⊗ Reject Change** button and select **Reject Change**.

To reject all the changes in a document, on the Toolbar, select the **Review** section and click the arrow to the right of the **⊗ Reject Change** button. In the list that expands, click **Reject All Changes**.




Figure 308. Reject changes

4.12.1.5 Markup changes

By default, all changes in the document are marked. The mode of displaying the changes can be changed at any time. Simply follow these steps:

1. Open the list of review modes in one of the following ways:
2. In the Command menu, click **Tools** and select **Display Changes and Comments** (see Figure 309).




Figure 309. Tools command menu

3. On the Toolbar, select the **Review** section and click **Display Changes and Comments** (see Figure 310).
4. In the list that expands, select the desired mode:
 - **Markup Changes:** The file contains both confirmed and unconfirmed changes. Unconfirmed changes are marked with a color and displayed in the Review pane (see Figure 310).




Figure 310. Markup Changes mode

- **Display Document With Changes:** The file contains both confirmed and unconfirmed changes. Unconfirmed changes are not marked with a color. The Review pane is hidden (see Figure 311).




Figure 311. Display Document With Changes mode

- **Display Original Document:** The file contains the confirmed changes only. The Review pane is hidden. Files cannot be edited (see Figure 312).




Figure 312. Display Original Document mode

4.12.2 Comments

Comments are useful when several users are working on the document simultaneously or alternately. They can share their ideas and remarks on a document as comments.

In addition, users can reply to each other's comments, thus forming *discussion threads* on specific pieces of text or questions.

The following limitations are currently in place:

- Comments and discussion threads are not printed out.
- No notification when a comment or reply has been changed.
- The discussion thread can be broken and displayed as separate comments if the document was opened and saved in a third-party text editor (except for LibreOffice Writer), in MyOffice Text web or mobile application, in MyOffice Text desktop editor earlier than 2.7 version.
- Comments in the header and footer section (see Section 4.10.2) in .odt and .xodt file formats only. When you save a document in .docx format, comments in the header and footer section are automatically deleted.
- When you close a document, comments to tables for which text wrapping is set are not saved (see Section 4.4.10.2).

Comments and discussion threads are displayed on the Review pane.




Figure 313. Comment and reply to it

4.12.2.1 Comment display mode

By default, all comments in the document are displayed. Changing the display mode for the comments is performed in the same way as changing the tracking changes mode (see Section 4.12.1.5).

4.12.2.2 Add a comment

To add a comment, follow the steps below:

1. Place the cursor where you want to add a comment or select a text you want to comment on.
2. Switch to the comment mode in one of the following ways:
 - In the **Insert** menu, select **Comment** (see Figure 314).




Figure 314. Insert menu

- On the Toolbar, select the **Insert** section and click  **Comment** (see Figure 315).





Figure 315. Comment button

- On the Toolbar, select the **Insert** section and click the **...** button (see Figure 316).
In the displayed insert pane, place the cursor to the  **Comment** button.





Figure 316. Insert pane

- Right-click the selected text and select the **Comment** from the context menu.
3. Enter the desired text in the comment field (see Figure 317).
 4. If you want to cancel entering a comment, press **Esc**. If you want to save the comment, perform one of the following actions:
 - In the comment field, click **Save**.
 - Click anywhere in the document.
 - Press **Ctrl+Enter** / **⌘Cmd+Enter**.



Figure 317. Add a comment





Long comments are displayed in abbreviated form in the Review pane. To view the full text of a comment, click to select it.

4.12.2.3 Reply to a comment

The responses to the comment are displayed in chronological order. You can only reply to a comment, adding an answer to an answer is not allowed.

To reply to a comment, do the following:

1. Select the comment to which you want to answer in one of the following ways:
 - Click the comment or any other reply to the comment.
 - Go to the comment using the  **Next Change or Comment** and  **Previous Change or Comment** on the Toolbar, in the **Review** section (see Figure 318).
 - If the cursor is set in the Review pane, navigate to the comment using the keyboard keys ↓ and ↑.




Figure 318. Buttons to move between comments

2. In the comment response field, enter the text you want to (see Figure 319).
3. If you want to cancel entering an answer, press the **Esc** key. If you want to save your answer, do one of the following:
 - Click **Save** in the reply field.
 - Left-click anywhere in the document.
 - Press **Ctrl+Enter** / **⌘Cmd+Enter**.




Figure 319. Comment reply field

MyOffice

If, while collaborating on a document (see Section 4.13), another user deletes a comment to which a reply is added, or deletes text to which a comment refers, the entire thread is deleted and the pop-up message “Comment or text fragment deleted” is displayed.

Blank replies are automatically deleted.

Long comments and responses are displayed in the Review pane in abbreviated form (see Figure 320). To display the full text of a comment and all replies to it, click the comment or any of the replies.

If a thread contains more than two replies, it is automatically collapsed and only the first and last replies are displayed in the Review pane. To expand the conversation, click the **Show n more replies** separator.






Figure 320. Thread



If the thread becomes longer than the page height when unfolded, the Review pane displays buttons to navigate to the beginning and end of the thread to go to the beginning and end of the thread:



To collapse the thread, do one of the following:


- Click anywhere in the document outside of the thread.
- Click another comment or thread.
- Navigate to another comment or thread using the  **Next Change or Comment** and  **Previous Change or Comment** buttons on the Toolbar in the **Review** section (see Figure 318).
- Move to another comment or thread using the keyboard keys: ↓ and ↑.

4.12.2.4 Move between comments or threads

To quickly move between comments and threads, use the  **Next Change or Comment** and  **Previous Change or Comment** buttons, which are located on the Toolbar, in the **Review** section (see Figure 322).

4.12.2.5 Edit a comment or thread

To edit a comment or thread, use the following techniques:

1. Select the comment or reply in one of the following ways:
 - Place the cursor on the comment field. In the upper right corner, click the  **Edit** (see Figure 321).




Figure 321. Comment area

- Select the comment or thread by double-clicking it.
2. Change the comment or thread.
3. If you want to cancel the changes, press **Esc**. If you want to save the changes, do one of the following:
 - In the comment or thread field, click **Save** (see Figure 322).
 - Click anywhere in the document.
 - Press **Ctrl+Enter** / **⌘Cmd+Enter**.




Figure 322. Comment field

If, while collaborating on a document, another user deletes a comment to which a reply is being edited, or deletes text to which a comment refers, the entire thread is deleted and the pop-up message “Comment or text fragment deleted” is displayed.

Blank comments and replies are automatically deleted.

4.12.2.6 Copy, cut, and insert comments or threads

You can copy comments and threads within one document or between MyOffice Text documents.

To copy a comment or thread, select the whole commented text or the element to which they refer. If you cut or copy a part of text, the comment or thread is not cut or copied.

Copying and pasting the commented text is performed in standard ways (see Section 4.9.2).

4.12.2.7 Delete a comment or reply

The comment is deleted along with the replies to it.

To quickly delete a comment, hover over it and click **Delete** in the upper right corner of the comment (see Figure 323).




Figure 323. Delete button

To delete a comment, you can also do the following:

1. Select a comment in one of the following ways:
 - Click the comment or any reply to a comment.
 - Navigate to the comment using the **Next Change or Comment** and **Previous Change or Comment** buttons on the Toolbar under Review (see Figure 324).




Figure 324. Buttons to move between comments

- With the cursor positioned in the Review pane, navigate to the comment using the keyboard keys \downarrow and \uparrow .
2. Delete the comment in one of the following ways:
 - On the Toolbar, select the **Review** section and click **Delete Comment** (see Figure 325).
 - On the Toolbar, select the **Review** section and click the arrow to the right of the **Delete Comment** button. Select **Delete Comment**.




Figure 325. Delete a comment

- In the top right corner, click **Delete**.

To delete a comment, you can also switch to the editing mode as described in Section 4.12.2.5, delete the text of the comment entirely, and then click **Save** or click anywhere in the document.






Figure 326. Delete a comment

To delete all comments in a document, do the following:

1. On the Toolbar, select the **Review** section and click the arrow next to the **Delete Comment** button.
2. In the drop-down list, select **Delete All Comments**.

To delete a reply, do the following:

1. Hover your mouse over an answer or select an answer thread using one of the following methods:
 - Click with the mouse anywhere in the thread.
 - Navigate to the thread using the  **Next Change or Comment** and  **Previous Change or Comment** buttons on the Toolbar in the Review section (see Figure 324).





Figure 327. Buttons to move between comments

- With the cursor positioned in the Review pane, navigate to the thread using the keyboard keys ↓ and ↑.
2. In the top right corner of the desired reply, click  **Delete** (see Figure 328).




Figure 328. Delete a reply

4.12.3 Filter changes and comments

Using filtering, in a document with a large number of changes and comments from different reviewers, you can customize the display of:

- Edits (changes and/or comments) from the selected reviewers.
- Edits by type:
 - Changes: adding, deleting and/or formatting data.
 - Comments.

4.12.3.1 Filter changes and comments

To open the Filter Changes and Comments window, do one of the following:

- In the **Tools** menu, select **Display Changes and Comments** > **Filter Changes and Comments** (see Figure 329).





Figure 329. Filter changes and comments command menu option

- On the Toolbar, in the **Review** section, click  **Filter Changes and Comments** (see Figure 330).





Figure 330. Review toolbar section

- On the Toolbar, in the **Review** section, click the arrow to the right of the  **Filter Changes and Comments** button and select **Filter Changes and Comments** from the drop-down list (see Figure 330).



When you work in the Cloud (see Section 4.13), the **Filter Changes and Comments** window does not dynamically update data on changes in reviewer composition and number of changes/comments.

To select one or more reviewers whose comments and/or changes should be displayed in the document, follow the steps below:

1. In the **Filter Changes and Comments** window (see Figure 331), clear the **Select All** checkbox.
2. Select the checkboxes of the required reviewers.
3. If the list contains a large number of reviewers, use the search bar:
 - Enter part of the name or the full name of the reviewer in the search bar.
 - In the search results, check the box for that reviewer.
 - Repeat if necessary to find and check other reviewers.




Figure 331. Filter changes and comments window

By default, the document will display all comments and changes from the selected reviewers as the following checkboxes are selected in the **Filter Changes and Comments** window:

- **Comments:** Display all comments from selected reviewers.
- **Changes:** Display the following changes of selected reviewers:
 - **Added:** Display data added to the document text.
 - **Removed:** Display data deleted from the document text.
 - **Formatted:** Display data for which the formatting has changed.

If necessary, clear the check boxes for comments and/or changes that do not need to be displayed in the document and click **OK**.

The document will display a banner with the message: “*Changes and comments filtered. Changes: n of N. Comments: m of M*” (see Figure 332), where: **n** and **m** are the number of comments and changes currently displayed in the document, and **N** and **M** are the total number of comments and changes in the document. To hide the banner, click **Close** in it.




Figure 332. Banner

When the document is set to filter comments and changes:

- The **Accept All Changes** and **Reject All Changes** options (see Section 4.12.1.4) apply only to the changes visible after filtering.
- The **Delete All Comments** option (see Section 4.12.2.6) applies only to comments visible after filtering.

4.12.3.2 Keyboard shortcuts for working in the filter window

The Table 13 lists the keyboard shortcuts that can be used to quickly move between the tools in the **Filter Changes and Comments** window.

Table 13. Keyboard shortcuts


Action	Windows / Linux keyboard shortcuts	macOS keyboard shortcuts
Move to the next window tool	Tab	
Go to the previous window tool	Shift+Tab	
Go to the next/previous item in the list of reviewers or edits	↓ and ↑	
If an item in the reviewer list or an item in the revision list is selected, go to the first item in this list	Home	Fn+↑
If an item in the reviewer list or an item in the revision list is selected, go to the last item in this list	End	Fn+↓
Click OK or Cancel if it is selected	Space	
Click OK	Enter	
Close the filter window	Esc	

4.12.3.3 Change filtering parameters

To change the filtering settings:

1. Open the **Filter Changes and Comments** window using one of the methods described above.
2. Change the filtering parameters as described above.
3. Click **OK**.

4.12.3.4 Cancel filtering

To return to displaying changes and comments from all reviewers, in the Toolbar, in the **Review** section, click the arrow to the right of the  **Filter Changes and Comments** button and select **Clear Filter** from the drop-down list (see Figure 333).




Figure 333. Review toolbar section

4.12.4 Audio comments

In the current version, listening to audio comments added using the MyOffice Documents mobile application is available.

To play an audio comment, click **Audio comment** in the Review pane (see Figure 334).




Figure 334. Audio comment

The button is converted to the player and the recording starts playing back (see Figure 335).

When editing a document, the playback of the audio comment is not interrupted. If you want to stop the playback, click **Pause** in the Review pane or on the Status bar.




Figure 335. Listen to an audio comment

To resume playback, click **Play**.

To forward or backward the recording, click the desired mark on the playback scale in the Review pane.

Audio comments can be cut, copied, pasted and deleted similarly to text comments (see Section 4.12.2.6 and 4.12.2.7).

4.12.5 Compare documents

MyOffice Text allows you to compare different versions of the same text file.

The **Compare with (beta)** feature is supported for the following file formats: .docx, .odt, .xodt.

The following changes made to a document are available for comparison:

- Added and deleted text fragments.
- Added, deleted, and edited tables.

The following items are not available for comparison:

- Table of contents
- Header and footer content
- Images
- Footnotes
- Text and audio comments
- Page breaks and section breaks
- Text and paragraph formatting

These elements and properties are transferred from the compared copy of the document to the comparison file without changes.

To compare documents, follow the steps below:

3. Open the document you want to compare with the original one.
4. Specify the original document. In the Command menu, click **Tools** and select **Compare with (beta)** (see Figure 336). In the window that opens, select the desired file.




Figure 336. Compare with command menu option

MyOffice

A document with comparison results will be formed in the new application window (see Figure 337). It contains:

- Added and deleted text fragments displaying in the tracking changes mode (see Section 4.12.1).
- Each table whose content or structure is changed displaying as two tables: one deleted (highlighted in red) and another one added (highlighted in green).
- Added tables highlighted in green.
- Deleted tables highlighted in red.

Chapter 1. The Solar system in which we live is home to eight planets including Earth. The number was reduced ~~from nine~~ when Pluto was reclassified as a dwarf planet in 2006. For more information, see Table 1.

Planet	Distance, m/n miles
Mercury	40
Venus	67
Earth	92
Mars	129

Planet	Distance, m/n miles
Mercury	67
Venus	25
Earth	31
Mars	34

Deleted * from nine*

Added * For more information, see Table 1.*

Figure 337. Text comparison result

Working with a document that contains comparison results is similar to a regular document.

4.13 The Cloud



The Cloud and collaborative editing functions are available with the MyOffice Professional / MyOffice Private Cloud server part.

In MyOffice Text, you can work in the Cloud and take advantage of the following features:

- Collaborate on .xodt files and track changes in real time.
- Download, upload, and save the following file types:
 - Archives
 - Texts
 - Spreadsheets
 - PDF files
 - Presentations
 - Templates
 - Images
 - Audio and video files.

To start working in the Cloud, you need to log in (see Section 4.13.1).

In the Cloud, you can access the following folders (see Figure 338):




Figure 338. The Cloud

1. **My Documents:** Files and folders created (see Section 4.13.4) or uploaded (see Section 4.13.5) by the user.
2. **Shared:** Files and folders to which the user has been granted the access (see Section 4.13.9).
3. **Common folders:** Folders and files shared by one/few groups or all employees of the company.
4. **Flagged:** Files and folders marked by the user as important.



A folder or file can be flagged only using MyOffice Documents web application.

5. **Recent Files:** A list of recent documents that the user opened from the Cloud (see Section 4.13.2).
6. **Trash: Files deleted by the user** (see Section 4.13.7).

MyOffice

If several users simultaneously collaborate on a .xodt file in the Cloud, the avatars of collaborators will be displayed on the Sidebar (see Figure 339). You can display a tooltip with user's name by mousing over the user's avatar.

Changes made to the document are displayed in real time.




Figure 339. Collaboration

4.13.1 Enter the Cloud

To log in to your Cloud account, follow the steps below:

1. In the **File** menu, select **Cloud Actions** and then **Log In to Cloud** (see Figure 340).





Figure 340. File menu

2. In the opened **Log in to Cloud** window (see Figure 341), enter your login credentials:



The screenshot shows a dialog box titled "Log in to Cloud" with a close button in the top right corner. The main heading inside is "MyOffice Private Cloud". Below this, there are three input fields: "Login:" containing the placeholder text "name.surname@domain.com", "Password:" with a toggle icon on the right, and "Server:". At the bottom of the dialog, there are two buttons: "Log In" and "Cancel".

Figure 341. Log in to Cloud window

- In the **Login** box, enter the email address that you used when registering with MyOffice.
 - In the **Password** box, enter the password that you used when registering with MyOffice.
 - The **Server** box will be filled in automatically with your company's server parameters.
3. Click **Log In** to enter your account.

When you reopen the application, you'll be logged in automatically if your login credentials are valid and the authentication server is reachable.

4.13.2 Open a file

Once logged in, you can open and edit xodt files from your company's Cloud.

To open a file from the Cloud, do the following:

1. In the **File** menu, select **Open in Cloud** (see Figure 342) or press **Ctrl+Shift+O** / **⇧ Shift+⌘ Cmd+O**.




Figure 342. File menu

2. In the opened file manager window (see Figure 343), select the section on the left containing the file you want to open.
3. Select the file.



If the **Author** or **Owner** of the selected file is deleted from the system by the administrator, the **(inactive)** mark is displayed to the right of their name. Deleting a user does not affect the access levels to the document which the user has granted to other users previously (see Section 4.13.9.1).

4. Click **OK**.

The file will open in a new window.




Figure 343. File manager of the Cloud

If you want to open a file created by other users, you'll see **View**, **Edit** or **Manage** sharing settings set by the author in the Status bar (see Section 4.13.9). You'll see the example of the sharing section in Figure 344.




Figure 344. Access level

MyOffice

In viewing mode, you cannot make changes to the document or change its formatting. If necessary, you can create an editable copy of this document. To do this, click **Edit a Cloud Copy** on the Toolbar (see Figure 345).




Figure 345. Edit a Cloud Copy button

A copy of the document is created in the folder of the Cloud storage. It is automatically assigned the name **Copy - <original name (n)>**, where **(n)** is the copy number. When a copy is created, the original document is automatically closed, and a copy of the document is opened.

In the **View** mode, you are not allowed to modify the document or change its formatting.

In the **View** and **Manage** mode, you can access the document without restrictions. All changes will be automatically saved into the Cloud.



You cannot track or view changes in the **View**, **Edit** and **Manage** modes (see Section 4.12.1). The tracking changes mode is available only for the author of the document.

If you do not perform any actions on a document for a long time, the session is automatically terminated. A dialog box is displayed, which you can use to start a new session with this document or select another document to work with. If you want to close the document, click the **×** button in the dialog box.




Figure 346. Dialog box

4.13.3 Create a local copy

To avoid losing data when working in the Cloud in MyOffice Text, you can create a local copy of your file.

If an error occurs while working with a file located in the Cloud (for example, the connection to the server is interrupted), a dialog box is displayed, which allows you to save a local copy of the file (for an example, see Figure 347).

Click **Create local copy** in this dialog box.




Figure 347. Dialog box

In the file manager window that opens, specify the folder in which to save the file, file name and type, and click **Save**.

A local copy of the file can also be created manually at any time.

To do this, do the following:

1. In the **File** menu, select **Create Local Copy** (see Figure 348).
2. In the file manager window that opens, specify the folder in which to save the file, file name and type.
3. Click **Save**.

4.13.4 Create a file or folder

You can create files or folders directly from MyOffice Text.

To create a file or folder, follow these steps:

1. In the **File** menu, select **Open in Cloud** (see Figure 348). Or press **Ctrl+Shift+O** / **⇧ Shift+⌘ Cmd+O**.




Figure 348. File command menu

2. In the file manager of the Cloud (see Figure 349), select the section where you want to create a file or folder.



You can create files or folders in the **My documents** or in the shared folders available for editing.

3. To create a folder, click **New Folder**. To create a file, click **New File**.




Figure 349. Cloud storage explorer

4. In the opened window (see Figure 350), enter the name of a file or folder and click **OK**.




Figure 350. New file in Cloud window

File or folder name should meet the following requirements:

1. Up to 255 characters
2. Can contain (~), (^), (!), (@), (#), (\$), (%), (^), (&), (,), (), (+), (-), (=), ({ }), ([]), (;), ('), (.), (.)
3. Cannot begin with a dot (.).

The new file or folder will be displayed in the selected folder.

The new files are always created in the .xodt format.

To exit the file manager, click **OK**.

4.13.5 Upload a file

You can upload individual text, audio, video, and other files, or multiple files to the Cloud. Folder upload is not supported.



The maximum allowable file download size is configured on the server. If an error occurs due to a file size being exceeded, contact your system administrator.

To upload a file or a group of files to the Cloud, do the following:

1. In the **File** menu, select **Cloud Actions** and then **File Upload** (see Figure 351).




Figure 351. File menu

2. In the opened file manager window, select the files you want to add to the Cloud.
3. Click **Upload**.

MyOffice

You can continue working in the Cloud while uploading the files and minimize the upload window, if needed (see Figure 352).




Figure 352. File upload

By default, the files are uploaded to the root folder of **My Documents** cloud storage.

To see all files stored in the Cloud, use the download function. For more details, see Section 4.13.6.

4.13.6 Download a file or folder

You can download files and folders from the Cloud to your computer.

Follow these steps:

1. In the **File** menu, select **Cloud Actions** and then **Download** (see Figure 351).
2. In the file manager window (see Figure 353), select the section to the left containing the file or folder you want to download. The contents of the section will be displayed on the right side.




Figure 353. File manager

3. You can filter file types. Expand the **All Files** drop-down list and select the file type you want to display in the section.
4. Select a file or folder that you want to download from the Cloud.
5. In the **Path** box, specify the folder in which you want to save the selected file or folder.
6. If you want to open the file upon download, check the **Open upon completion** box.
7. Click **OK**.



If the folder path entered in the **Path** box is incorrect, the **OK** button will be inactive.

If you select a folder, it will be downloaded as a ZIP archive. Unpack it using file archiving software.

4.13.7 Delete a file

Files in the Cloud can be deleted by their authors or owners.

Author: The user who created the file.

Owner: The author of the folder containing the file.

If you as the author of a file created it in your folder, you are also the owner of this file. But if you have created a file in a folder created by another user, this user becomes the owner of the file.

To delete a file from the Cloud:

1. In the **File** menu, select **Open in Cloud** and then **Download**. Alternatively, in the **File** menu, select **Cloud Actions** and then **Download** (see Figure 351).
2. In the file manager of the Cloud, right-click the file and select **Delete** (see Figure 354).




Figure 354. Delete command

Once deleted, the file will be moved to the **Trash** folder.



If the file is stored in a folder created by another user, it will be moved to the **Trash** folder of the folder's owner and will not be displayed in the **Trash** folder of the file author.

If needed, you can restore files from the **Trash** folder (see Section 4.13.8) or delete them permanently.

To permanently delete a file from the Cloud, do the following:

1. In the file manager of the Cloud, select the **Trash** folder (see Figure 355).
2. Right-click the file you want to delete and select **Delete Permanently**.




Figure 355. Delete a file from the Trash

4.13.8 Restore a file or folder

To restore a file or folder from the **Trash** folder, do the following:

1. Open the **Trash** folder (see Figure 355).
2. Right-click the folder or file and select **Restore**.

If the **Trash** folder contains a folder, you can restore it entirely or select individual files from this folder. In either case files will be restored to their original location.

4.13.9 Shared access to files

4.13.9.1 Provide shared access to files

You can collaborate on .xodt files created in the Cloud. The access is provided for collaborative viewing, editing and/or managing file access rights.

To share access to a file, do the following:

1. Open the file in the Cloud (see Section 4.13.2).
2. In the **Share** menu, select **Sharing Settings** (see Figure 356).





Figure 356. Share menu

3. In the opened window (see Figure 357), specify the users you want to share the file with in one of the following methods:
 - Enter the name and email address of each user manually.
 - Click  **Choose contacts** and select the users one by one.




Figure 357. Share menu

4. To the right of the address book, specify the access level for the selected users (see Figure 358):
- **View:** Users can view the document, the comments to the document, and download the document.
 - **Edit:** Users are entitled to **View** the document and have the possibility to edit the document.
 - **Manage:** Users are entitled to **View** and **Edit** the document and to manage the access right settings, such as providing the access rights to the new users and change the access rights of the existing users.
 - **Access Denied:** Block the user access the document.




Figure 358. Share menu

5. If you want to notify all users about changes in the file sharing settings, check the **Notify by email** box.

You can't use the **Notify by email** option if:

- The email address is invalid.
- File sharing settings have been changed.
- Access to file is denied.
- Access rights are provided to a group but not to individual users.

6. Click **Add** (see Figure 359) to add the selected contacts to the list of users who have access to the file (see Figure 318).




Figure 359. Add button

7. Click **Done** to close the sharing window.




Figure 360. List of users

4.13.9.2 Change the access permission level

A user with the **Can Manage** access permission can change access levels for users other than the **Owner**.



If the **Owner** has been removed from the system by the administrator, the **(inactive)** mark is displayed to the right of its name.

To do this, do the following:

1. Open the file in the Cloud (see Section 4.13.2).
2. In the Command menu, select **Share > Sharing Settings** (see Figure 361).




Figure 361. Share menu

3. In the window that opens (see Figure 362), specify the required access level for individual users. The access level is specified using the drop-down lists next to their names.
4. Click **Close**.




Figure 362. Change access permission level

4.13.9.3 Revoke file access permission

A user with the **Can Manage** access permission can remove access rights from users other than the **Owner**.



If the **Owner** has been removed from the system by the administrator, the **(inactive)** mark is displayed to the right of its name.

To do this, do the following:

1. Open the file in the Cloud (see Section 4.13.2).
2. In the Command menu, select **Share > Sharing Settings** (see Figure 361).
3. In the opened window (see Figure 362), click **✕ Revoke Permission** next to the names of the users you want to revoke the permissions from.
4. Click **Close**.

4.13.10 Revoke access to files

Users of the Cloud can share files with other users (see Section 4.13.9).

Once access to a file is provided, it will be displayed under the **Shared** section of the Cloud.

If you don't want to have access to a file, the file will be deleted from the list.

To revoke your own access to a file, follow these steps:

1. On the **File** menu, select **Open in Cloud** (see Figure 363).




Figure 363. File menu

2. In the file manager of the Cloud, select **Shared** (see Figure 364).




Figure 364. Revoke access

MyOffice

Revoke your own access by using one of the following methods:

- Right-click the file to select it and choose **Revoke Access**.
- Left-click the file and press **Delete**.

In the **Revoke Access** pop-up window, click **OK** (see Figure 365).




Figure 365. Revoke Access window

4.13.11 Log out from the Cloud

Don't forget to close all the files opened in the Cloud before leaving the Cloud.

To log out from the Cloud, do the following:

1. In the **File** menu, select **Cloud Actions** and then **Log Out of Cloud** (see Section 4.13.1).




Figure 366. File menu

2. In the **Log out of Cloud** window (see Figure 367), select **Log Out**.




Figure 367. Log out of Cloud window

4.14 Automation tools

4.14.1 Macros

A macro is a set of actions that automate repeated or time-consuming tasks in a text document. MyOffice Text macros are written in Lua programming language.



Saving macros is only available within the current document. If you want to use similar macros in another document, create them directly in the other document.

For a detailed description of working with macros, please refer to the *Lua Programming Language Macros Guide* document.

4.14.1.1 Create a macro

To create a macro, follow these steps:

1. Add a new macro using one of the following methods:
 - In the **Tools** menu, select **Macro Editor** (see Figure 368). In the **Macro Editor** window, click **+** (see Figure 369).




Figure 368. Macro Editor command menu option




Figure 369. Macro Editor

2. If there is at least one macro in the document, click **Macros** on the Sidebar (see Figure 370). In the Macros pane, click **New Macro**.




Figure 370. Macro pane

3. In the **Macro Editor** window, enter a macro name or leave the default name (see Figure 371). To save the name, press **Enter** or click anywhere in the **Macro Editor**.



Figure 371. Entering macro name

4. Enter the code of the macro (see Figure 372).





Figure 372. Entering macro code

The new macro will be saved automatically.

When you add the first macro to your document, the  **Macros** button appears on the Sidebar (see Figure 373). This button is displayed as long as there is at least one macro in the document.




Figure 373. Macros button

Click  **Macros** to open Macros pane (see Figure 374).






Figure 374. Macro pane

To close the Macros pane, click the → button at the top of the pane, or click  **Macros** on the Sidebar again.

4.14.1.2 Find a macro

If your document contains a large number of macros, follow the steps below to quickly find the required macro:

1. On the Sidebar, click  **Macros** (see Figure 375).
2. In the **Macros** pane, enter a part of the name or the whole name of the required macro in the search bar.

The list of macros will display macros whose names match the specified search results.




Figure 375. Macro search

4.14.1.3 Run a macro

You can run a macro using the **Macro Editor** or the Macro pane. You can also create buttons in the **Favorites** section of the Toolbar to quickly run frequently used macros (see Section 3.3.4.3).

To run a macro using the **Macro Editor**, follow the steps below:

1. In the **Tools** menu, select **Macro Editor** (see Figure 376).




Figure 376. Macro Editor command menu option

2. In the **Macro Editor** window, select the desired macro from the list (see Figure 377).
3. Click **Run**.




Figure 377. Run button

Information about the macro run result will be displayed in the **Output** area (see Figure 378).






Figure 378. Macro run result

To run a macro using the Macros pane, follow the steps below:

1. On the Sidebar, click  **Macros** (see Figure 379).
2. Run a macro in one of the following ways:
 - In the Macros pane, hover the mouse cursor over the name of the macro and click  **Run**.




Figure 379. Run button

- Double-click to select the macro line.

4.14.1.4 Edit a macro

To edit a macro, follow these steps:

1. Select a macro in one of the following ways:
 - In the **Tools** menu, select **Macro Editor** (see Figure 380). In the **Macro Editor** window, select the desired macro in the list (see Figure 382).






Figure 380. Macro Editor command menu option

- On the Sidebar, click  **Macros** (see Figure 381). In the Macros pane, hover the mouse cursor over the name of the required macro and click  **More**. In the drop-down list, select **Edit**.




Figure 381. Macro pane

2. In the **Macro Editor** window, make the necessary changes to the macro code (see Figure 382).






Figure 382. Macro Editor

Changes to the macro code are saved automatically.

4.14.1.5 Debug a macro

Before you run the macro debugger, set the debugger breakpoints in the macro code.

To do this, proceed as follows:

1. Select the required macro in one of the following ways:
 - In the **Tools** menu, select **Macro Editor** (see Figure 380). In the **Macro Editor** window, select the desired macro in the list (see Figure 382).
 - On the Sidebar, click  **Macros** (see Figure 381). In the Macros pane, hover the mouse cursor over the name of the required macro and click  **More**. In the drop-down list, select **Edit**.
2. Set the first debugger breakpoint. To do this, click to the right of the line number where you want to toggle a breakpoint. The breakpoint will be marked with the  icon.
3. Toggle other breakpoints by repeating these actions.

To delete a breakpoint, click it with the mouse.





Figure 383. Breakpoint

To debug a macro, follow the steps below:

1. Click  **Eyedropper** (see Figure 384). The macro debugging process will start. If the macro code contains breakpoints, the debugging process will stop at the line that contains the first breakpoint. If there are no breakpoints, the debugging process will stop at the first line of the macro.




Figure 384. Debug button

2. To control the debugging steps, use the following buttons (see Figure 385):
 - ➔ **Step Into:** Perform one debugging step or step into the body of the function, if there is one in the current debugging position.
 - ↻ **Step Over:** Perform one debugging step without stepping into the body of the function.

➡ **Step Out:** Continue running the macro until leaving the function where the debugger is at the current position.

During debugging, the following areas are displayed in the **Macro Editor** window:

- **In progress:** This area will display messages while debugging.
- **Calls Stack:** The calls stack area.
- **Variables:** This area displays the values of local and global variables available at the current step of macro running. If the displayed variable is a table or an array, you can view its detailed contents by clicking ► to the left of the variable name.




Figure 385. Debug a macro

Debugging is terminated when the end of the macro is reached.

To interrupt the debugging process, click **Stop Macro**.

4.14.1.6 Delete a macro

To delete a macro, follow these steps:

1. Select a macro in one of the following ways:
 - In the **Tools** menu, select **Macro Editor** (see Figure 386). In the **Macro Editor** window, select the desired macro in the list (see Figure 388).






Figure 386. Macro Editor command menu option

- On the Sidebar, click  **Macros** (see Figure 387). In the Macros pane, hover the mouse cursor over the name of the required macro and click  **More**. In the drop-down list, select **Edit**.




Figure 387. Macro pane

2. In the **Macro Editor** window, click — (see Figure 388).



Figure 388. Delete a macro

3. In the window that opens, confirm the deletion of the macro.

4.14.1.7 View VBA macro code

In MyOffice Text, you cannot run VBA macros created in Microsoft Word. But you can view the code of the VBA macros contained in the document and rewrite them in Lua language.



VBA macros saved in the current Microsoft Word document are available for viewing.

To view and rewrite the VBA macro code, follow these steps:

1. Open the .docm document.
2. Select the Lua macro with the name of the VBA module that contains the required VBA macro. For example, if the VBA macro **Macro1** is contained in the VBA module **Module1**, select the Lua macro **Module1**. To select a Lua macro, do one of the following:
 - In the **Tools** menu, select **Macro Editor** (see Figure 386). In the Macro Editor window (see Figure 389), select the required Lua macro.






Figure 389. Macro Editor

- On the Sidebar, click  **Macros** (see Figure 390). In the Macros pane, hover the mouse cursor over the name of the required Lua macro and click  **More**. In the drop-down list, select **Edit**.




Figure 390. Macro pane

3. The **Macro Editor** window will display the code of the VBA macros that are contained in the corresponding VBA module (see Figure 389). Rewrite the code of the required VBA macro in the Lua language.
4. Close the **Macro Editor** window.
5. Save the document in .docx format using the **Save As** command (see Section 4.1.9.1).

Changes made are not saved in the original .docm document.

4.14.2 Extensions

Extension modules (plugins) are typically created by third-party developers and are intended to add additional features to the text editor. Working with extensions is described in detail in the document *MyOffice Development Kit (SDK). Modules of Extensions for MyOffice Editors. Programmer's Guide*.

To use an extension, do the following:

1. Get an extension file with the *.mox extension from the developer.
2. Install the extension.
3. Run the extension using the Command menu of MyOffice Text.

4.14.2.1 Install an extension

The extension file can be located in any folder on your computer.

To select an extension file to install, follow these steps:

1. In the **Extensions** menu, select **Extension manager** (see Figure 391).




Figure 391. Extensions command menu

2. In the **Extension manager** window, click **Install** (see Figure 392) / **Install Extension** (see Figure 393).




Figure 392. View of the Manage Extensions window without installed extensions




Figure 393. View of the Manage Extensions window with installed extensions

3. In the file manager window, select the extension file.

The **Install Extension** window opens (see Figure 394).




Figure 394. Extension installation window

By default, MyOffice Spreadsheet only works with extensions signed with a valid certificate. Invalid extensions are blocked as they are potentially unsafe for the system.

If the selected extension is invalid, a corresponding message is displayed in the **Install Extension** window (see Figure 395). To view detailed information about the error or developer certificate, click **Show Details**. Click **Select Another** to select a different extension to install.




Figure 395. Blocking of invalid extension

If blocking of invalid extensions is disabled by the administrator, such extensions can be installed in the same way as valid extensions.



New Cloud Technologies Ltd. shall not be liable for any negative consequences resulting from the use of installed invalid or third-party extensions.

If the selected extension is valid, the **Install Extension** window displays the following message: *“This extension is ready to be installed. Do you want to continue?”* (see Figure 394). Click **Continue**.

In the **License Agreement** window (see Figure 396), please read the text of the License Agreement carefully. If you agree to the terms of use of the software as set forth in this document, click **Accept**.




Figure 396. License Agreement window

The **Extension manager** window will display the extension line (see Figure 397). To view detailed information about an installed extension, click **Details** in its line.

Upon successful installation, the “Installed” status is displayed in the extension line. To run the extension, follow the steps described in Section 4.14.2.2.




Figure 397. Extension line

4.14.2.2 Run an extension

After the extension has been successfully installed, a command to run the extension is added to the **Extensions** command menu section (see Figure 398).

To run the extension, in the **Extensions** menu, select **Extension Name** > **Command to run the extension**.




Figure 398. Command to run the extension

4.14.2.3 Automatic disabling of extensions

Invalid extensions are automatically disabled when you install an updated version of MyOffice desktop editors, each time you open MyOffice Text and MyOffice Spreadsheet, and within an hour after the certificate expires. You can enable such extensions manually only if the administrator has disabled the blocking of invalid extensions.

If a valid extension was disabled and is no longer valid during the current application session, when you try to enable it:

- The extension is not enabled.
- A dialog box opens with a detailed description of the reason why the extension cannot be enabled.
- The enable button is disabled.
- A brief description of the reason why the extension cannot be enabled is displayed in the extension line.



This version of the application does not validate enabled extensions when you run them (see Section 4.14.2.2).

The validity of the installed extensions is checked once per hour. The time of the last check can be seen at the bottom of the **Extension manager** window (see Figure 397).

MyOffice Text monitors the expiration dates of the certificates of installed extensions. 14 days before the expiration date, a banner will appear with a notification and information about the extension expiration. For more details, click **Extension manager** on the banner.

4.14.2.4 Enable or disable the extension

You can manually disable and enable the installed extensions.

If the extension is enabled, the command to run the extension is displayed in the **Extensions** command menu section (see Figure 398). If the extension is disabled, the command to run it is not displayed.

To disable or enable the extension, follow the steps below:

1. In the **Extensions** menu, select **Extension manager** (see Figure 398).
2. Disable or enable the extension in one of the following ways:
 - In the **Extension manager** window, in the extension line, click **Disable / Enable** (see Figure 399).




Figure 399. Disabling the extension

- In the **Extension manager** window, in the extension line, click **Details** (see Figure 399). In the **Extension manager** window that opens, click **Disable / Enable** (see Figure 400).




Figure 400. Disabling the extension

If the extension is disabled, the **(disabled)** label is displayed next to its name (see Figure 401).




Figure 401. Extension disabled

4.14.2.5 Update the extension version

To update the extension, follow these steps:

1. Place the file of the new version of the extension in any folder on your computer.
2. Install the new version (see Section 4.14.2.1).

If the update is successful, the “Updated” status will be displayed in the extension line (see Figure 402).




Figure 402. Extension updated

4.14.2.6 Remove an extension

To remove an extension, follow these steps:

1. In the **Extensions** menu, select **Extension manager** (see Figure 403).





Figure 403. Extensions command menu

2. Remove the extension in one of the following ways:
 - In the **Extension manager** window, in the required extension line, click the  button (see Figure 404).





Figure 404. Delete the extension

- In the **Extension manager** window, in the extension line, click **Details** (see Figure 404). In the **Extension manager** window that opens, click the  button (see Figure 405).




Figure 405. Delete the extension

3. In the dialog box with the message “*Are you sure you want to remove this extension?*”, click **OK** (see Figure 406).




Figure 406. Dialog box

The command to run the extension will be deleted from the **Extensions** command menu.

Extension modules are typically created by third-party developers and extend the functionality of the text editor.

To use an extension, do the following:

1. Get a .mox extension file from the developer.
2. Install the extension.

Run the extension using the **Extensions** menu of MyOffice Text.

4.15 Document protection

4.15.1 Password protection

You can password protect a .docx, .odt, or .xodt document that you want to restrict user access to. Users are prompted for a password when they open a document.



You cannot work with password-protected documents in the Cloud (see Section 4.13).

If a document is password-protected in a third-party application, it will be processed in the same way as a password-protected document in MyOffice Text.

4.15.1.1 Set a password

To protect a document with a password, do the following steps:

1. Open the document you want to protect with a password.
2. In the **File** menu, click **Set Password** (see Figure 407).





Figure 407. Set Password command menu option

3. In the **Set Password** window that appears (see Figure 408), enter the password and confirm it.



For security reasons, the password entered is displayed as markers. To display password characters, click the  button in the right end of the input box.

4. Click **OK**.




Figure 408. Set Password window

Once the data entered has been successfully verified, you will be notified correspondingly. Save the document to apply changes.

The next time the document is opened, you'll be asked to enter the password.

4.15.1.2 Change the password

To change the password, follow the steps below:

1. Open the document that you want to change the password for.
2. In the **File** menu, click **Manage Password** (see Figure 409).




Figure 409. Manage Password command menu option

3. In the **Manage Password** pop-up window that appears, click **Change Password** (see Figure 410).






Figure 410. Manage Password window

4. In the **Change Password** pop-up window that appears (see Figure 411), enter the current password, a new password, and confirm the new password.



For security reasons, the password entered is displayed as markers. To display password characters, click the  button in the right end of the input box.

5. Click **Done**.



The screenshot shows a 'Change Password' dialog box. At the top, there's a title bar with 'Change Password' and a close button. Below that is a large circular icon with a padlock and a 'C' inside. The main area contains three input fields: 'Current Password:', 'New Password:', and 'Confirm New Password:'. Each field has a small eye icon on the right side. At the bottom, there are two buttons: 'Back' and 'Done'.

Figure 411. Change Password window

Once the data entered has been successfully verified, you will be notified correspondingly. Save the document to apply changes.

4.15.1.3 Remove the password

To remove the password, follow the steps below:

1. Open the document that you want to remove the password from.
2. In the **File** menu, click **Manage Password** (see Figure 409).
3. In the **Manage Password** pop-up window that appears, click **Remove Password** (see Figure 410).
4. In the **Remove Password** pop-up window that appears (see Figure 412), enter the current password and click **Done**.





Figure 412. Remove Password window

Once the data entered has been successfully verified, you will be notified correspondingly. Save the document to apply changes.

4.15.1.4 Open a password-protected document

When you open a password-protected document, a window for entering the password will appear on the screen (see Figure 413). Enter the password and click **OK**.

If the password is correct, the document will open in MyOffice Text.

If you enter a wrong password, you'll get a "**The password is incorrect**" notification. Click the  button to display the password you've entered and check it carefully. Try again.

The number of attempts to enter a password for opening a document is not limited.




Figure 413. Password-protected document window

4.15.2 Protect content from changes

You can protect elements located in the main text or headers and footers from changes. You'll find the information about the elements that you can protect in Table 14.

Table 14. Content elements

Content	When locked, you can	When unlocked, you can
Text	Enter, edit, format, and delete text	–
Image	<ul style="list-style-type: none"> – Move an image – Resize an image – Delete an image 	–
Shape	<ul style="list-style-type: none"> – Move a shape – Resize a shape – Delete a shape 	Enter, edit, format, and delete text in shapes
Text in the shape	Enter, edit, format, and delete text in shapes	<ul style="list-style-type: none"> – Move a shape – Resize a shape – Delete a shape
Text in table cells	<ul style="list-style-type: none"> – Enter, edit, format, and delete text in the locked table cells – Resize and delete rows and columns containing the locked cells – Delete the table 	<ul style="list-style-type: none"> – Enter, edit, format, and delete text in other table cells – Resize and delete other rows and columns of the table – Insert rows and columns
Table	<ul style="list-style-type: none"> – Enter, edit, format, and delete text in the table – Insert, resize, and delete rows and columns – Delete the table 	–

4.15.2.1 To lock the content:

1. Select the part of the document you want to lock the content of:
 - To lock a single paragraph of text from change, place the cursor in it, select part of the paragraph, or select the entire paragraph. To lock multiple paragraphs so that they cannot be changed, select them entirely.
 - To lock an image or shape against changes, select it with the mouse by clicking it.
 - To lock the text in a shape against changes, double-click it and then select the desired text in the shape.
 - To lock the text in one or more cells of a table against changes, select these cells.
 - To lock a table against changes, select the entire table.
2. In the Command menu, click **Edit > Lock Content** (see Figure 414).





Figure 414. Edit command menu

The locked elements look as follows:

- The cursor color in the locked text is red.
- When you select a locked element, the frame around the element is red.
- When you place the cursor on the locked element marker, the cursor changes to .
- If you want to edit the locked text or element, you will see the following message:
"This part of the document is locked for changes. If you must edit it, unlock the content".

4.15.2.2 Unlock content

To unlock the content in the entire document, in the Command menu, select **Edit > Unlock** (see Figure 415).

To unlock the content partially:

1. Select the desired content.
2. In the Command menu, select **Edit > Unlock**.





Figure 415. Edit command menu

4.16 Links to educational resources

MyOffice Text application as part of the MyOffice Education package contains a link pane for quickly navigating to various educational resources (see Figure 416). The list of links in the Education pane is editable and configurable by the system administrator.

To open the **Education** pane, click  **Education** on the Sidebar. To follow a link from the list, click it with your mouse. The link will open in the default OS browser.




Figure 416. Education pane

APPENDIX 1. KEYBOARD SHORTCUTS

This Appendix contains the keyboard shortcuts used in Windows OS, Linux OS (see Table 15) and macOS (see Table 16).



On laptops, some keys are multifunctional. For example: **F1–F12**, **Home**, **End**, **PgUp**, **PgDn**. When pressing these keys in MyOffice Text, you need to hold down the **Fn** key at the same time.

Table 15. OS Windows and OS Linux shortcuts

Keyboard shortcuts	Command or action
<i>Edit the content</i>	
Ctrl+X Shift+Delete	Cut
Ctrl+C Ctrl+Insert	Copy
Ctrl+V Shift+Insert	Insert
Ctrl+S	Save
F12 (<i>Windows</i>) Ctrl+Shift+S (<i>Linux</i>)	Save as
Ctrl+Z Alt+Backspace	Cancel the last action
Ctrl+Y Ctrl+Shift+Z Shift+Alt+Backspace	Repeat the result of the canceled action
Ctrl+Alt+Shift+V (<i>Windows</i>) Win+V (<i>Linux</i>)	Open the clipboard history
Backspace	Delete one character to the left of the cursor
Delete	Delete one character to the right of the cursor
Ctrl+Backspace	Delete part of a word, word or object to the left of the cursor
Ctrl+Delete	Delete part of a word, word or object to the right of the cursor
Enter	Begin a new paragraph
Ctrl+Shift+Space	Insert a non-breaking space
Ctrl+Shift+ –	Insert a non-breaking hyphen
Ctrl+Num –	Insert an en dash
Ctrl+Alt+Num –	Insert an em dash

Keyboard shortcuts	Command or action
Shift+Enter	Insert a line break
Ctrl+Enter	Insert page break (if the cursor is located in the text of the document). Save comment or reply to comment (if the cursor is in the Review pane)
<i>Content formatting</i>	
Ctrl+B	Bold
Ctrl+I	Italic
Ctrl+U	Underline
Ctrl+Shift+=	Superscript
Ctrl+=	Subscript
Ctrl+Shift+A	All caps
Ctrl+Shift+C	Copy formatting
Ctrl+Shift+V	Apply formatting
Ctrl+Space	Clear formatting
Ctrl+L	Align text to the left
Ctrl+E	Center the text
Ctrl+R	Align text to the right
Ctrl+J	Justify the text
<i>Select the content</i>	
Ctrl+A	Select all the content of the document
Shift+Left Arrow	Select one character to the left of the cursor
Shift+Right Arrow	Select one character to the right of the cursor
Ctrl+Shift+Left Arrow	Select one word to the left of the cursor
Ctrl+Shift+Right Arrow	Select one word to the right of the cursor
Shift+Home	Select the content from the cursor to the beginning of the line
Shift+End	Select the content from the cursor to the end of the line
Ctrl+Shift+Arrow Up	Extend the selection to the beginning of the paragraph
Ctrl+Shift+Arrow Down	Extend the selection to the end of the paragraph
Shift+Arrow Up	Expand selection by one row/cell upwards
Shift+Arrow Down	Expand selection by one row/cell downwards
Double-click the left mouse button	Select a word
Triple-click the left mouse button	Select a paragraph
Click the left mouse button and move the cursor upwards	Select the text upwards
Click the left mouse button and move the cursor downwards	Select the text downwards

Keyboard shortcuts	Command or action
<i>Move within the document</i>	
Left Arrow	Move one character to the left
Right Arrow	Move one character to the right
Ctrl+Left Arrow	Move one word to the left
Ctrl+Right Arrow	Move one word to the right
Arrow Up	Move one line up
Arrow Down	Move one line down
Ctrl+Arrow Up	Go to the beginning of the previous paragraph
Ctrl+Arrow Down	Go to the beginning of the next paragraph
Page Up	One screen up
Page Down	One screen down
Ctrl+End	Go to the end of the document
Ctrl+Home	Go to the beginning of the document
<i>Work with tables</i>	
F2	Switch to cell editing mode
Tab or Right Arrow	Select the next cell in the table
Left Arrow	Select the previous cell in the table
Home	Select the cell at the beginning of the row
End	Select the cell at the end of the row
Arrow Up	Select the cell upwards
Arrow Down	Select the cell downwards
Alt+A	Select a row upwards
Alt+B	Select a row downwards
Alt+L	Insert a column to the left
Alt+R	Insert a column to the right
Ctrl+Alt+M	Merge cells
Alt+Shift+M	Split cell
Ctrl+Alt+R Ctrl+-	Delete a row
Ctrl+Alt+U Ctrl+-	Delete a column
Alt+Shift+M Ctrl+-	Delete a table

<i>Other keyboard shortcuts</i>	
Ctrl+N	Create a file
Ctrl+O	Open a file
Ctrl+Shift+O	Open a file in the Cloud
Ctrl+Shift+P	Open the page parameters setup page
Alt+P	Open the header/footer settings pane on the Page Numbers tab
Ctrl+P	Open the print preview and printing page
Ctrl+0 (zero)	Set the actual page scale (100%)
Ctrl+Shift+R	Hide or display rulers
Ctrl+Alt+F	Insert a regular footnote
Ctrl+Alt+E	Insert an endnote
Ctrl+K	Insert a link
Ctrl+Shift+V	Insert a link from the clipboard
Ctrl+F Ctrl+H	Open the search pane
Ctrl+ /	Open the Quick action box
F1	Open the Help
Alt+Space	Open the context menu of the active application window
Alt+F4	Close the active application window
Click the left mouse button	Set the cursor in the document
Click the right mouse button	Open the context menu of the selected element

Table 16. Keyboard shortcuts in macOS

Keyboard shortcuts	Command or action
<i>Edit the content</i>	
⌘ X	Cut
⌘ C	Copy
⌘ V	Insert
⌘ S	Save
⇧ Shift + ⌘ S	Save as
⌘ Z	Cancel the last action
⌘ Y	Repeat the result of the canceled action
⌘ Option + ⇧ Shift + ⌘ V	Open the clipboard history
Delete	Delete one character to the left of the cursor
Fn + Delete	Delete one character to the right of the cursor
⌘ Delete ⌘ Option + Delete	Delete part of a word, word or object to the left of the cursor
⌘ Fn + Delete ⌘ Option + Fn + Delete	Delete part of a word, word or object to the right of the cursor
⌘ Enter	Begin a new paragraph
⌘ Option + ⇧ Shift + Space	Insert a non-breaking space
⌘ Shift + -	Insert a non-breaking hyphen
⌘ Option + -	Insert an en dash
⌘ Option + ⇧ Shift + -	Insert an em dash
⇧ Shift + ⌘ Enter	Insert a line break
⌘ Cmd + ⌘ Enter	Insert page break (If the cursor is located in the document text) Save comment or reply to comment (if the cursor is located in the Review pane)
<i>Format the content</i>	
⌘ B	Bold
⌘ I	Italic
⌘ U	Underline
⇧ Shift + ⌘ =	Superscript
⌘ =	Subscript
⇧ Shift + ⌘ A	All caps
⇧ Shift + ⌘ C	Copy formatting
⇧ Shift + ⌘ V	Apply formatting
^ Ctrl + \	Clear formatting
⌘ L	Align text to the left

Keyboard shortcuts	Command or action
⌘ Cmd + E	Center the text
⌘ Cmd + R	Align text to the right
⌘ Cmd + J	Justify the text
Select the content	
⌘ Cmd + A	Select all the content of the document
⇧ Shift + Left Arrow	Select one character to the left of the cursor
⇧ Shift + Right Arrow	Select one character to the right of the cursor
⇧ Shift + ⌘ Cmd + Left Arrow	Select one word to the left of the cursor
⇧ Shift + ⌘ Cmd + Right Arrow	Select one word to the right of the cursor
⌫ Fn + ⇧ Shift + Left Arrow	Select the content from the cursor to the beginning of the line
⌫ Fn + ⇧ Shift + Right Arrow	Select the content from the cursor to the end of the line
⇧ Shift + ^ Ctrl + ⌘ Cmd + Arrow Up	Extend the selection to the beginning of the paragraph
⇧ Shift + ^ Ctrl + ⌘ Cmd + Arrow Down	Extend the selection to the end of the paragraph
⇧ Shift + Arrow Up	Expand selection by one row/cell upwards
⇧ Shift + Arrow Down	Expand selection by one row/cell downwards
Double-click the left mouse button	Select a word
Triple-click the left mouse button	Select a paragraph
Click the left mouse button and move the cursor upwards	Select the text upwards
Click the left mouse button and move the cursor downwards	Select the text downwards
Move within the document	
Left Arrow	Move one character to the left
Right Arrow	Move one character to the right
⌘ Cmd + Left Arrow	Move one word to the left
⌘ Cmd + Right Arrow	Move one word to the right
Arrow Up	Move one line up
Arrow Down	Move one line down
⌘ Cmd + Up Arrow	Go to the beginning of the previous paragraph
⌘ Cmd + Down Arrow	Go to the beginning of the next paragraph
⌫ Fn + Up Arrow	One screen up
⌫ Fn + Down Arrow	One screen down
Work with tables	
⌫ Fn + F2	Switch to cell editing mode
Tab or Right Arrow	Select the next cell in the table

Keyboard shortcuts	Command or action
Left Arrow	Select the previous cell in the table
Fn + Left Arrow	Select the cell at the beginning of the row
Fn + Right Arrow	Select the cell at the end of the row
Arrow Up	Select the cell upwards
Arrow Down	Select the cell downwards
⌘ Option + A	Select a row upwards
⌘ Option + B	Select a row downwards
⌘ Option + L	Insert a column to the left
⌘ Option + R	Insert a column to the right
⌘ Option + ⌘ Cmd + M	Merge cells
⌘ Option + ⌘ Shift + M	Split cell
⌘ Option + ⌘ Cmd + R ⌘ Cmd + -	Delete a row
⌘ Option + ⌘ Cmd + U ⌘ Cmd + -	Delete a column
⌘ Option + ⌘ Shift + T ⌘ Cmd + -	Delete a table
Other keyboard shortcuts	
⌘ Cmd + N	Create a file
⌘ Cmd + O	Open a file
⌘ Shift + ⌘ Cmd + O	Open a file in the Cloud
⌘ Shift + ⌘ Cmd + P	Open the page parameters setup page
⌘ Option + P	Open the header/footer settings pane on the Page Numbers tab
⌘ Cmd + P	Open the print preview and printing page
⌘ Cmd + 0 (zero)	Set the actual page scale (100%)
⌘ Shift + ⌘ Cmd + R	Hide or display rulers
⌘ Option + ⌘ Cmd + F	Insert a regular footnote
⌘ Option + ⌘ Cmd + E	Insert an endnote
⌘ Cmd + K	Insert a link
⌘ Shift + ⌘ Cmd + V	Insert a link from the clipboard
⌘ Cmd + F	Open the search pane
⌘ Cmd + /	Open the Quick action box
Fn + F1	Open the Help
⌘ Cmd + Q	Close the active application window
Click the left mouse button	Set the cursor in the document

MyOffice

Keyboard shortcuts	Command or action
Click the right mouse button	Open the context menu of the selected element